

FEB 20 1991

Mr. Harold B. Igdaloff
Sungro Chemicals, Inc.
P.O. Box 24632
Los Angeles, CA 90024

Dear Mr. Igdaloff:

Subject: Revised Labels
Sunbugger In & Out Insect Killer
EPA Registration No. 11474-35 ✓
Sunbugger Industringicide Insect Killer
EPA Registration No. 11474-36
Sunbugger Quick Action Bug Away
EPA Registration No. 11474-37
Sunbugger 8
EPA Registration No. 11474-68
Your Submissions Dated December 19 and 20, 1990

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

As new labels are printed, make the following changes:

- 1. For all above products, add or revise the ENVIRONMENTAL HAZARD statement to be consistent with requirements in the Resmethrin Standard:

This pesticide is highly toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Do not contaminate water when disposing of equipment washwaters.

(The last sentence may be omitted from pressurized containers.)

62466:I:A-4:Johnson:L10-07:KEVRIC:02/13/91:PERM:aw:wo:EK:aw

CONCURRENCES

SYMBOL								
SURNAME								
DATE								

2. Delete petroleum distillate and aromatic petroleum hydrocarbons as active ingredients from registrations 11474-35, 36, and 37. Include the percentages of those ingredients as part of the inert ingredient total.
3. For registration 11474-35, change the statements to read "Foods should be removed or covered before treatment. Thoroughly wash all food processing surfaces before reuse."

Sincerely yours,



Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Avoid breathing of vapor and skin contact. Avoid contact with eyes. In case of contact, flush with water. Foods should be removed or covered during treatment or thoroughly cleaned before reuse. When using the product in these areas, apply only when the facility is not in operation. Remove pets, birds and cover fish aquariums before spraying. Do not smoke while spraying.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHAKE BEFORE USE. Point valve away from face and press button. Hold can at least 3 feet from surfaces which may stain and 18 inches from plants.

FOR CONTROL OF RESIDENTIAL AND INDUSTRIAL INSECTS, Flies, Mosquitoes, Gnats and Flying Moths: Direct spray at insects using short burst (1 to 2 seconds) or treat unoccupied areas as follows: Close doors and windows. With a sweeping motion, direct spray upward to all parts of the room (8 to 10 seconds per 1000 cubic feet). Keep room closed for 15 minutes. Do not remain in treated area. Ventilate area after treatment is completed.

Wasps and Hornets: Direct spray at these insects using short bursts. Spray thoroughly into nests, hiding and breeding places when insects have settled at night.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

Roaches, Sowbugs, Boxelder Bugs, Centipedes, Earwigs, Crickets, Grain Mites and Spiders: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary.

FOR CONTROL OF PESTS ON ORNAMENTAL PLANTS, For control of Aphids, Two-Spotted Spider Mites and Adult White Flies on ornamental house and greenhouse plants (African Violets, Aralias, Christmas Cherries, Chrysanthemums, Cinerarias, Difenbachias, Fuschia, Gloxinias, Ivy, Lantanas, Weathered Palms, Petunias, Roses and Snapdragons); and on outdoor plants (Azaleas, Chrysanthemums, Euonymus, Ivy, Marigolds, Petunias, Roses, Snapdragons and Zinnias). Spray plants with a slow sweeping motion so that mist drifts into plant. Direct spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Repeat as necessary. When using outdoors, spray when air is still.

DISPOS

Replace cap and discard containers in trash. Do not incinerate or puncture.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

SUNBUGG IN & OUT-S

INSECT KILLER

FOR CONTROL OF RESIDENTIAL, INDUSTRIAL

CONTAINS A COMBINATION OF TWO NEW

SYNTHETIC PYRETHROID COMPOUNDS

ACTIVE INGREDIENTS:

- *Tetramethrin
Related compounds
- **Resmethrin
Related compounds
Petroleum Distillate

INERT INGREDIENTS

TOTAL

*1-cyclohexene-1,2-dicarboximidomethyl 2,2-dimethyl-3-(2-naphthyl)propanoate.

**Resmethrin - Cis/trans isomer content: Max. 30% (+) cis
U.S. Patent No. 3,465,007.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautions

EPA Reg. No. 11474-35

MANUFACTURED BY:
SUNGRO CHEMICALS, INC.
P.O. BOX 24632 Los Angeles, CA. 90024

NET WEIGHT _____ OZ