

11474-38

11-11

101

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION**

Harmful if swallowed. Avoid contamination of Feed and Food stuffs. If swallowed, do not induce vomiting. Get prompt medical attention. Foods should be removed or covered during treatment or thoroughly cleaned before using. When using this product in these areas, apply only when the facility is not in operation.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of spray equipment or disposal of wastes.

**DIRECTION FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**ON ANIMALS:** To protect animals from horn flies, house flies, mosquitoes and gnats, apply a light mist sufficient to wet the tips of the hair. To control stable flies, horse flies, deer flies, apply 2 ounces per adult animal, sufficient to wet the hair, but not to soak the hide. Repeat treatment once or twice daily or at intervals necessary to give continued protection.

**SUNBUGGER DAIRY & LIVESTOCK SPRAY**

A Ready-To-Use  
PYRENONE Insecticide  
KILLS AND REPEL

Kills Houseflies, Stable flies, Horse Flies,  
Horn Flies, Mosquitoes, Gnats and Lice

Acceptable for Use on Dairy and Meat Animals and in  
Dairy Rooms, Milk Rooms and Dairies

**ACTIVE INGREDIENTS**

Pyrethins	0.10%
*Piperonyl Butoxide, Technical	1.00%
<b>INERT INGREDIENTS</b>	98.90%
<b>TOTAL</b>	100.00%
*Equivalent to 0.8% (butylcarbity) (6-propylpiperonyl) ether and 0.2 related compounds	

PYRENONE- Registered trademark  
of Fairfield American Corp.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

Harmful if swallowed

See side panel for additional precautionary statements.

E.P.A. Reg. No. 11474-38 E.P.A. Est. No. 114740-01

Manufactured by:  
SUNGRO CHEMICALS, INC.  
P.O. Box 24632 Los Angeles, Ca. 90021

To control blood-sucking lice, apply the spray lightly to infected areas, using a stiff brush to get to the base of the hair. Use 2 ounces or less per animal. Repeat every two or three weeks as required.

**BARN, MILK ROOM, DAIRY PLANTS:** To control flies, mosquitoes and gnats apply as a fog or fine mist, directing the spray toward the ceiling and upper corners of the room until the area is filled with mist, using about 2 ounces per 1000 cubic feet of space. For best results, close windows and doors before spraying and keep closed for ten to fifteen minutes. Vacate the area and ventilate before reoccupying. Repeat application as necessary.

**STORAGE AND DISPOSAL**

**STORAGE-** Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE DISPOSAL-** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL-** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given.

NET CONTENTS \_\_\_\_\_ GALLONS

011190

Not Reviewed. Registrant claims to be in accordance with  
regulation of Pesticide Product Guidance for Phase 2  
of the Act, Part 112. A change in Status