

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed or absorbed through the skin. Avoid contact with eyes, skin, or clothing. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes or clothing should be avoided.

PERSONAL PROTECTIVE EQUIPMENT

Mixers, loaders, and others exposed to propoxur must wear: long-sleeved shirt and long pants, chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber or viton), and shoes plus socks.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove protective clothing and equipment immediately after handling this product. Wash the outside of gloves before removing. Keep and wash protective clothing and equipment separately from other laundry.

Do not use as space spray. Do not use in edible product areas of food plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

ENVIRONMENTAL HAZARDS

This product is toxic to wildlife and aquatic invertebrates. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS

Flammable. Keep away from heat and open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT: Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limits of Liability.

GENERAL INFORMATION

HOW TO USE: SUNBUGGER III is ready to use undiluted as it comes from the can, and must be applied with either power-operated or hand pressurized sprayers. Apply as a coarse spray to surface until wet, moving the spray stream rapidly enough to prevent excessive wetting of surfaces and waste of material. Direct spray away from people, plants, and pets. Spray infested surface until wet.

GENERAL PRECAUTIONS & RESTRICTIONS

This product shall not be distributed, sold, or used with finger-operated or trigger-type sprayers. Do not apply as a landscape treatment (to lawns, shrubs or trees, garden plants). Do not apply this product in a way that will contact any person or pet, either directly or indirectly. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until sprays have dried.

APPLICATION INSTRUCTIONS

ROACHES, ANTS, SILVERFISH, SPIDERS, CRICKETS. Spray heavily into all cracks, around baseboards and other places where these insects hide. Also behind and beneath cabinets, refrigerators, sinks, stoves, etc. Spray other localized areas infested with these pests. Repeat treatment as required.

CARPET BEETLES: Make localized application to the floor and baseboards. Spray directly into cracks, closets and infested areas of shelving. Repeat as necessary.

BROWN DOG TICKS: Thoroughly spray infested areas around baseboards, window and door frames, wall coverings. Applications should be repeated as necessary. Fresh bedding should be placed in animal quarters following treatment.

SUNBUGGER III

Contains PYRENONE & BAYGON

**Kills Resistant Roaches
A Quick Acting Surface Spray
for Indoor and Outdoor Use
Kills Roaches, Ants, Waterbugs,
Brown Dog Ticks,
Silverfish, Spiders and Crickets
Residual Deposit Remains Effective
on Roaches up to Two Weeks**

ACTIVE INGREDIENTS	% By Weight
*2-(1-methylethoxy)phenol methyl-carbamate	0.500%
Pyrethrins	0.052%
**Piperonyl Butoxide	0.262%
INERT INGREDIENTS	99.186%
TOTAL	100.000%

CONTAINS PETROLEUM DISTILLATES

*U.S. Patent No. 3,111,539

**Equivalent to 0.21% (butylcarbityl)(6-propylpiperonyl) ether and 0.052% related compounds

PYRENONE - Registered trademark of Valent Biosciences Corporation.
BAYGON - Reg. U.S. Pat. Off. Farbenfabriken Bayer A.G., Chemagro Corp.

CAUTION

KEEP OUT OF REACH OF CHILDREN

See Side Panel for Further Precautions.

E.P.A. Reg. No. 11474-39 E.P.A. Est. No. 11474CA01

MANUFACTURED BY:
SUNGRO CHEMICALS INC.
P.O. Box 24632
Los Angeles, Calif. 90024
800-463-9179

NET CONTENTS GALLONS (LITERS)

ACCEPTED

DEC 24 2003

Under the Federal Insecticide,
Fungicide and Rodenticide Act
Registered for the pesticide

11474-39

DO NOT TREAT ANIMALS WITH THIS FORMULATION.

FLIES, MOSQUITOES, WASPS AND FLYING MOTHS OUTDOORS. For outdoors, use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages and other places where these insects alight or congregate.
FLEAS, ANTS, BROWN DOG TICKS, CLOVER MITES, CRICKETS, EARWIGS, MILLIPEDES OUTDOORS. For perimeter treatment of structures and outdoor areas where these insects may enter the dwelling spray infested areas thoroughly. Do not spray vegetation.

CONDITIONS OF SALE

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label, when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose expressed or implied, extends to the use of this product contrary to the label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes risk of any such use.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL:

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling for reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

FIRST AID:

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 9-1-1 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

SYMPTOMS OF POISONING: A sense of 'tightness' in chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Questions? 1-800-463-9179 or call poison control center.

NOTE TO PHYSICIAN:

Contains petroleum distillate. This product may pose an aspiration pneumonia hazard. If gastric lavage is deemed necessary, undertake only after proper placement of a cuffed endotracheal tube.

ANTIDOTE: Administer atropine sulfate in therapeutic doses. Repeat as necessary to point of tolerance. Compound inhibits cholinesterase resulting in stimulation of the central nervous system. The parasympathetic nervous system and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

120503lam

11474-39

12/24/2003

11