

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. Avoid contamination of feed and food stuffs.
Remove pets, birds, and cover fish aquaria before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as directed on the label.

DIRECTIONS FOR USE

It is violation of Federal Law to use this product in a manner inconsistent with its labeling.

SPACE SPRAY: For rapid control of flies, fruit flies, mosquitoes, gnats, flying moths, sand flies, wasps and hornets: Close doors and windows and shut off ventilating systems. Apply using a good machine adjusted to deliver a fine mist. Direct spray toward the upper portions of the room to fill the entire area with mist, using 1 to 2 ounces per 1000 cubic feet of space. Vacate the treated area and ventilate before reoccupying. Keep the area closed for ten minutes after treating. Repeat application when reinfestation occurs.

SURFACE APPLICATION: To control roaches, silverfish, crickets, and spiders. Apply as a coarse wetting spray directed into locations where these insects may hide behind baseboards, moldings, cabinets, shelves, sinks, door and window frames, around plumbing drains and in dark corners and into cracks and crevices, hitting insects with the spray whenever possible. Repeat treatment as necessary.
Against ant infestation, treat shelves, cabinets and storage areas; spray ant runs, trails, baseboards, thresholds, and other places of entry, and treat nests liberally. Repeat treatment as necessary.
In controlling fleas and Brown Dog Ticks in houses, direct the application toward the lower wall portions, baseboards, rugs, carpets and floors of infested areas. Animal quarters, kennels and bedding should also be sprayed.

To control bedbugs effectively, apply liberally to top, ends, sides and bottom of mattresses, spraying thoroughly all tufts, seams and folds. Spray springs and frame, directing the liquid into all cracks and lock joints. Treat walls, baseboards, moldings, floors, closets and bedroom furniture, picture frames, with particular attention to protected bedbug hiding and breeding places.

For most effective control of clothes moths and carpet beetles, remove infested articles from storage, brush thoroughly and, if possible, air several hours in direct sunlight. Apply spray liberally in empty chests, closets, bureaus and storage's, directing the liquid into cracks, joints and crevices. After airing, infested articles may be treated by holding the spray nozzle at least 3 feet away from the fabric and applying the liquid lightly to the seams to avoid the possibility of staining. Treat both sides of rugs, carpet and pads, and all exposed and accessible surfaces of overstuffed furniture. Do not overspray if products are made of rubber or are rubber coated, to prevent expansion or swelling. Repeat treatment monthly unless the articles are stored in moth-tight containers.

To control infestations of granary weevil, rice weevil, sawtooth grain beetle, confused flour beetle, rusty grain beetle, red flour beetle, cadellies, meal worms, grain mites, Angoumois grain moth, Indian meal moth and Mediterranean flour moth in food storage areas: If possible, clean out and destroy any infested food products; otherwise, fumigation or other effective treatment should be made using an approved product intended for this purpose. Apply this spray thoroughly to all surfaces of shelves, cabinets, bins, pantries, and similar food storage areas with particular attention to cracks, crevices, niches, and other hiding places.

SUNGRO PYRETH

**Effective, Fast Acting Insecticide.
For Use in Homes, Institutions,
Restaurants, Food Processing
Plants, Dairy rooms,
Milk Rooms and Dairies.**

**KILLS ON CONTACT EXPOSED
OR ACCESSIBLE STAGES OF:**

Roaches	Gnats	Rice Weevil	Granary Weevil
Silverfish	Wasps	Spider Beetle	Red Flour Beetle
Crickets	Hornets	Cheese Mites	Clothes Moth
Spiders	Sand Flies	Stable Flies	Carpet Beetles
Ants	Meal Moths	Grain Mites	Mosquitoes
Skippers	Lice	Horn Flies	Angoumois Grain Moth
Fleas	Bedbugs	Meal Worms	Confused Flour Beetle
Cadellies	Horse Flies	House Flies	Sawtooth Grain Beetle
Mediterranean Flour Moth		Brown Dog Ticks	in Buildings

ACTIVE INGREDIENTS:	By Weight
Pyrethrins	0.1%
Piperonyl Butoxide, Technical*	0.5%
INERT INGREDIENTS:	99.4%
TOTAL	100.0%

*Equivalent to 0.4% of (butylcarbityl) (6-propylpiperonyl) ether and to 0.1% of related compounds.

Contains Petroleum Distillate

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Side Panel for Additional Precautionary Statements

EPA Reg. No. 11474-50 EPA Est. No. 11474CA01

MFG. BY: SUNGRO CHEMICALS, INC
P.O. BOX 24632
DOSTAN, TEXAS 75824

ACCEPTED

NET CONTENTS _____ GALLONS (_____ LITERS)
NOV - 3 2004

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 11474-50

FOG OR VAPOR SPRAY: To kill accessible or exposed stages of insects named on this label (excepting clothes moths, bedbugs, and carpet beetles). Apply using conventional mechanical thermal or compressed air equipment. Fill the entire area with mist using 3 to 6 ounces per 1000 cubic feet of space. Repeat treatment as needed.

ON ANIMALS: To protect animals from horn flies, house flies, mosquitoes and gnats, apply a light mist sufficient to wet the tips of the hair. To control stable flies, horse flies, deer flies, apply 2 ounces per adult animal, sufficient to wet the hair, but not to soak the hide. Repeat treatment once or twice daily or at intervals necessary to give continued protection.

To control blood sucking lice, apply the spray lightly to infected areas, using a stiff brush to get to the base of the hair. Use 2 ounces or less per animal. Repeat every two or three weeks as required.

BARN, MILK ROOMS, DAIRY PLANTS: To control flies, mosquitoes and gnats apply as a fog or fine mist, directing the spray toward the ceiling and upper corners of the room until the area is filled with mist, using about 2 ounces per 1000 cubic feet of space. For best results, close windows and doors before spraying and keep closed for ten to fifteen minutes. Vacate the area and ventilate before reoccupying. Repeat application as necessary.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth etc. Dispose of with chemical waste.

DISPOSAL INSTRUCTIONS:

If Empty: Do not reuse this container. Place in trash or offer for recycling if available.

If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with the directions given herewith.

FIRST AID:

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 9-1-1 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Questions? 1-800-463-9179 or call poison control center.

NOTE TO PHYSICIAN:

Contains petroleum distillates vomiting may cause aspiration pneumonia. If gastric lavage is deemed necessary, undertake only after proper placement of a cuffed endotracheal tube.

012003lam