

Pm 17

11474-51

185

Called 3/17/89  
Harold Igdaloff stated  
he would correct his  
label to please  
KOROC before  
"Caution" on  
front panel  
YHS

392  
~~241233~~  
27 1989  
38 ( 2

Mr. Harold B. Igdaloff  
Sungro Chemicals, Inc.  
810 East 18th Street  
Los Angeles, CA 90021

Dear Mr. Igdaloff:

Subject: Sungro #214 Water-Base Multi-Purpose Insecticide  
EPA Registration No. 11474-51  
Your Submission of Final Labels Dated December 8, 1986

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

At the next printing of labels correct the typographical error under "Environmental Hazards."

Sincerely yours,

Phil Hutton  
Product Manager (17)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767C)

Enclosure

50553;I:Schoeder:C.Disk:KENCO:1/27/89:rw:VO:EK:CT

CONCURRENCES

SYMBOL	SURNAME	DATE					

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS  
STATEMENT OF PRACTICAL TREATMENT**

**CAUTION**

Harmful if swallowed. Avoid contamination of food and foodstuffs. Remove pets, birds and cover fish aquaria before spraying.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Keep out of lakes, ponds, streams, tidal marshes and estuaries. Do not contaminate water by cleaning of equipment or disposal of wastes.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**INDOOR APPLICATION**

The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Vacate treated areas and ventilate before reoccupying. For maximum effectiveness a combination of spot surface treatment and fogging is recommended.

**SURFACE SPRAYING:** To control roaches, ants, silverfish, spiders, crickets, clover mites, cheese mites, granary weevils, rice weevils, confused flour beetles, red flour beetles, saw-toothed grain beetles, spider beetles, cigarette beetles, drugstore beetles, meal worms, grain mites and cadellies: Use a good sprayer adjusted to a coarse wet spray. Direct the spray into hiding places, cracks and crevices under pallets, around containers of stored foods, around the base of machinery, behind shelves and drawers. For silverfish, spray bookcases. For ants, spray trails, nests and points of entry. If surface application only is to be used, spray floors and other surfaces applying at a rate of 1 gallon to 750 square feet of surface.

To control carpet beetles: Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, closets and invested areas of shelving. Repeat treatment as needed.

To control bedbugs: Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, mouldings and floors. Repeat treatment as needed.

To control fleas and and brown dog ticks: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, mouldings, window and door frames, and entire areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals with an approved insecticide is recommended. Repeat treatment as needed.

**SUNGRO # 214 WATER-BASE  
MULTI-PURPOSE INSECTICIDE**

A Concentrated PYRENONE Micro Emulsion  
Clear-Stable-Leaves No Oily or Objectionable Residues

Effective Fast Acting Insecticide  
For Use in Homes, Institutions, Restaurants  
Food Processing Plants, Dairies, Livestock and  
Outdoors for Mosquito Control  
Apply with Conventional Mechanical or Compressed  
Air Equipment

**Active Ingredients:**

Pyrethrins.....0.1%  
Piperonyl Butoxide, Technical.....1.0%  
Inert ingredients.....98.9%

Equivalent to 0.6% (butylcarbityl)6-propylpiperonyl ether  
and 0.2% related compounds

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN**

(SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS)

Do Not Transport Or Store Under 32 F

E.P.A. REG. NO. 11474-51

E.P.A. EST. NO. 11476CA01

Bayer assumes all risks of use, storage or handling of this product not in strict accordance with directions given hereon.

MANUFACTURED BY:

**SUNGRO CHEMICALS INCORPORATED**  
P.O. BOX 24632 LOS ANGELES, CALIFORNIA 90024

NET CONTENTS:.....GAL.

**BEST AVAILABLE COPY**

To control cl  
articles from  
for several ho  
spray liberall  
and other str  
cracks, joints  
infested articl  
nozzle at lea  
staining.

SPACE SPRAYING:  
off ventilatin  
-stand adjust  
For rapid contr  
mosquitoes, sl  
goussis grain  
Indian meal  
spray at an m  
torily through  
3-6 ounces per  
FOGGING: To kill  
the above name  
of one gallon  
space. Contact  
ble.

ON ANIMALS:  
horn flies, or  
mist sufficient  
To control st  
flies, apply  
cow or horse,  
oughly. Repeat  
necessary to g

OUTDOOR APPLI  
Apply as a f  
entire area. I  
wind velocity  
Treat shrubbe  
may rest, low  
ponds and shr  
gallons per a  
feet). Using  
equipment such  
100 ft travel  
 swath calibrat  
per minute.  
Not for use i  
Plants.

STORAGE: Sto  
tainer closed  
PESTICIDE DIS  
tainer in se  
card in trash  
CONTAINER DI  
Rinse throug  
Over 1 gallon  
PESTICIDE DI  
use of this  
or at an app  
cilities  
CONTAINER DI  
lent). Then  
ing, or pun  
fill, or by  
and local aut

383

09.09

08.01.00

11474 51

ACQUIRED  
with CONFIDENTIALITY  
in LEAD 1070000

SEP 27 1969

Under the provisions of the  
Privacy Act, this information  
is being released to you  
because you have requested it.

11474-51

PM 17