

Precautionary Statements
Hazards to Humans & Domestic Animals.

Caution

harmful if swallowed. Avoid contact with eyes, skin and hair. Avoid breathing vapors or spray mist. Keep away from food, feedstuffs and domestic water supplies. Wash thoroughly after handling. Do not allow children to contact treated surfaces until spray has dried. Do not spray air in rooms or use on plants. Apply as a surface spray only as specified on this label. Do not allow spray to contact food, feedstuffs, or water supplies. Thoroughly wash dishes and food handling utensils if contaminated with this product. Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Wash hands and cover fishbowl before spraying.

TREATMENT OF PRACTICAL TREATMENT
 If swallowed: Drink one or two glasses of water and induce vomiting by touching the back of the throat with fingers. Do not eat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.
 If inhaled: Remove victim to fresh air. Apply artificial respiration if needed.
 On skin: Remove contaminated clothing and wash affected areas with soap and water.
 In eyes: Flush eyes for at least 15 minutes with water. Call a physician immediately.
 Consult a Physician: Active ingredients contain a proteinase inhibitor. Treat symptomatically. Atropine is an antidote.


ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by washing of equipment or disposal of wastes. Apply this product only as specified on this label.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.
STORAGE: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, mop up with an absorbent material such as sawdust, earth, fuller's earth, etc. Dispose of with municipal waste.
CONTAINER DISPOSAL: Waste resulting from the use of this product may be disposed of on site or at an approved local facility.
TRIPLE CONTAINER DISPOSAL: Triple rinse (or equivalent) then reuse for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.
TRIPLE CONTAINERS ONE GALLONS OR SMALLER: Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

Manufacturer assumes all risk of use, storage or handling of this product not in strict accordance with directions given on label.



SUNGRO CHEMICALS
EMULSION INSECTICIDE. CONTAINS PYRETHROID AND DUREBAN INSECTICIDE.
PERSISTENT, LONG LASTING
FOR INDOOR AND OUTDOOR USE.

APPROVED - USE WATER BASE MICRO
EMULSION INSECTICIDE. CONTAINS PYRETHROID AND DUREBAN INSECTICIDE.
PERSISTENT, LONG LASTING
FOR INDOOR AND OUTDOOR USE.

Controlled Pests: Cockroaches, Ants, Spiders, Fleas, Centipedes, Boxelder Bugs, Brown Dog Ticks, Scorpions, Beetles, Clothes Moths, Fruit Flies, Gnats, Mosquitoes, Small Flying Moths, etc.
 *Equivalent to 0.05% (piperonyl) ether and to 0.052% related compounds.
 ** U.S. Patent No. 3,244,586

DO NOT TRANSPORT OR STORE BELOW 32 DEG. F.

CAUTION

KEEP OUT OF REACH OF CHILDREN

See side panel for additional precautionary statements

EPA REG. NO. 11474-55
 EPA EST. No. 11474CA01

Manufactured by
SUNGRO CHEMICALS CO.
 P.O. BOX 24632
 LOS ANGELES, CA 90024

NET CONTENTS-----gallons

ACCEPT
 OCT 5 1987
 Under the Federal Insecticide, Fungicide, and Rodenticide Act amended, for the pesticide registered under EPA Reg. No.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.
HOW TO USE:

Shake before using
 Spray infested surfaces until wet.
TO CONTROL ANTS, BOXELDER BUGS, CENTIPEDES, COCKROACHES, CRICKETS, EARWIGS, PALMETTO BUGS, PILLBUGS, SCORPIONS, SILVERFISH, SPIDERS, SPIDER BEETLES, WATERBUGS: Spray areas where these pests are found or may hide, including dark corners of rooms, closets, cracks, crevices, along baseboards, door sills and frames, behind and beneath sinks, stoves, refrigerators, cabinets and around garbage cans, plumbing and other utility installations. Pests flushed out of hiding should be sprayed daily.

ANTS: Treat ant trails, nests and points of entry. Repeat treatment as necessary.

TO CONTROL BROWN DOG TICKS: Thoroughly spray sleeping quarters of animals. Spray infested areas around baseboards, windows and door frames, wall and floor crevices where localized areas of infestation occur. Application should be repeated as necessary. Fresh bedding should be placed in animal quarters following treatment.
DO NOT TREAT ANIMALS WITH THIS FORMULATION.

TO CONTROL CARPET BEETLES, CIGARETTE BEETLES, CLOTHES MOTHS: Spray edges of carpeting and under carpeting, rugs and closets. Make localized application to the floors and baseboards. Spray directly into cracks, crevices, closets and infested areas of shelving and/or wherever these insects are seen or suspected. Repeat as necessary.

TO CONTROL FRUIT FLIES, GNATS, HOUSE FLIES, MOSQUITOES, SMALL FLYING MOTHS: For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures or porches, in garages and other places where these insects alight or congregate.

TO KILL FLEAS AND BROWN DOG TICKS, INDOORS: Clean premises thoroughly before treatment. Spray an inconspicuous area of furniture, carpet or flooring to check for possible staining or discoloration. Using a coarse cone or fan spray, treat the entire floor and carpet area. Special attention should be given to cracks, crevices and other under carpet and rug edges. Also treat animals sleeping quarters, closets, upholstered furniture (with particular attention to seams), under sofas and other furniture. In animal quarters, bedding should be cleaned or replaced with fresh bedding. Do not use this application in nurseries or any areas where infants may sleep. Apply at the rate of approximately 1 gallon to 750 square feet (17 sq. ft.) DO NOT TREAT ANIMALS WITH THIS FORMULATION. To avoid reinfestation, pets must be treated simultaneously, with an E.P.A. approved insecticide labeled for use on animals. Application should be repeated as necessary. Humans and pets should avoid contact with treated surfaces (rugs, upholstered furniture, etc.) for four hours after treatment or until they are dry.

BEST AVAILABLE COPY