

# SUNGRO DURSBO

PYRENONE<sup>Q</sup> INSECTICIDE PROVIDES FLUSHING ACTION AND FAST KNOCKDOWN

Controls Cockroaches, Ants, Silverfish, Spiders, Crickets, Earwigs, and Brown Dog Ticks

Use in and around Homes, Apartments, Garages, Similar Residential Structures, Institutions, Restaurants, and Food Processing Plants

Use Outdoors As An Aid in Reducing Annoyance From Flies And Mosquitoes Entering The Home

## ACTIVE INGREDIENTS:

	% By Wt.
Pyrethrins	0.052
*Piperonyl butoxide, Technical	0.260
**Chlorpyrifos O,O- diethyl O-3,5,6-tri-chlor-2-pyridyl) phosphorothioate	0.500
INERT INGREDIENTS	99.188
TOTAL	100.000

\*Equivalent to 0.208% (butylcarbityl)(6-propylpiperonyl) ether and to 0.052% related compounds.  
\*\* U.S. Patent No. 3,244,586

PYRENONE<sup>Q</sup> - Registered Trademark of Fairfield American Corporation

DURSBAN - Registered Trademark of The Dow Chemical Company

## CAUTION

### KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed.

NOTE TO PHYSICIAN: Contains petroleum distillate. If gastric lavage is deemed necessary, undertake only after proper placement of a cuffed endotracheal tube. Active ingredients contain a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote. See back panel for additional precautionary statements.

EPA REG. NO. 11474-66

EPA EST. No. 11474CA01

Manufactured by:  
SUNGRO CHEMICALS, INC.  
P.O. BOX 24632  
LOS ANGELES, CA 90024

NET CONTENTS \_\_\_\_\_ gallons

## Precautionary Statements Hazards to Humans & Domestic Animals.

### Caution

Harmful if swallowed. Avoid contact with eyes, skin and clothing. Avoid breathing vapors or spray mist. Keep away from food, feedstuffs and domestic water supplies. Wash thoroughly after handling. If swallowed, do not induce vomiting. Call a physician immediately.

Do not allow children or pets to contact treated surfaces until spray has dried.

Do not spray air in rooms or use on plants. Apply as a surface spray only as specified on this label.

Do not allow spray to contact food, feedstuffs or water supplies.

Thoroughly wash dishes and food handling utensils if contaminated with this product. Do use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

Remove pets and cover fishbowls before spraying.

### STATEMENT OF PRACTICAL TREATMENT

If swallowed: Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled: Remove victim to fresh air. Apply respiration if indicated.

If on skin: Remove contaminated clothing and wash affected areas with soap and water. If in Eyes: Flush eyes with plenty of water. Call a physician immediately.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

STORAGE: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, Fuller's earth, etc. Dispose of with chemical waste.

### PESTICIDE DISPOSAL

Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

### CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

CONTAINERS ONE GALLONS OR SMALLER: Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

Buyer assumes all risk of use, storage or handling of this material not in strict accordance with directions given herewith.

### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

SERVING AREAS: Facilities where foods are served such as dining rooms, but excluding areas where foods may be prepared or held, apply as a spot to selected surfaces such as baseboards, under elements of construction and into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facilities is in operation if foods are exposed.)

DIRECTIONS FOR HOUSEHOLD AND OUTDOOR USE IN NON-FOOD AREAS: Including garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter. Repeat treatment as required.

DIRECTIONS FOR FOOD HANDLING ESTABLISHMENTS (Places other than private residences in which exposed food is held, processed, prepared or served.)

FOOD AREAS-APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY: Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups) and serving areas (when food is exposed and facility is in operation).

To control cockroaches, ants, earwigs, waterbugs, silverfish, spiders and crickets apply in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide, in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, in conduits, motor housings, junction or switch boxes, prior to application de-energize electrical equipment. After application allow time for oil to evaporate before starting motors or placing switches in "ON" position. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

### BROWN DOG TICKS:

Apply thoroughly as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor covering where these insects may be present. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment of pet areas. Additionally, treat pets with an E.P.A. approved product registered for direct application to pets.

### FLIES AND MOSQUITOES:

Use only on outdoor surfaces. Spray outside surfaces of windows and door frames and other areas where these pests may enter the home. Also spray dark corners and localized resting areas, such as under eaves, porches, partitions and in garages where these insects may congregate.

Flies and mosquitoes coming to rest on treated surfaces will be killed. Repeat treatment when effectiveness diminishes.

0116'90

Not Reviewed. Registrant claims to be in accordance with  
Reregistration of Pesticide Product Guidance for Phase 2  
Response, Page 2.12, Active to Inert Change in Status.