



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

1 3 1994

Harold B. Igdaloff SUNGRO CHEMICALS, INC. P. O. Box 24632 Los Angeles, CA 90024

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

SUBJECT:

Label Amendment Submission of 02/08/94 in Response to PR Notice 93-7

EPA Reg. No. 11474-67

SUNGRO PERMITH WITH PERMANONE

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully REMOVES THE PRODUCT FROM THE SCOPE of PR Notice 93-7 once the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.

Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements, the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

Sincerely,

James Tompkins, Deputy Chief Registration Support Branch

Registration Division (7505W)

Enclosures

83

Recycled/Recyclebie
Printed with Soy/Cenola ink on paper that
contains at least 50% recycled four

142

PRECAUTIONARY 8 - ATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. May be absorbed through skin. Avoid inhalation of spray mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling and before smoking or eating. Avoid contamination of feed or food stuffs. Remove pets and birds and cover fish aquaris before space apraying or surface applications. Do not use on humans. Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry.
STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink one to two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated. FON SKIN: Remove conterminated clothing and wash affected areas with so ap and water. Fin EYES: Flush eyes with plenty of water. Call a physician II initiation persists.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. For terrestial uses, do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hezardous to equatic organisms in treated areas. Do not contaminate water when disposing of equipment wash waters. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the

PHYSICAL HAZARDS

Wear full-faced gas mask with canister type recommended for general insecticide protection when applying indoors as a space spray or fog. Do not use this product in or on electrical equipment due to the possibility of shock hazard

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its lebelling. For space spraying/fogging indoors wear a NKOSH or MSHA approved respiratory protection device. Do not sllow agray treatment to drift on pasture land, cropland, poultry ranges or water supplies. Do not use on crops used for food, forage or pasture. This product an proved for use in USDA Meat and Poultry Plants.

SHAKEWELL BEFORE USE INDOOR APPLICATION

Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be propared or held.

Nonfood areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boller rooms, garages, mop closets and storage (after canning or bottling).

Vacate treated areas and ventilate before reoccupying. For maximum effectiveness, a

combination of stot, surface treatment and fogging is recommended.

SURFACE SPRAYING: To control cockroaches, waterbugs, patinetto bugs, scorpions, millipedes, centipedes, sowbugs, pilibugs, ants, silverifsh, firebrats, spiders, crickets, clover mites, cheese mites, granary weevils, rice weevils, confused flour beetles, rust red flour, beetles, sawtoothed grain beetles, spider beetles, cigarette beetles, drugstore beetles mealworms, grain mites and cadelles: Use a good sprayer adjusted to a coarse wet spray. Direct the spray into hiding places, cracks and crevices, under pallets, around containers of stored foods, around the base of machinery, and behind shelves and drawers. For silverlish, spray bookcases. For ants, spray trails, nests and points of entry. If surface application only is to be used, spray floors and other surfaces, applying at a rate of 1 gallon to 750 square feet

To control carpet beeties: Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, crevices and Infested areas of shelving. Repeat treatment as needed.

To control bedbugs: Spray mattresses lightly, particularly around tuffs and seams. Take bads apart and apray in all joints. Treat baseboards, mouldings and floors. Repeat treatment as needed. Allow all treated articles to thoroughly dry before use.

To control fleas and ticks (adults and larves): Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, slong and behind beseboards, mouldings, window and door frames, and entire areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Repeat treatment as needed.

To control clothes moths: Remove any infested articles from storage, brush thoroughly, and sir for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages, directing the spray into cracks, joints and crevices. After siring, infested articles may be treated lightly, keeping nozzle at least three feet from fabric to avoid steining

SUNGROPERMITH WITH PERMANONE'

A Concentrated PERMANONE® Stable Emulsion

Effective, Fast-Acting Insecticide Recommended for Commercial/Agricultural Use and Mosquito Abatement District Officials.

For Use Outdoors; in Homes; Nonfood Areas of Commercial Buildings, Institutions, Warehouses, Theaters, Office Buildings, Schools, Motels, Hotels, Restaurants: Food and Feed Processing Establishments; and Kennels.

For Control of Fleas, Brown Dog Ticks and Lice On Premises and On Dogs Apply With Conventional Mechanical Or Compressed Air Equipment

ACTIVE INGREDIENT:

INERT INGREDIENTS

PERMANONE® is a ragistored trademark of Fairfield American Corporation. *(3-phenoxyphenyl),nethyl(cla/trans-(2,2-dichloro-ethenyl)? 2-dim=hylcyclopropane carboxylate.

Cis/trans ratio: min. 35% cis and max. 65% trans

KEEP OUT OF REACH OF CHILDREN CAUTION

See Rear Panel For Use Cautions.

EPA Reg. No. 11474-67 EPA Est. No. 11474CA01

Manufactured by: SUNGROCHEMICALS, INC P.O. Box 24632 Los Angeles, Ca. 90024

NET CONTENTS_____GAL

ACCEPTED with COMMENTS In EPA Letter Dated

Under the Federal Insecticide. Fundicide, and Redenticide Act an amended, for the people'de registration under EPA Neg. No.

BEST COPY AVAILABLE

To kill lice and jouee eggs: Spray discoloration. Inspect again after Ryray from a distance of 8 to 10 kr including mattresses and turniture, treated articles to dry thoroughly be SPACE SPRAYING: Close doors a good machine adjusted into deliv files_, gnats, mosquitoes, skipper i moths, Mediterranean flour moths, an upward angle, distributing it uni 1000 cubic feet of space. Keep are Fogging: To kill exposed or access rate of 1 gation to 20,000-40,000 cu Keep area closed for 2 hours. Vent ON LIVESTOCK: To protect cattle horn files, face files, house files, m the surface of the hair. For face files To control stable files, home files ar sufficient to wet the heir thoroughly continued protection.

To control bloodsucking lice: Apply get the spray to the base of the hair. To control poultry lice: Spray roos! followed by spraying over the birds of To control bedbugs and mites in p wells, and crecits in nests where the ON DOGS: To control flees, ticks (rapidly and making sure that the underbody. While spraying wearir the skin. Make sure spray wets the with genitalia. Repeat as necessa de billteted a nimets.

NOTE: Not recommended for use of OUTDOOR APPLICATION

Not for use on plants being grown f production, or for research purpose climatic modification and being gro or on golf courses or lawns and group FOR CONTROL OF GARDEN IN: ornamentata, to kili Japanese bee thripe, spiders, red miles and leafm. May be used on plants, as a multi-p inciplent insect infests tions to preve May also be used on other plant camellies, camelions, chrysenthe eunonymous, fuechia, geraniums, rhododendrons, roses, rubber plan Effective when used as directed as thrips, lace bugs, Japanese beetles When spraying plants, do not ope cautious about wetting tender folia when temperatures exceed 90 de presible. Repeat treatment as infer ADULT MOSQUITO CONTROL: Ap pest results, treat when the wind ve or vegetation where mosquitoes m per acre (0.9 ounce per 1000 squ equipment such as Rotomist mode foot swath, calibrate equipment to should open water be treated with is kee and streams.

STORAGE AND DISPOSAL

Do not contaminate water, food or fo PESTICIDE STORAGE AND SPILL not expose to freezing temperature spill or leskage, soak up with an a earth, etc. Dispose of with chemica PESTICIDE DISPOSAL: Pesticide according to label instructions mu

CONTAINER DISPOSAL: Triple reconditioning, or puncture and dis and local procedures.

CONTAINERS ONE GALLON AND Fahrenheit. Do not reuse contains discard in trash.

0194wps.ng