

SUNBUGGER 8

Contains SYNTHRIN®

Kills houseflies, mosquitoes, gnats, small flying moths (millers), wasps, cockroaches, waterbugs, earwigs, grain mites, sowbugs, spiders, ants and centipedes.

For use in Homes, Bakeries, Hospitals, Food Handling Plants, Seed Houses, Horse Stables, Hotels, Motels, Institutions, Hospices and Mortuaries.

ACTIVE INGREDIENTS:

*Resmethrin [5-(phenylmethyl)-3-furanyl] methyl 2, 2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate	0.250%
Related Compounds	0.034%
Petroleum Distillate	99.704%
INERT INGREDIENTS:	0.012%
	100.00%

*Cis/trans isomers ratio max 30% (+) cis and min 70% (+) trans.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautions.

EPA Reg. No. 11474-68

EPA Est. No. 11474CA01

NET CONTENTS _____

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. Do not enter treated areas without protective clothing until sprays have dried.

Mosquitoes, Houseflies, Gnats, Small Flying Moths (Millers): Close all doors and windows. Direct the spray to all parts of the room. Fill the room with mist, then leave the treated area. Keep room closed for at least 15-30 minutes. Ventilate the room when treatment is completed.

Wasps: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

Cockroaches, Waterbugs, Earwigs, Grain Mites, Sowbugs, Spiders and Centipedes: Spray thoroughly into hiding places, such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

To Kill Grain Insects: Angoumois Grain Moths, Cadellies, Confused Flour Beetles, Indian Meal Moths, Mediterranean Flour Moths, Rice Weevils, Sawtoothed Grain Beetles, Yellow Mealworms, Cheese Mites, Cheese Skippers, Cigarette Beetles, Grain Mites, Granary Weevils, Dark Mealworms and Red Flour Beetles. Remove infested grain, cereal or flour and destroy. Avoid contamination of other food and foodstuffs in the area by removing before spraying. Apply as a coarse wet spray directly on exposed stages of the listed grain pests and into cracks and crevices where they may be hiding.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved State and local procedures.

CONTAINERS ONE GALLON AND SMALLER: Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid contact with eyes, skin or clothing. Do not use in horse stable if horses are to be used for food. Avoid contamination of feed and foodstuffs. When using this product in food processing plants, foods should be removed or covered before treatment. Thoroughly wash all food processing surfaces before reuse. When using this product in these areas, apply only when the facility is not in operation. Remove pets, birds and cover fish aquariums before spraying. Do not remain in treated areas. Ventilate area after treatment is completed.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Contact a physician or Poison Control Center immediately. Do Not Induce Vomiting. This product contains petroleum distillate. Aspiration is a potential hazard.
If Inhaled: Remove affected person to fresh air. Apply artificial respiration if indicated.
If In Eyes: Flush eyes with plenty of water. Contact a physician if irritation persists.
If On Skin: Wash affected areas with soap and water. Contact a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and birds. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given hereafter.

Manufactured by:

SUNGRO CHEMICALS, INC.
P.O. BOX 24632 LOS ANGELES, CA 90024

BEST AVAILABLE COPY

ACCEPTED
FEB 25 1987
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended for the pesticide treatment of water.
EPA Reg. No. 11474-68