

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This ready to use concentrate may be dispersed through good mechanical, thermal or compressed air fogging or spraying equipment. If used in edible product areas of Federally inspected meat, poultry, shell egg grading and egg product establishments, it must be dispersed as an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns).

**SPACE TREATMENT:** Close doors and windows and shut off ventilating systems. Apply as a fog or fine mist, distributing the spray throughout the area. Use at a rate of 1 ounce per 1000 cubic feet of space. Direct spray behind and under obstructions and contact crawling insects whenever possible. Keep area closed for 10 to 15 minutes. Vacate treated area and ventilate before reoccupying. Repeat treatment as necessary. For wasps and hornets spray late in evening when insects are at rest.

The above described application will kill accessible exposed stages of house flies, fruit flies, mosquitoes, silverfish, small flying moths, gnats, crickets, cockroaches, spiders, scorpions, wasps, hornets, clover mites, cheese mites, cheese skippers, and these common stored product pests: granary weevils, rice weevils, confused flour beetles, saw toothed grain beetles, spider beetles, cigarette beetles, drugstore beetles, Angoumois grain moths, Mediterranean flour moths, Indian meal moths, tobacco moths, meal worms, and grain mites.

**SURFACE APPLICATIONS:** To insure maximum control of crawling insects listed, apply as a coarse mist directed toward insects into cracks, crevices, around machinery, around containers of stored products and other areas wherever these insects may hide. Repeat as necessary.

**SPACE SPRAY - Stored Sweet Potatoes.**

Use 1 gallon of this material per 100,000 cubic feet to control vinegar flies. Apply as a space spray with a mechanical or thermal generator. Apply only when flying insects are present. During periods of heavy infestation several applications may be necessary. Do not make more than 10 applications.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

## SUNGRO PYRETH #3

An effective Semi-Concentrated  
Pyrethrum Insecticide.

For Application in Specialized Mechanical,  
Thermal or Compressed Air Fogging  
Equipment.

For use in Bakeries, Food Plants, Restaurants,  
Hotels, Hospitals, Schools, Office Buildings,  
Food Processing or Handling Plants, and  
Warehouses.

### ACTIVE INGREDIENTS

Pyrethrins	0.3%
*Piperonyl Butoxide	2.4%

### INERT INGREDIENTS

97.3%

-----  
100.0%

\*Equivalent to 1.92% (butylcarbityl)(6-propyl  
piperonyl) ether and 0.48% related compounds.

KEEP OUT OF REACH OF CHILDREN  
CAUTION

See side panel for additional precautions  
EPA Reg.No.11474-69 EPA Est No.11474-CA01

NET CONTENTS: \_\_\_\_\_

Manufactured by:

SUNGRO CHEMICALS, INC.

P.O.BOX 24632 LOS ANGELES, CA 90024

ACCEPTED

FEB 25 1987

Use only for control of insects.  
Do not use for rodent control.  
Do not use for the purpose  
of killing birds.  
EPA Reg. No. 11474-69

BEST AVAILABLE COPY

## PRECAUTIONARY STATEMENTS-- HAZARDS TO HUMANS & DOMESTIC ANIMALS STATEMENT OF PRACTICAL TREATMENT

### CAUTION

Harmful if swallowed or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. Facilities and equipment including utensils must be washed with effective cleaning compound followed by a potable water rinse after spraying and before use.

Remove pets, birds and cover fish aquariums before spraying.

### STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Contact a physician or Poison Control Center. Do not induce vomiting unless directed by a physician. This product contains a high amount of petroleum distillate. Vomiting may cause aspiration pneumonia.

If Inhaled: Remove affected person to fresh air. Apply artificial respiration if indicated.

If in Eyes or on Skin: Flush with plenty of water. Contact a physician if irritation persists.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE DISPOSAL:** Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedures.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.