

11474 - 69

4/15/2003

Page 1 of 3

Mr. Larry Mackson, Manager  
Sungro Chemicals, Inc.  
P.O. Box 24632  
Los Angeles, CA 90024

APR 15 2003

Subject: Application to amend label in accordance with PR Notice 2001-1 and 2001-6  
Product Name: Sungro Pyreth #3  
Registration Number: 11474-69  
Date of Submission: January 30, 2003

Dear Mr. Mackson;

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

1. Within the First aid claim, change the "If Swallowed" statement and corresponding language to:

**"IF SWALLOWED:** Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person."

Refer to Page 5 Section G of PR Notice 2001-1 for those products containing Petroleum distillates in excess of 10%.

2. Under the subsection entitled "NOTE TO PHYSICIAN" insert the statement: "Contains petroleum distillate - vomiting may cause aspiration pneumonia."

Refer to Page 7 Section IV, A, 3. of PR Notice 2001-1.

A electronic Adobe® PDF format copy of PR Notice 2001-1 may be obtained at the following agency web address:

[http://www.epa.gov/opppmsd1/PR\\_Notices/pr2001-1.pdf](http://www.epa.gov/opppmsd1/PR_Notices/pr2001-1.pdf)

If you have any questions, you may contact Richard J. Gebken, at (703) 305-6701.

Sincerely,

2 8 3



Marion Johnson  
Product Manager 10  
Insecticide Branch  
Registration Division (7505C)

Enclosure

011474-00069 S630628 wpd

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS  
CAUTION**

Harmful if swallowed or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. Facilities and equipment including utensils must be washed with an effective cleaning compound followed by a potable water rinse after spraying and before use. Remove pets, birds and cover fish aquariums before spraying.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This ready to use concentrate may be dispersed through good mechanical, thermal or compressed air fogging or spraying equipment. If used in edible product areas of Federally inspected meat, poultry, shell egg grading and egg product establishments, it must be dispersed as an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns).

**SPACE TREATMENT:** Close doors and windows and shut off ventilating systems. Apply as a fog or fine mist, distributing the spray throughout the area. Use at a rate of 1 ounce per 1000 cubic feet of space. Direct spray behind and under obstructions and contact crawling insects whenever possible. Keep area closed for 10 to 15 minutes. Vacate treated area and ventilate before reoccupying. Repeat treatment as necessary. For wasps and hornets, spray late in the evening when insects are at rest.

The above described application will kill accessible exposed stages of house flies, fruit flies, mosquitoes, silverfish, small flying moths, gnats, crickets, cockroaches, spiders, scorpions, wasps, hornets, clover mites, cheese mites, cheese skippers, and these common stored product pests: granary weevils, rice weevils, confused flour beetles, saw toothed grain beetles, spider beetles, cigarette beetles, drugstore beetles, Angoumois grain moths, Mediterranean flour moths, Indian meal moths, tobacco moths, meal worms, and grain mites.

**SUNGRO  
PYRETH #3**

*An Effective Semi-Concentrated Pyrethrum Insecticide.*

**For Application in Specialized  
Mechanical, Thermal or Compressed  
Air Fogging Equipment.**

**For use in Bakeries, Food Plants,  
Restaurants, Hotels, Hospitals, Schools,  
Office Buildings, Food Processing or  
Handling Plants, and Warehouses.**

ACTIVE INGREDIENT	% BY WEIGHT
Pyrethrins	0.3%
*Piperonyl Butoxide	2.4%
INERT INGREDIENTS	97.3%
TOTAL	100.0%

\*Equivalent to 1.92% (butylcarbityl) (5-propyl piperonyl) ether and 0.48% related compounds.

Contains Petroleum Distillate

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See side panel for additional precautions

EPA Reg.No.11474-69

EPA Est.No.11474CA01

Manufactured By:  
SUNGRO CHEMICALS, INC.  
P.O. BOX 24632  
LOS ANGELES, CA 90024

NET CONTENTS: \_\_\_\_\_ GALS. ( \_\_\_\_\_ LITERS)

**ACCEPTED  
with COMMENTS  
In EPA Letter Dated:**

**APR 15 2003**

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under EPA Reg. No.

11474-69

**SURFACE APPLICATIONS:** To insure maximum control of crawling insects listed, apply as a coarse mist directed toward insects into cracks, crevices, around machinery, around containers of stored products and other areas wherever these insects may hide. Repeat as necessary.

**FIRST AID:**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 9-1-1 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Questions? 1-800-463-9179 or call poison control center.

**NOTE TO PHYSICIAN:**

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE AND SPILL PROCEDURES:** Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth etc. Dispose of with chem waste.

**DISPOSAL INSTRUCTIONS:**

**If Empty:** Do not reuse this container. Place in trash or offer for recycling if available.

**If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

0130031am

W  
2  
W