FI113 11474-73

# SUNGRO RESIDUAL **ROACH DESTROYER**

A OUICK ACTING SURFACE SPRAY FOR INDOOR AND OUTDOOR USF IN HOMES, INSTITUTIONS, NON-FOOD PREPARATION AREAS OF RES-TAURANTS AND FOOD PROCESSING PLANTS.

### READY TO USE

Roaches, ants, flies, mosquitoes, fleas(outdoors), waterbugs, wasps, brown dog ticks, silverfish, spiders, crickets, chiggers, small flying moths and carpet beetles.

### ODORLESS-STAINLESS

ACTIVE INGREDIENTS	% By wt
Diazinon(O,O-diethyl-O-(2-isopropyl	-
-6-methyl-4-pyrimidinyl)phosphorothioate)	0.500
Pyrethrins	0.052
Piperonyl Butoxide*	0.261
INERT INGREDIENTS**	<u>99.187</u>
TOTAL	100.00

\*Equivalent to 0.209% (butylcarbityl)(6-propyl piperonyl)ether and 0.052% related compounds. \*Contains Petroleum Distillate.

## **KEEP OUT OF REACH OF CHILDREN**

## CAUTION

See side panel for additional precautions.

EPA REG. NO. 11474-73 EPA EST. NO. 11474CA01

Manufactured By: SUNGRO CHEMICALS, INC. P.O.BOX 24632 LOS ANGELES, CA. 90024

NET CONTENTS \_\_\_\_\_QTS.

• • •

STATEMENT OF PRACTICAL TREATMENT If Swallowed: Call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT IN-DUCE VOMITING unless other treatment is not avail-able. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting give victim one to two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce voniting or give any-thing by mouth to an unconscious person. If Inhaled: Remove victim to fresh air. Apply respiration if indicated

indicated.

If on Skin: Wash contaminated skin with soap and water. If in Eyes: Flush eyes with plenty of water. Get medical at-

tention immediately.

It in Eyes, rush eyes with perify of watch. Oct incotent are tention immediately. Note to physician: Solvent present aspiration hazard. Gastric lavage is indicated if material was taken internally. Diazinon is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine. PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION: Harmful if swallowed. Avoid inhalation of mist and contact with skin. Wash thoroughly after using and before smoking or eating. Avoid contamination of food feed products, and utensils. Do not use on household pets or humans. Do not allow children in treated areas until surfaces are dry. Remove pets, birds and cover fish aquariums before spraying. PHYSICAL OR CHEMICAL HAZARDS Do not store or use near heat or open flame.

PHYSICAL OR CHEMICAL HAZARDS Do not store or use near heat or open flame. ENVIRONMENTAL HAZARDS This product is toxic to fish, birds, and other wildlife. Keep out of reach of lakes, streams, and ponds. Apply this product only as specified on this label. DIRECTIONS FOR USE It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not use as space spray. For spot application only. Do not use in edible product areas of federally inspected meat Apply with enclosed pump sprayers as indicated below.

Not for use in USDA Meat and Poultry Plants. Do not use this product in or on electric equipment due to possibility of shock hazards. Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while lood is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. Nonfood areas are areas such as garbage rooms, lavatories, floors drains (to severs), entries and vestibules, offices, locker rooms, machine rooms, builer rooms, garages, mop closets and storage (after canning or bottling).

ACCFPTED

SEP 1 9 1991

SERVING AREAS-SPOT TREATMENT Facilities where food are served such as dining rooms, but excluding areas where foods may be prepared or held, apply as a spot treatment to selective surfaces, such as baseboards, under elements of construction and into cracks and crevices. Avoid treating surfaces likely to be contacted by food. DO NOT APPLY WHEN FACILITY IS IN OPERATION OR FOODS ARE EXPOSED

IN NON FOOD AREAS OF INSTITUTIONS, RESTAURANTS, FOOD PROCESSINC PLANTS: AND IN AND AROUND HOMES. Includes garbage rooms, lavatories, floor drains(to sewers)entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). To control cock-roaches, ants, waterbugs, silverfish, spiders and crickets apply to baseboard areas around water pipes, surfaces be-hind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter. Repeat treatment as required. Repeat treatment as required.

## INSTRUCTIONS FOR ADDITIONAL PESTS

Carpet beetles, Indoors: Spray edges of carpeting and un-der carpeting and rugs. Make localized application to the floor and baseboards. Spray directly into cracks, closets and infested areas of shelving. Repeat as necessary.

Fleas and Brown Dog Ticks: Clean premises thoroughly before treatment. Pet bedding should be cleaned or re-placed with fresh bedding. Spot treat animal sleeping quarters, closets, upholstered furniture (with particular at-tention to seams) and under sofas, beds, and other furni-ture. Spot treat all cracks and crevices. To avoid reinfesta-tion pets must be treated simultaneously with an insec-ticide labeled for usa or animal. Application chevild be ticide labeled for use on animals. Application should be repeated as necessary.DO NOT TREAT ANIMALS WITH FORMULATION.

House flies, Mosquitoes, wasps and small flying moths, Outdoors: For outdoor use only as an aid in reducing an-noyance from this insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fix-tures on porches, in garages, and other places where these insects alight or congregate. Fleas, Chiggers, Ants, Outdoors: For treatment of localized infestation of these insects in outdoor areas, spray weeds and bushy non crop areas around the home thoroughly. Avoid spraying desirable plants. For ants, thoroughly wet hills and runways. Repeat application as infestations occur.

## STORAGE AND DISPOSAL

STORAGE: Store in a cool dry place. Keep container closed.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.