NOTICE OF PESTICIDE: RESISTRATION REREGISTRATION (Under the Federal Insecticide, Fundicide, and Rodenticide Act, as amended)	NAME OF PESTICIDE PRODUCT Sungro Water Base Pood Plant Fogging Insecticide
NAME AND ADDRESS OF REGISTRANT (Include ZIP code) Sungro Chemicals, Inc. P.O. Box 24632 Los Angeles, CA 90024	7
L	242845
NOTE: Changes in labeling formula differing in substance fro submitted to and accepted by the Registration Division prior of product always refer to the above U.S. EPA registration number	to use of the label in commerce. In any correspondence on this
On the basis of information furnished by the registrant, the at the Federal Insecticide, Fungicide, and Rodenticide Act.	bove named pesticide is hereby Registered/Reregistered under
A copy of the labeling accepted in connection with this Region	stration/Reregistration is returned herewith.
icide in accordance with the Act. The acceptance of any name Act is not to be construed as giving the registrant a right to e by others. This product is conditionally registrated as a conditionally registrated as a conditionally registrated as a conditional	stered in accordance with FIFRA section for registration/reregistration of your in the Agency requires all registrants
2. Make the labeling changes liste for shipment:	ed below be ore you release the product
a. Add the phrase "EPA Registr	tation No. 11474-78."
Under the Meat, Poultry, Sh Inspection Programs "	. Official Establishments Operating mell Egg Grading, and Egg Products until you can verify to us that proved by the U.S. Department of ograms.
3. Submit the results of the ord . While to be conducted at 1 year from thit	ng Storace Stabilitz study. Amalyses Hal manufactur⊖.
4. Submit five (5) copies of your release the product for snipment. Refer description of final-printed labeling.	to the A-7's helbsure or a further
ATTACHMENT IS APPLICABLE	BEST AVAILABLE COPY
SIGNATURE OF APPROVING OFFICIAL LLE P. Z	5/1/50

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Year release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for year records.

Phil Batton

Product Manager (17)

Insecticide-Rodenticide Branch Registration Division (R7505C)

Enclosures



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Do not pour or spill near heat or open flame. Remove pers, birds and cover fish aquaria before spraying. Do not breathe spray mist. Wear mask or respirator of a type recommended by the Mine Safety and Health Administration to give adequate protection against this material. Wear protective clothing. Wash exposed skin surfaces with soap and water.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Never give anything by mouth to an unconscious person.

IF INHALED: Remove affected person to fresh air. Apply ar-

tificial respiration if indicated.

IF IN EYES: Flush eyes with water for 10-15 minutes. contact

a physician if irritation persists.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water. Contact a physician if irritation persists. Wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

STORAGE AND DISPOSAL

For containers larger than one gallon:

Do not contaminate water, food or feed by storage or disposal. PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that case of be used according to label instructions must be disposed on at or by an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

For containers one gallon and smaller:

STORAGE: Store in original container in a cool dry area, inaccessible to children and pets and away from heat and direct sunlight. Protect from freezing.

DISPOSAL: Wrap container in several layers of newspaper and discard in trash. Do not reuse empty container.

SUNGRO WATER BASE FOOD PLANT FOGGING INSECTICIDE

A CONCENTRATED PYRENONE^R MICRO EMULSION

- CLEAR
- STABLE
- LEAVES NO OILY OR OBJECTIONABLE RESIDUE

DESIGNED FOR USE IN EDIBLE PRODUCT AREAS OF OFFICIAL ESTABLISHMENTS OPERATING UNDER THE MEAT, POULTRY, SHELL EGG GRADING AND EGG PRODUCTS INSPECTION PROGRAMS AND IN OTHER FOOD PROCESSING PLANTS.

APPLY WITH A CONVENTIONAL MECHANICAL OR COMPRESSED AIR EQUIPMENT DESIGNED AND ADJUSTED TO DELIVER A TRUE AEROSOL MIST.

ACTIVE INGREDIENTS:

Pyrethrins	0.5%
*Piperonyl Butoxide, Technical	5.0%
INERT INGREDIENTS:	94.5%
TOTAL	100.0%

*Equivalent to 4.0% (butylcarbityl) (6-propylpiperonyl) ether and 1.0% related compounds.

PYRENONE - Registered Trademark of Fairfield American Corporation.

KEEP OUT OF REACH OF CHILDREN CAUTION

See Side Panel For Additional Precautions

DO NOT TRANSPORT OR ST. ORE UNDER 32 DEG. F

E.P.A. Est.No. 11474CA01 E.P.A. Reg.No. 11474-

ACCUST-GONTENTS:

GALLONS

with COMMENTS in EPA Letter Date undactured By: in EPA Letter Date undactured By:

F.O. BOX 24632 NOV 2 LISSANGELES, CA 93024

Under the Federal Insecticide, Fungicide, and Rodenticide Act of amended, for the pesticide type r EPA Reg. No

11474-78

It is a violation of Fedinconsistent with its la

The use of this proshould be confined to operation. Foods sho ment. All food proce treatment and thoroucompound followed by

Close windows and do a non-thermal fogge aerosol spray (no dre 80% less than 30 mics 1000 cubic feet of spa and upper corners of the area closed for at and ventilate before r sary.

IN BARNS, POUROOMS: To control HORN FLIES in bailins and storage room of water. Apply as a or holding pens. Use above the animals and are housed. Apply throughout the entire for at least 10 minutes dairy barns, ventilat Repeat daily in the mo

The above described stages of FLIES, incl SILVERFISH, FLYI COCKROACHES, SI NETS, CLOVER M SKIPPES and these NARY WEEVILS, R BEETLES, SAW-TO BEETLES, CIGAI BEETLES, ANGOU RANEAN FLOUR TOBACCO MOTHS,

IN MUSHROOM PR control adult MUSHI CECID FLIES in gro per 1000 cubic feet of a feet away from beds a Circulating fans should refrigeration should to plants use at a rate of