J 1474-80

INUM AGENCY US ENVIRONMENTAL PROTE OFFICE OF PESTICIDES PROGRA REGISTRATION DIVISION (FS 767) WASHINGTON, DC 30460 ...

NOTICE OF PESTICIDE: FREE SISTERATION REPESISTERATION

(Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended)

Until Reregiatration

TERM OF ISSUANCE

HAME OF PESTICIDE PRODUCT

Ever-Sect III Insecticide Concentrate

NAME AND ADDRESS OF REGISTRANT (Include 11P code)

L

Sungro Chemicals, Inc. 810 East 18th Street Los Angeles, CA 90020

_1

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. RPA registration number.

On the basis of information furnished by the registrant, the above numed praticide is hereby Registered Reregistered under the Federal Insecticide, Fungicide, and Ridenticide Act.

A copy of the labeling accepted in connection with this Registration Reregistration is returned berewith.

Registration is in no way to be construed as an indersement or approval of this product by this Agency. In order to protect bealth and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act in not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been, covered by others.

This product is conditionally requirered in accordance with FIFRA section 3(c)(')(A) since you have agreed to:

- 1. Subsit cite all data required for registration/reregistration of your greduct under FIFRA section A(c)(b) when the Agency requires all registrants of similar products to submit such data.
- 2. Make the labeling changes listed below before you telease the product for shipment:
 - Add the phrase "hea Requistration No. 11474-80,"
 - The statement should read "Water Dilutable concentrate to control In. cutdoor Bouse and carden Pests."
 - c. Change "Harmful if swallowed" to "Harmful if swallowed, inhaled or absorbed through the akin "
 - d. Since there is no astablished telerance for the residue of v-lenvaluate on lettuce, you must delete that commodity from the crop listing.

 Ī	A	7	Ŧ	4.	HME	N T	12	APPLIC	r

SIGNATURE OF APPROVING OFFICIAL

EPA Form 8378-4 (Rev. 5-74) PREVIOUS SHITIMAN MAY BE USED UNTIL SUPPLY IS ENTABLED 54235: I:CR-31:WP5.0:LeNaster:C.Dink:KENCO:08/28/50:DE:VO:EK:DD:

ンサブ

- e. Based upon the container sixes listed on the application, the label Storage and Disposal statement must be revised per PR Hotices 83-3 and 84-1.
- f. Change "Active Ingredients" to the singular, also, the words "Active Ingredients" and "inert Ingredients" should be aligned to the same margin.
- y. Delete "EVERCIDE Concentrate 2529" under "For Garden Vegetable Pesta" and "For Outdoor Pests."
- 3. Submit five copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca Product Manager (15) Insecticede-Rodenticede Branch Registration Division (RPOSC)

and losurus

74 3 NY 74 80

SPECIMEN LABEL

EVER - SECT III INSECTICIDE CONCENTRATE

Front Panel

Water Dilutable Concentrate to Control House and Vegetable Garden Pests

CONTAINS EVERCIDE®

CTIVE	TNCD	EDI	FNTC	٠

(S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro-alpha-(1-

methylethyl)benzeneacetate.....

0.425

*INERT INGREDIENTS:

99.575 100.0001

*Contains Petroleum Distillate EVERCIDE®

- Registered trademark of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED:

Call a physician or Poison Control Center immediately. Do not induce

vomiting because of aspiration pneumonia

IF IN EYES:

Flush with plenty of water. Get medical

attention if irritation persists.

IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before re-use. Wash skin with soap and warm water. Get medical attention if

irritation persists.

IF INHALED:

Remove victim to fresh air. Apply artificial respiration if indicated.

Net Contents____

Manufactured by:

SUNGRO CHEMICALS INCORPORATED P.O.BOX 24632 Los Angeles, California 90024

EPA Reg. No. 11474-

EPA Est. No. 11474 CAOI

50 . 8 20

11474-80

PRECAUTIONARY STATEMENTS

الماري بي

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

(

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR GARDEN VEGETABLE PESTS: Mix EVERCIDE Concentrate 2529 in a hand-held compressed air sprayer at the rate of 1 ounce per gallon of water.

FOR USE ON THE FOLLOWING VEGETABLES

crop	•	DAYS	TO RARVEST
Artichoke			7
Broccoli			•
Cabbage			3
Carrots			7
Cauliflower			3
Collards			7
Cucumber			3
Pry Beans			21
Dry Feas			21
Eggplaut			7
Green Poas			3
Lettuce			7
Melons			1
Pepper a			7
Potatoes			7
Pumpkins			3
Radishes			7
Snap Beaus			3
Squash			3
Sweet Corn			•
Tomathes			1

TO CONTROL THE FOLLOWING INSECTS: Alfalfa Caterpillar, Alfalfa
Looper, Aphid, Armyworm, Artichoke Plume Moth, Beet Armyworm, Buckthorn
Aphid, Cabbage Looper, Carrot Weevil, Celery Looper, Chinch Bug, Colorado
Potato Beetle, Corn Earworm, Corn Rootworm (adults), Cowpea Curculio,
Cucumber Beetle (adults) - spotted and striped, Cutworm, Diamondback Moth,
European Corn Borer, Flea Beetle, Grasshopper, Green Cloverworm, Imported
Cabbageworm, Leafhopper, Looper, Lygus Bug, Mexican Bean Beetle, Painted Lady
Caterpillar, Pea Aphid, Pea Weevil, Pepper Weevil, Pickleworm, Potato
Leafhopper, Potato Psyllid, Potato Tuberworm, Rindworm, Saltmarsh
Caterpillar, Sap Beetle, Southwestern Corn Borer, Squash Bug, Squash Vine
Borer, Stalk Borer, Stink Bug, Tarnished Plant Bug, Tobacco Hornworm, Tomato
Fruitworm, Tomato Hornworm, Tomato Pinworm, Vegetable Leafminer, Velvetbean
Caterpillar, Western Bean Cutworm, and Whitefly.

To control listed insects, apply the spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly or as needed throughout the growing season up to days of harvest given for each crop.

FOR OUTDOOR PESTS: Mix EVERCIDE Concentrate 2529 in a compressed air sprayer or watering can at the rate of 16 fluid ounces per gallon of water to control on contact ants, cockroaches (including German and Asian cockroaches), crickets, palmetto bugs, sowbugs, spiders, and ticks. Use at the rate of 1 gallon (diluted spray) per 1,000 square feet to outside surfaces of buildings, porches, patios, garages and other areas where these pests have been seen or are found. Do not spray in or near fish ponds or other bodies of water. Do not allow spray to contact ornamental plants or shrubs because of possible injury.

Building Perimeter Treatment: To help prevent infestations of buildings by ants, centipedes, crickets, sowbugs (pillbugs), and spiders, treat a 12-18 inch band of soil or other substrate adjacent to buildings and the building foundation to a height of 2 to 3 feet where these pests are active and may find entrance. Use 16 fluid ounces of concentrate per gallon of water and apply as a coarse wet spray at the rate of 1 gallon per 1,000 square feet.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry, place. Koop container closed.

PISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.