OCT 1 3 1993

Mr. Harold Igdaloff Sungro Chemicals, Inc. P.O. Box 24632 Los Angeles, CA 90024

Dear Mr. Igdaloff:

Addition of Lawns; PR Notice 93-3 Subject:

EVER-SECT III Insecticide Concentrate

EPA Registration No. 11474-80

Your Applications Dated February 12, 1992 and June 11,

1993

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, Rodenticide Act, as amended, is acceptable, provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

- Under the lawn flea control the Directions should read as 1. follows: ". . . before spraying. Spray using a slow, even sweeping motion, being sure to cover the entire lawn surface where the pets will normally frequent. under . . ."
- You may revise your Environmental Hazards statement per 2. PR Notice 93-3 replacing "Do not apply directly to water or wetlands . . . " with:

"Do not apply directly to water."

Note that the labeling submitted with February 12, 1992 with the above changes is the approved labeling for this product.

Submit 3 copies of your final printed labeling before you release the product for shipment. A stamped copy of the labeling is enclosed for your records.

Sincerely,

George T. LaRocca CONCURRENCES Product Manager 13 nsecticide-Rodenticide Branch Registration Division (H75**0**5C). OFFICIAL FILE COPY

Printed on Recycled Paper

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Causes skin irritation and moderate eye irritation. Do not get on skin, eyes or clothing. Harmful if Inhaled or absorbed through the ekin. . Avoid breathing vapors or spray mist. Wash with soap and warm water after handling. Re move contaminated clothing and wash before reuse. Avoid contamination of feed or feedstuffs. ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to flet. Do not apply directly to water. Drift from treated areas may be hazardous to organisms in aquatic sites.. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product

In a manner inconsistent with its labeling.

SHAKE WELL BEF TE USE

FOR GARDEN VEGETABLE PESTS: Mix SVER-SECT III Concentrat. In hand-

held compressed air sprayer at the rate of 1 ounce per gallon of water.

FOR USE ON THE FOLLOWING VEGETABLES

CROP	DAYS TO HARVEST
Artichoke	7
Broccoli	3
Cabbage	š
Carrota	7
Cauliflower	3
Collerds	7
Cucumber	3
Dry Beans	21
Dry Peas	21
Eggplant	7
Green Peas	3
Melons	3
Peppers	7
Potatoes	7
Pumpkins	3
Radishas	7
Snap Beans	3
Squash	3
Sweet Corn	1
Tomatoes	1

EVER-SECT III INSECTICIDE CONCENTRATE

Water Dilutable Concentrate → to Control Outdoor House and Garden Pests Around Residential Structures

CONTAINS EVERCIDE®

ACTIVE INGREDIENT:

(S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloroalpha-(1-methylethyl)benzenescelate

00.425%

INERT INGREDIENTS

99.675%

100.000%

*Contains Petroleum Distillate ...
EVERCIDE® -Registered trademark of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN WARNING

Statement of Practical Treatment
H SWALLOWED: Call a physician or Poleon Control Center immediately
Do not induce vomiting because of aspiration pneumenta hazard.
IF IN EYES: Flueh with plenty of water. Get medical attention if irritation persists.
IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before re-use. Week ekin with soap and warm water. Get medical attention if irritation persists.
IF INHALED: Remove victim to fresh sir. Apply artificial respiration if indicated.

Net Contents __

EPA Reg No 11474-80 EPA Est. No. 11474CA01

Manufactured by.

SUNGRO CHEMICALS, INC

P.O. Boy 24632 Los Angeles, Ca. 90024

IC CC:eTROL THE FOLLOWING IN Armyworm, Artichoke Plume Mot Looper, Carrot Weevil, Celery Loc Earworm, Corn Rootworm, Idealitis spotted and striped, Cutworm, Dien Grasshopper, Green Cloverworm, In Bug, Mexican Bean Beetle, Paintes Weevil, Pictileworm, Potato Leaffroj Saltmarsh Caterpiller, Sap Beetle, S Borer, Stalk Borer, Stink Bug, Te Fruibworm, Tomato Horriworm, To Caterpiller, Western Bean Cutworm

To control listed insects, apply the lower leaf surfaces. Repeat treatmeason up to days of harvest given to

FOR OUTDOOR PESTS: Mix EVER or watering can at the rate of 2 fluid of cockroaches (including German a sowbugs, spiders, and ticks. Use at feet to outside surfaces of building these pests have been seen or are bodier of water. Do not allow spray possible injury.

BUILDING PERIMETER TREATMET centipedes, crickets, sowbugs (plitt other substrate edjacent to buildings where these peats are active and miper gallon of water and apply as a square feet.

STORAGE

Do not contaminate water, food or fe PESTICIDE STORAGE AND SP temperature. Do not expose to feel up with an absorbant material such of with chemical waste. PESTICIDE DISPOSAL: Pesticide,


according to label instructions must disposal facility.

disposanticisty.

CONTAINER DISPOSAL: Triple if reconditioning, or puncture and dispapproved by state and local authoritic CONTAINERS ONE GALLON AND a Rinse thoroughly before discarding layers of newspaper and discard in to 052693ng.



ACCEPTED
with COMMENTS
in EPA Letter Dated



Under the Federal Insecticide. Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.