11474-80 7/2/2003 Page 182

ITED STATES ENVIRONMENTAL ROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Larry Mackson Manager Sungro Chemicals, Inc. P.O. Box 24632 Los Angeles, CA 90024

JAITED STATES

JUL - 2 2003

Subject:

Amendment - Update First Aid and Disposal Statements

Eversect III Insecticide Concentrate EPA Registration No. 11474-80

Your submission dated February 4, 2003

Dear Mr. Mackson:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable, subject to the comments listed below. A stamped copy of the label has been enclosed for your records.

- 1. Under the PRECAUTIONARY STATEMENTS section, delete the statements "Contains petroleum distillate. If swallowed, do not induce vomiting because of aspiration hazard." Move the statement "Avoid ... feedstuffs" to the "Directions for Use" section. Revise the statement "Wash with soap and water before handling" to read "Wash thoroughly with soap and water after handling."
- 2. Because your product contains petroleum distillate, please revise the "IF SWALLOWED" section of your "First Aid" statements to read:
  - "Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or a doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person."
- 3. Either delete the phrase "...or as needed throughout the growing season...crop" or indicate a time period for retreatment based on the residual efficacy of your product.

If you have any questions, please call Dr. William Sproat of my team at 703-308-8587.

George T. LaRocca

Product Manager 13

Insecticide Branch

Registration Division (7505C)

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

Causes skin irritation and moderate eye irritation. Do not get on skin, eyes, or clothing. Harmful if inhaled or absorbed through skin. Avoid breathing spray mist. Wash with soap and water before handling. Remove contaminated clothing and wash before reuse. Avoid contamination of food and feedstuffs. Contains petroleum distillate. If swallowed, do not induce vomiting because of aspiration hazard.

### **ENVIRONMENTAL HAZARDS**

This pesticide is highly toxic to fish. "Do not apply directly to water". Drift and runoff from treated areas may be hazardous to aquatic organisms in treated areas. Do not contaminate water when disposing of equipment washwaters.

## PHYSICAL HAZARDS Do not use or store near heat or open flame.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on turf or plants being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

#### LAWN FLEA CONTROL:

To kill fleas harboring in tawns use this concentrate in a hose-end sprayer. Place required amount of concentrate in sprayer jar (see chart below) and spray as recommended. For best results, lawn should be moved a day or two before spraying. Spray using a slow, even sweeping motion, being sure to cover the entire lawn surface where the pets will normally frequent. Spray under ornamental and trees, but avoid soaking young or flowering plants.

Keep pets and children out of the treated area until after the spray has dried. Do not spray animals. Dogs, cats, their kennel or bedding areas should also be treated with a registered flea and tick control product in conjunction with this application.

Amount of Product To Use	Amount of Water To Use	A rea To Be Treated
1-1/3 Fluid Ounces	3 Gallons	500 sq.ft.(50'x10')
2-2/3 Fluid Ounces	6 Gallons	1,000 sq.ft.(50x10")
5-1/3 Fluid Ounces	12 Gallons	2,000 sq.ft.(50'x10')
*NOTE: 1 fluid ounce = 2 Tablespoons = 6 Teaspoons		

FOR GARDEN VEGETABLE PESTS: Mix EVER-SECT III Concentrate in handheld compressed air sprayer at the rate of 1 ounce per gallon of water,

### FOR HISE ON THE FOLLOWING VEGETABLES:

# **EVER-SECT III**

## INSECTICIDE CONCENTRATE

## Water Dilutable Concentrate to Control Outdoor House and Garden Pests and Fleas in Lawns

**CONTAINS EVERCIDE®** 

ACTIVE INGREDIENTS: % BY WT.
(S)-cyano(3-phenoxyl)methyl-(S)-4-chloro-alpha(1-methylethyl)benzeneacetate 00.425%
INERT INGREDIENTS\* 99.575%
TOTAL 100.000%

\*Contains Petroleum Distillate
EVERCIDE® Registered trademark of McLaughlin Gormley King Co.

## KEEP OUT OF REACH OF CHILDREN WARNING

EPA Reg. No. 11474-80

EPA Est No. 11474CA01

#### FIRST AID:

Have the product container or label with you when catting a poison control center or doctor, or going for treatment.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomitting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 9-1-1 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment arbice.

Questions? 1-800-463-9179 or call poison control center. NOTETO PHYSICIAN:

Contains petroleum distillates <u>vomiting may cause aspiration pneumonia</u>. If gastric lavage is deemed necessary, undertake only after proper placement of a cuffed endotracheal tube.

Manufactured by: SUNGRO CHEMICALS, INC. P.O. Box 24632 Los Angeles, Ca. 90024

Net Contents

TO CONTROL THE FOLLOWING INSECTS: Alfalfa Caterpillar, Alfalfa Looper, Aphid, Armyworm, Artichoke Plume Moth, Beet Armyworm, Buckthorn Aphid, Cabbage Looper, Carrot Weevil, Celery Looper, Chinch Bug, Colorado Potato Beetle, Corn Earworm, Corn Rootworm (adults), Cowpea Curculio, Cucumber Beetle (adults) - spotted and striped, Cutworm, Diamondback Moth, European Corn Borer, Flea Beetle, Grasshopper, Green Cloverworm, Imported Cabbageworm, Leafhopper, Looper, Lygus Bug, Mexican Bean Beetle, Painted Lady Caterpillar, Pea Aphid, Pea Weevil, Pepper Weevil, Pickleworm, Potato Leafhopper, Potato Psyllid, Potato Tuberworm, Rindworm, Saltmarsh Caterpillar, Sap Beetle, Southwestern Corn Borer, Squash Bug, Squash Ving Borer, Stalk Borer, Stink Bug, Tarnished Plant Bug, Tobacco Hornworm, Tomato Fruitworm, Tomato Hornworm, Tomato Pinworm, Vegetable Leafminer, Velvetbean Caterpillar, Western Bean Cutworm, and Whitefly.

To control listed insects, apply the spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly or as needed throughout the growing season up to days of harvest given for each crop.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use o as intended for aesthetic purposes or climatic modification and being  $\varsigma_i$  in interior plantscapes, ornamental gardens or parks, or on golf courses or lawns and grounds.

FOR OUTDOOR PESTS: Mix EVER-SECT III Concentrate in a compressed air sprayer or watering can at the rate of 2 fluid ounces per gallon of water to control on contact ants, cockroaches (including German and Asian cockroaches), crickets, palmetto bugs, sowbugs, spiders, and ticks. Use at the rate of 1 gallon (diluted spray) per 1,000 square feet to outside surfaces of buildings, porches, patios, garages and other areas where these pests have been seen or are found. Do not spray in or near fish ponds or other bodies of water. Do not allow spray to contact ornamental plants or shrubs because of possible injury.

<u>BUILDING PERIMETER TREATMENT</u>: To help prevent infestations of buildings by ants, centipedes, crickets, sowbugs (pillbugs), and spiders, treat a 12-18 inch band of soil or other substrate adjacent to buildings and the building foundation to a height of 2 to 3 feet where these pests are active and may find entrance. Use 16 fluid ounces of concentrate per gallon of water and apply as a coarse wet sprayat the rate of 1 gallon per 1,000 square feet.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright / m
temperature. Avoid exposure to extreme temperatures. In case of or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earthetc. Dispose of with chemical waste.

DISPOSAL INSTRUCTIONS:

If Empty: Do not reuse this container. Place in trash or offer for recycling if available.

If Partty Filled; Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith. 020403lam

ACCEPTED
with COMMENTS
in EPA Letter Dated

JUL - 2 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the posticide registered under EPA Reg. No. 6 6 K