

READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. Harmful if absorbed through skin. Harmful if inhaled. Causes eye injury. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove clothing and wash before reuse. Avoid contamination of feed and foodstuffs.

Do not allow children or pets to contact treated area until surfaces are dry.

Remove pets and birds, and cover fish aquaria before surface/premise applications.

Consult a veterinarian before using this product on debilitated, aged, pregnant, medicated or nursing animals. Do not spray in face, eyes, or genitalia. Do not use on nursing puppies under 3 months of age. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

NOT FOR USE ON CATS.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to lakes, ponds, streams, tidal marshes or estuaries. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use this product in or on electrical equipment.

SHAKE WELL BEFORE USING.

TO CONTROL FLEAS AND TICKS ON DOGS FOR 14 DAYS:

Applied as a spray: with supplied sprayer. Start spraying at the tail, moving the dispenser rapidly and making sure that the animal's entire body is treated, including the legs and underbody. Fluff the hair while spraying so that the spray will penetrate to the skin and thoroughly wet-it. Do not spray into eyes or face. Avoid contact with genitalia.

Applied as a dip: wet the dog with water before treatment. Sponge or pour Sungro Spray & Dip on the dog until its fur and skin are thoroughly wet, making sure that the animal's entire body is treated, including the legs and underbody. Do not treat the dog's face. Avoid contact with genitalia.

SUNGRO SPRAY & DIP

**Controls Fleas and Ticks
on Dogs for 14 days
May be Applied as a Direct Spray
to Control Fleas, Ticks and Other
Common Insect Pests
on Premises**

ACTIVE INGREDIENTS:	% BY WEIGHT
Pyrethrins	0.05%
*Piperonyl Butoxide, Technical	0.50%
**Permethrin	0.05%
OTHER INGREDIENTS:	99.40%
	100.00%

*Equivalent to min. 0.4% (butylcarbityl)(6-propylpiperonyl) ether and 0.1% related compounds.

** (3-phenoxyphenyl)methyl 2,2-dimethylcyclopropanecarboxylate.


Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side panel for additional precautions

EPA REG. NO. 11474-86 EPA EST. NO. 11474CA01

Manufactured by:
SUNGROCHEMICALS, INC.
P.O. Box 24632
Los Angeles, Ca. 90024



TO CONTROL FLEAS AND TICKS ON PREMISES:

Apply as a direct spray to control accessible stages of fleas and ticks. Spray to lightly dampen absorbent surfaces and to thoroughly wet nonabsorbent surfaces. Thoroughly spray infested areas, pet beds and resting quarters, cracks and crevices, along baseboards, moldings and window and door frames as well as localized areas of floor and floor covering.

TO CONTROL CRAWLING INSECTS:

Apply as a direct spray to control accessible stages of crawling insects including, but not limited to, cockroaches, ants, fleas, ticks, spiders, silverfish and crickets. Spray to thoroughly wet exposed insects. Direct spray into hiding places, cracks and crevices, along baseboards and around door and window frames.

FIRST AID:

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 9-1-1 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Questions? 1-800-463-9179 or call poison control center.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a dry place no lower in temperature than 50°F or higher than 120°F.

DISPOSAL INSTRUCTIONS:

If Empty: Do not reuse this container. Place in trash or offer for recycling if available.

If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

060203lam

11474-86

08/05/2003

11