# 1474-20206

# 09/10/200

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through the skin. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

#### **ENVIRONMENTAL HAZARDS**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Polutant Discharge Elimination Systems (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guideance contact your State Water Board or Regional Office of the EPA.

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labelling.

Using a bellows, pump or power duster apply liberally in areas where roaches hide or nest.

- 1. Under and behind appliances.
- 2. In plumbing voids accessible through holes, around plumbing
- In void areas under kitchen and bathroom cabinets. (note: many cabinets have a gap at the top of kickplate which offers easy access. If not, driff a small hole at the top of kickplate.)
- 4. In drawer wells of cabinets.
- In cracks around windows, doors, baseplates, fixtures and cabinets.
- In utility rooms under and behind hot water heater, washers and dryers. Be sure to dust plumbing voids.
- In attice-around the perimeter and vent pipes, above kitchen and baths.
- 8. Around the perimeter of dropped ceilings.
- 9. Into pits of elevator shafts dumbwaiters and trash clutes.
- 10. Under and behind pallets and boxes in storerooms.

NO POWDER SHOULD BE VISIBLE IN LIVING AREAS AFTER APPLICATION.

Apply approximately 1 pound for every 1000 square feet of living space.

ACCEPTED

SEP 1 0 2003

Under the Federal Insecticide, Fungicide, and Redenticide Act, as amended, for the pesticide registers under, 1474,7620

# ROACH-IT

Kills Roaches, Ants, Silverfish, Palmetto and Water Bugs.

For use in Homes, Restaurants, Grocery Stores, Schools, Warehouses, Mobile Homes, Hotels, Offices, Apartments, Attics, Nursing Homes, Ships, Yachts, Buses, Kennels, Zoos, New Building and Sewer Treatment.

Active Ingredients
Boric Acid (H<sub>3</sub>BO<sub>3</sub>)

by wt 100.%

[Boric Oxide(B<sub>2</sub>O<sub>3</sub>)Equivalent 56.3%]

#### FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vorniting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Holdeye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to freshair. If person is not breathing, call 9-1-1 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Questions? 1-800-463-9179 or call poison control center.

### **CAUTION**

## **KEEP OUT OF REACH OF CHILDREN**

See side panel for additional precautionary statement

EPA Reg. No. 11474-20206 EPA Est. No. 11474CA01

Mfg. By: Sungro Chemicals, Inc. P.O.Box 24632 LosAngeles, CA 90024

NET CONTENTS LB.

## DIRECTIONS FOR APPLICATION (WITHIN FOOD AND NON-FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS)

FOOD HANDLING ESTABLISHMENTS: Flace other than private residences in which exposed food is held, processed, prepared or served

FOOD AREAS APPLICATION IS LIMITED TO CRACK AND CREVICE TREATMENT ONLY.

Includes areas for receiving, storage packing (canning, bottling, wrapping, boxing), preparing edible waste storage and enclosed processing systems (mills, daires, edible oils, syrups). Serving areas (when food is exposed and facility is in operation also would be considered a food area).

NON-FOOD AREAS: Includes garbage rooms, lavatories, floor drains (to sewers entries and vestibules). Offices, locker rooms, machine rooms, boiler rooms, garbages, mop closets and storage (after canning or bottling). Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter. Care should be taken to avoid depositing the product onto surfaces which are exposed or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATION OF THIS PRODUCT IN THE FOOD AREA OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

SEWER TREATMENT: Apply this product at a rate not to exceed 8 lbs. per 3000 sq. ft, using portable blowers or air pressure tanks.

PRETREATMENT OF NEW CONSTRUCTION: Apply powder to baseplates and plumbing voids, at the rate of 4 lbs. per 1000 sq. ft

in ATTICS apply powder around perimeter of attics and around vent stacks at the rate of 4 lbs. per 1000 sq. ft.

### STORAGE AND DISPOSAL

STORAGE AND DISPOSAL

Store in a cool dry place. Keep container closed.

Do not contaminate water, food, or feed by storage or disposal. DISPOSAL INSTRUCTIONS:

If Empty: Do not reuse this container. Place in trash or offer for recycling if available.

If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor

Buyer assumes all the risks of use storage or handling of this product not in strict accordance with directions given herewith.

021403lam