

FOR INDUSTRIAL AND MEDICAL

ETHYLENE OXIDE (OXIRANE)


FLAMMABLE

USE ONLY IN COMMERCIAL GAS STATION

ACTIVE INGREDIENT
ETHYLENE OXIDE 100%
TOTAL CONTENTS 1.3 LBS
E.P.A. REG. NO. 111-1
EXP. 8-78

DANGER: EXTREMELY FLAMMABLE!

1. Never use or store near heat or open flame. Exposure above 85° F may cause bursting. Never throw cylinder into fire or incinerator. 2. Close valve when not in use. 3. Do not puncture. 4. Do not use oil or grease on valve, regulator or fittings. 5. Do not refill without written consent of Liquid Carbonic.



LIQUID CARBONIC

100% PURE CARBON DIOXIDE

DANGER: DO NOT IGNORE!

KEEP OUT OF REACH OF CHILDREN

1. This gas is extremely flammable and may cause fire or explosion. 2. This gas is extremely flammable and may cause fire or explosion. 3. This gas is extremely flammable and may cause fire or explosion. 4. This gas is extremely flammable and may cause fire or explosion. 5. This gas is extremely flammable and may cause fire or explosion.

ETHYLENE OXIDE
FOR INDUSTRIAL AND MEDICAL


ETHYLENE OXIDE
USE ONLY IN COMMERCIAL GAS S

ETHYLENE OXIDE
(OXIRANE)

ACTIVE INGREDIENT:
ETHYLENE OXIDE 100% BY WEIGHT
TOTAL CONTENTS _____ LBS. NET
E.P.A. REG. NO. 11491-4
EXP. 8/78

DANGER: EXTREMELY FLAMMABLE!

1. Never use or store near heat or open flame. Exposure above 85°F may cause bursting. Never throw cylinders into fire or incinerator. 2. Close valve when not in use. 3. Do not puncture. 4. Do not use oil or grease on valve, regulator, fittings. 5. Do not refill without written consent of Liquid Carbonic.



Sold by

LIQUID CARBONIC

Subsidiary of Houston Natural Gas Corporation

135 SOUTH LASALLE STREET • CHICAGO ILLINOIS 60603

DANGER: DO NOT IGNORE!

KEEP OUT OF REACH OF CHILDREN

1. May cause burns; avoid contact. Exposure to eyes, skin, clothing may cause severe irritation. In case of contact, remove contaminated clothes immediately; flush skin or eyes with plenty of water for at least 15 minutes; get medical attention. 2. Vapor harmful; avoid breathing vapor. If inhaled, remove to fresh air; if not breathing, give artificial respiration; if breathing is difficult, give oxygen. Get medical attention. 3. Ethylene oxide may polymerize; use within 1 month of receipt. 4. See Industrial Gas Bulletin IG-2014 for further information.

A RED DIAMOND® PRODUCT (Non Life Supporting)

EPA Reg. No. 11491-4