ACCEPTED APR 10 1975

DIRECTIONS FOR USE:

Repeat when re-infested.

In Fogging Equipment and Hand Sprayers 1/257-9
Flies, Mosquitoes, Gnats, Small Flying Moths: Crose
room and discharge mist vigorously in all parts of room,
using 1 1/2 to 2 ounces for each 1000 cubic feet of
space. Leave room closed for at least ten minutes.
Ventilate room thoroughly before re-entry. Sweep up
and destroy fallen insects. Repeat as needed.
In Pressurized Tank Sprayers For Wetting Contact Sprays
Fleas (Infesting Premises): Remove and destroy animals'
by ing and spray sleeping quarters freely, forcing the
spray into all cracks in the floor and about the room.

Roaches, Waterbugs: Apply in all cracks and crevices in woodwork, underneath sinks, dark places behind pipes, and in all places where roaches and waterbugs infest, contacting as many insects as possible. Repeat the operation as often as necessary.

Clothes, Moths, Carpet Beetles: Spray all articles to be protected, giving particular attention to folds and seams. Interior surfaces of storage containers such as closets, chests and trunks should be sprayed regularly. The treatment should be repeated every 30 days unless the articles are stored in moth-tight containers.

Concry Weevils, Cadelles, Contract thank, Grain Mites

(Accessible Stages): Wet surfaces thoroughly and treat all infested surface areas, insect runways and hiding places at the point of run-off. Repeat when necessary.

ENVIRO MILLS and FOOD PLAISTS SPRAY

This spray is especially designed for use in cafes, restaurants, food storage warehouses, flour mills, meat packing plants and the like. This spray is designed for use in fogging equipment, hand sprayers or in pressurized tank sprayers that give coarse, wetting particles for contact sprays.

CAUTION I KEEP OUT OF REACH OF CHILDREN. SEE SIDE PANEL FOR ADDITIONAL CAUTIONS.

EPA Beg.No. 11497-9 LPA EST. 11497-TX-1

ENVIRO CHEM CORPORATION

P. O. BOX 20113 DALLAS TEXAS 75229

ACTIVE INGREDIENTS:	100%
Pyrethrins	.100%
*Piperonyl butoxide, technical	. 200%
**N-octyl bicycloheptene dicarboximide	.333%
Petroleum distillate	99.367%

- *Equivalent to 0.16% (butylcarbityl) (6-propylpiperonyl) ether and 0.04% related compounds
- **MGK 264, Insecticide Synergist.

Note: This spray, applied per the directions and cautions given above, conforms with Food Additive Regulations 121.1074, 121.1075 and 121.1205 and the food additive tolerances established thereunder.

CAUTION 1

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. When space spraying, do not remain in treated areas. Ventilate the after treatment is completed. Foods should be removed or covered during ireatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation. Food processing operations do not have to be stopped while applying a Wet spray with care and in accordance with the directions and cautions above. Thoroughly wash with potable water all treated chutes, processing surfaces, etc. that food will come into contact with prior to re-use. In case of impracticability of washing, do not allow food to come in contact with treated surfaces for at least 48 hours.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not reuse empty container or drum. Destroy empty container by perforating or crushing. Bury of discard in a safe place away from water supplies. Destroy empty drum by returning to drum reconditioner or destroy by perforating or crushing and burying in a safe rlace away from water supplies.

keep container closed. Do not use, pour, store, or spill near heat or open flame.

Let Jontents: GAL
