


11500-1

 **FIRST AID (IF SWALLOWED)**
Give a tablespoon of salt in warm water and repeat until vomit fluid is clear. Give milk, or white of egg beaten with water. Call a physician immediately.



DANGER: KEEP OUT OF CHILDREN'S REACH. See Antidote Statement and other required warning statements on the side panels.

SAPFLO

DANGER: May be fatal if swallowed. Do not get in eyes, on skin or on clothing. In case of contact, wash immediately with soap and water; flush with plenty of water. If irritation persists get medical attention. Avoid breathing of vapor.

SAPFLO

ACTIVE INGREDIENT: 100% PURE PARAFORMALDEHYDE


- Directions:**
1. Bore tap hole.
 2. After tap hole is bored, insert pellet full depth of bore.
 3. Pellet will inhibit microorganisms for full sap season.
 4. When not in use keep bottle air tight.

DANGER: KEEP OUT OF CHILDREN'S REACH.

250 Tablets - .24 grams each
250 mgs. paraformaldehyde

E.P.A. Reg. No. 11,500-1

Total Net Weight
60 Grams or 2 oz.

 **FIRST AID (IF SWALLOWED)**
Give a tablespoon of salt in warm water and repeat until vomit fluid is clear. Give milk, or white of egg beaten with water. Call a physician immediately.



DANGER: KEEP OUT OF CHILDREN'S REACH. See Antidote Statement and other required warning statements on the side panels.

SAPFLO
WILKINSON CHEMICAL COMPANY
DIVISION OF
REYNOLDS SUGAR CUSH INC
ANTWA WIS 5398

DANGER: May be fatal if swallowed. Do not get in eyes, on skin or on clothing. In case of contact, wash immediately with soap and water; flush with plenty of water. If irritation persists get medical attention. Avoid breathing of vapor.

SAPFLO

ACTIVE INGREDIENT: 100% PURE PARAFORMALDEHYDE


- Directions:**
1. Bore tap hole.
 2. After tap hole is bored, insert pellet full depth of bore.
 3. Pellet will inhibit microorganisms for full sap season.
 4. When not in use keep bottle air tight.

DANGER: KEEP OUT OF CHILDREN'S REACH.

500 Tablets - .24 grams each
250 mgs. paraformaldehyde


E.P.A. Reg. No. 11,500-1

Total Net Weight
120 Grams or 4 oz.

POISON  **FIRST AID (IF SWALLOWED)**
 Give a tablespoon of salt in warm water and repeat until vomit fluid is clear. Give milk, or white of egg beaten with water. Call a physician immediately.



DANGER: KEEP OUT OF CHILDREN'S REACH. See Antidote Statement and other required warning statements on the side panels.



DANGER: May be fatal if swallowed. Do not get in eyes, on skin or on clothing. In case of contact, wash immediately with soap and water; flush with plenty of water. If irritation persists get medical attention. Avoid breathing of vapor.

SAPFLO

ACTIVE INGREDIENT: 10% PARAFORMALDEHYDE

Directions:


1. Bore tap hole.
2. After tap hole is bored, insert pellet full depth of hole.
3. Pellet will inhibit microorganisms for full sap season.
4. When not in use keep container air tight.

DANGER: KEEP OUT OF CHILDREN'S REACH

250 Tablets - .24 grams each
 250 mgs. paraformaldehyde

E.P.A. Reg. No. 11,500-1

Total Net Weight
 60 Grams or 2.14 oz.

POISON  **FIRST AID (IF SWALLOWED)**
 Give a tablespoon of salt in warm water and repeat until vomit fluid is clear. Give milk, or white of egg beaten with water. Call a physician immediately.



DANGER: KEEP OUT OF CHILDREN'S REACH. See Antidote Statement and other required warning statements on the side panels.



DANGER: May be fatal if swallowed. Do not get in eyes, on skin or on clothing. In case of contact, wash immediately with soap and water; flush with plenty of water. If irritation persists get medical attention. Avoid breathing of vapor.

SAPFL

ACTIVE INGREDIENT: 10% PARAFORMALDEHYDE

Directions:

1. Bore tap hole.
2. After tap hole is bored, insert pellet full depth of hole.
3. Pellet will inhibit microorganisms for full sap season.
4. When not in use keep container air tight.

DANGER: KEEP OUT OF CHILDREN'S REACH

500 Tablets - .24 grams each
 250 mgs. paraformaldehyde

E.P.A. Reg. No. 11,500-1


Total Net Weight
 120 Grams or 4.23 oz.

500-1



FIRST AID (IF SWALLOWED)

Give a tablespoon of salt in warm water and repeat until vomit fluid is clear. Give milk, or white of egg beaten with water. Call a physician immediately.



DANGER: KEEP OUT OF CHILDREN'S REACH. See Antidote Statement and other required warning statements on the side panels.

SAPFLO

VICKSBURG CHEMICAL COMPANY
DIVISION OF
REYNOLDS SUGAR BUSH INC
ANIWA, WIS. 53108

DANGER: May be fatal if swallowed. Do not get in eyes, on skin or on clothing. In case of contact, wash immediately with soap and water; flush with plenty of water. If irritation persists get medical attention. Avoid breathing of vapor.

SAPFLO

ACTIVE INGREDIENT: 100% PARAFORMALDEHYDE

Directions:

1. Bore tap hole.
2. After tap hole is bored, pellet full depth of bore.
3. Pellet will inhibit microorganisms for full sap season.
4. When not in use keep air tight.

DANGER: KEEP OUT OF CHILDREN'S REACH.

250 Tablets - .24 grams each
250 mgs. paraformaldehyde


E.P.A. Reg. No. 11,500-1

Total Net Weight
60 Grams or 2 oz.



FIRST AID (IF SWALLOWED)

Give a tablespoon of salt in warm water and repeat until vomit fluid is clear. Give milk, or white of egg beaten with water. Call a physician immediately.



DANGER: KEEP OUT OF CHILDREN'S REACH. See Antidote Statement and other required warning statements on the side panels.

SAPFLO

VICKSBURG CHEMICAL COMPANY
DIVISION OF
REYNOLDS SUGAR BUSH INC
ANIWA, WIS. 53108

DANGER: May be fatal if swallowed. Do not get in eyes, on skin or on clothing. In case of contact, wash immediately with soap and water; flush with plenty of water. If irritation persists get medical attention. Avoid breathing of vapor.

SAPFLO

ACTIVE INGREDIENT: PARAFORMALDEHYDE

Directions:

1. Bore tap hole.
2. After tap hole is bored, pellet full depth of bore.
3. Pellet will inhibit microorganisms for full sap season.
4. When not in use keep air tight.

DANGER: KEEP OUT OF CHILDREN'S REACH.

500 Tablets - .24 grams each
250 mgs. paraformaldehyde

E.P.A. Reg. No. 11,500-1

Total Net Weight
120 Grams or 4 oz.