

PRECAUTIONARY STATEMENTS
 Hazard to Humans and Domestic Animals
DANGER! Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS
 This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit. For guidance contact the regional office of EPA.


PHYSICAL AND CHEMICAL HAZARDS
STRONG OXIDIZING AGENT. Mix only with water. Use clean dry utensils. Do not add this product to any dissolving device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, and possible generation of fire and explosion. In case of contamination or decomposition, do not reuse container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

PRACTICAL TREATMENT: (FIRST AID)
 If swallowed: feed bread soaked in milk followed by olive oil or cooking oil. Call a physician immediately.
 If on skin: brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.
 If in eyes: flush with cold water for at least 15 minutes. Get immediate medical attention.
 If inhaled: remove person to fresh air. Get medical attention.

DIRECTIONS FOR USE
 It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

ACCEPTED
 11501-25
 FEB 9 1981
 Under the Federal Insecticide, Fungicide, and Herbicide Act as amended, this product is registered under EPA Reg. No.

spa Tabs



Pre-Measured Tablets for Rapid Chlorination

Keep out of reach of children
DANGER
 See first aid and precaution on side panel.

Active ingredient: Sodium Dichloro-triazinetriene 99%
 Inert ingredients: 1%
 Available Chlorine 56%

FOR CONTROL OF BACTERIA AND ALGAE (OUTDOORS) IN SPAS AND HOT TUBS

1. Before bathing, test water pH, chlorine residual and alkalinity using suitable test kit. Adjust residual to 3.0 ppm. After bathing, superchlorinate to 6.0 ppm (2 tablets per 500 gallons of water). Use a chlorine stabilizer, especially outdoors, to protect chlorine residual. Maintain pH of water between 7.2 and 7.6 and total alkalinity between 125 and 175 ppm with the addition of Alkalinity Plus or Dry Acid.
2. This product does not affect pH or alkalinity of water. One tablet (1/3 ounce) per 500 gallons of water gives 2.0 ppm of chlorine. To use, toss tablet into water with jets running. Bathing can start at once.
3. With 4 bathers in a 500 gallon spa, a 2.0 ppm chlorine residual can drop below the minimum 1.0 ppm in 15 to 20 minutes. Less water or more bathers will accelerate loss. Test often and keep chlorine residual above 1.0 ppm.
4. Weekly, superchlorinate water to 5 or 6 ppm (see 2 above). Do not bathe until chlorine drops to 2.0 ppm. Draining and cleaning of spa is recommended whenever the water becomes difficult to manage or chlorine stabilizer goes over 100 ppm, as measured with a suitable cyanuric acid test kit. Avoid use of products such as body lotions that consume chlorine.

STORAGE AND DISPOSAL
 Keep product dry in tightly closed container when not in use. Store in a cool dry, well ventilated area away from heat or flame. In case of decomposition isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area, or bury in a safe place.

Net Weight: 680 grams

EPA Registration No. 11501-25
 EPA Est. 11501-FL2

Mfg. by: Item: 10991

THE **aqua chem** 31
 COMPANY, INC.
 CORAL GABLES, FLORIDA 33146