DIRECTIONS FOR USE

Initial Dose: 1 gallon concentrate to 50,000 gallons of water in a freshly filled pool, or where algae are not visible. If pool has visible algae growth, treat with initial dose then vacuum pool after 24 hours to remove algae debris. If visible algae are still present, or reappear, repeat this treatment. When pool is free of visible algae use recommended maintenance dose.

Maintenance Dose: 1 quart to 50,000 gallons of water, at least every 5 to 7 days. If high temperatures are encountered, or if pool has unusually heavy use, add maintenance dose more frequently.

For makeup water, add 1 quart for each 10,000 gallons of fresh makeup water added per week.

When swimming season is over, and if water is left in pool, add 1 gallon of concentrate for each 50,000 gallons of water left in pool. This will provide a measure of algae growth control during off-season. This treatment will also help the servicing of the pool the following season.

For use on pool-side surfaces.

After cleaning surface with good hard-surface deaner, use 1 oz. of this concentrate to 4 gallons of water for sanitizing pool-side surfaces -- 2 oz. per gallon of water will disinfect surfaces. Apply so as to wet the surfaces thoroughly with the recommended dilutors. At these dilutions, effective deodorizing action is also accomplished.

Rinse empty container thoroughly with water before discarding or returning drum to drum reconditioner.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water.

Apply this product only as specified on this label.

SHALCO ALGAECIDE

CONTROLS ALGAE GROWTH IN SWIMMING POOLS

ACTIVE INGREDIENTS

DANGER: KEEP OUT OF REACH OF CHILDREN See side panel for additional precautionary and first aid statements.

E.P.A. REG. NO. 11511-27 E.P.A. EST. NO. 11511-0H-1

SOLD BY

SHALCO CHEMICAL CORP.

P. O. BOX 2508 - 2421 LEXINGTON AVE.

TOLEDO, OHIO 43606

Used as directed, this product will kell and prevent development of Chlorella pyranoidosa (green). Phormidium inundatum (black algae), Phormidium retzil savara D algae), Lygnba versicolor (blue-green algae), and emer swimming pool algae. Will not harm pool equipment. Compatible with most commonly used swimming pool chemicals, but should not be mixed with soap or their cleaners, or premixed with other water treating chemicals. Works best when added by itself, directly to pool water.

DANGER: Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear gaggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flust eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid a cohol. Call a physician immediately.

NOTE TO PHYSICIAN:

Probable mucosal damage may commaindicate the use of gastric lavage. Measures against a replatory shock, respiratory shock, respiratory depression and convulsion may be needed.

NET	CONT	ENTS	:
-----	------	------	---

ACCEPTED

OCT 15 1976

Under the Federal Insecticide, Funguide, and Rodenticide Act, augmented, for the pesticide registered under 116/1-27