

**A NEW SYNTHETIC  
PYRETHROID FOR CONTROLLING  
HOUSEHOLD FLYING INSECTS**

**DIRECTIONS FOR USE**

For most effective results use in a good sprayer adjusted to deliver a fine mist.

**FOR HOUSEFLIES, MOSQUITOES, AND GNATS:** Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

**WASPS:** Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

E. P. A. REG. NO. 11515-25

FOR PROFESSIONAL USE ONLY



**TRUE-SECT  
FOR CONTROLLING  
FLYING INSECTS**

**ACTIVE INGREDIENTS**

*+(5-Benzyl-3-furyl) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate	0.250% w/w
Related compounds	0.034%
Aromatic petroleum hydrocarbons	0.331%
Petroleum distillate	99.375%

**INERT INGREDIENTS** 0.010%

\*Cis/trans isomers ratio: max. 30% (+) cis and min. 70% (±) trans.

+U. S. Patent No. 3,465,007

**CAUTION: KEEP OUT OF REACH OF CHILDREN  
HARMFUL IF SWALLOWED**

Avoid contamination of feed and foodstuffs.  
Cover or remove fishbowls.

**FOR CRAWLING INSECTS:** Roaches, ear-wigs, grain mites, sowbugs, spiders and centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible. Repeat as necessary.

**ANTS:** Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

**CAUTION**

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

NET CONTENTS

GALS.