#### CAUTION

Do not take internally. Harmful if swallowed.

Avoid prolonged breathing of mist.

Avoid contact with skin.

Wash thoroughly after handling.

MOD-COM may cause cholinesterase inhibition. If swallowed, administer emetic of one teaspoonful of mustard in glass of water. Call physician. Atropine is anti-dote.

Do not contaminate milk, milking equipment, feed or drinking water.

Do not contaminate food or feed products.

Do not use on animal pets.

Highly toxic to fish. Do not contaminate any body of water by direct application, cleaning of equipment or disposal of wastes or containers.

#### WARNING

Flammable Mixture


Keep container closed and away from heat, sparks and open flame.

DO NOT REUSE EMPTY DRUM.

Return to Drum Reconditioner or Destroy by Perforating or Crushing And Burying In a Safe Place.

E. P. A. REG. NO. 11515-28

FOR PROFESSIONAL USE ONLY



### MOD-COM

Concentrated Insecticide for Fast Thorough Kill

#### **ACTIVE INGREDIENTS:**

Malathion (O, O-dimethyl dithiophosphate	
of diethyl mercaptosuccinate) 10.00	1%
Aromatic Petroleum Solvents (Xylene) 84.80	%
INERT INGREDIENTS	%
100 00	%

#### CAUTION: KEEP OUT OF REACH OF CHILDREN

See Left Panel For Additional Cautions.

#### **DIRECTIONS FOR USE**

#### **OUTDOORS:**

For most effective results for the control against flies, use a MODERN ROD Sprayer, adjusted to deliver a fine mist. Use one gallon of MOD-COM to 9 gallons of water.

MOD-COM may be used around yards, sheds housing domestic animals, and garbage cans and fences where flies tend to congregate. It also may be used in dairy barns but not in places where milk is stored or processed.

For control of flies in the household, spray thoroughly and repeat when necessary, selected surfaces such as doors, around windows, screens, window frames, doorsills and areas of porches where pests congregate.

Animal quarters, kennels and bedding should also be sprayed. Fresh bedding should be provided following the treatment.

For a bait spray, use one gallon of corn syrup or 10 pounds of sugar per 50 gallons of finished spray. The bait spray would not be appropriate for use in the household since it would stain household furnishings.

NET CONTENTS \_\_\_\_\_GALS.

AN EXCLUSIVE PRODUCT MANUFACTURED BY

SOUTHFIELD

## MODERN RESEARCH CORPORATION

MICHIGAN

NEW YORK . CHICAGO . ATLANTA . ST. LOUIS . FORT WAYNE . NASHVILLE . DETROIT . DENVER . CLEVELAND

#### CAUTION

Do not take internally. Harmful if swallowed.

Avoid prolonged breathing of mist.

Avoid contact with skin.

#### Wash thoroughly after handling.

MOD-COM may cause cholinesterase inhibition. If swallowed, administer emetic of one teaspoonful of mustard in glass of water. Call physician. Atropine is antidote.

Do not contaminate milk, milking equipment, feed or drinking water.

Do not contaminate food or feed products.

Do not use on animal pets.

Highly toxic to fish. Do not contaminate any body of water by direct application, cleaning of equipment or disposal of wastes or containers.

#### WARNING

Flammable Mixture


Keep container closed and away from heat, sparks and open flame.

DO NOT REUSE EMPTY DRUM.

Return to Drum Reconditioner or Destroy by Perforating or Crushing And Burying In a Safe Place.

E. P. A. REG. NO. 11515-28

FOR PROFESSIONAL USE ONLY



# MOD-COM Concentrated Insecticide for Fast Thorough Kill

#### **ACTIVE INGREDIENTS:**

Malathion (O, O dimethy! dithiophosphate	
of diethyl mercaptosuccinate)	. 10.00%
Aromatic Petroleum Solvents (Xylene)	34.80%
NERT INGREDIENTS	. 5.20°
	100.00

#### CAUTION: KEEP OUT OF REACH OF CHILDREN

See Left Panel For Additional Cautions

DIRECTIONS FOR USE

#### OUTDOORS:

For most effective results for the control against flies, use a MODERN ROD Sprayer, adjusted to deliver a fine mist. Use one gallon of MOD-COM to 9 gallons of water.

MOD-COM may be used around yards, sheds housing domestic animals, and garbage cans and fences where flies tend to congregate. It also may be used in dairy barns but not in places where milk is stored or processed.

For control of flies in the household, spray thoroughly and repeat when necessary, selected surfaces such as doors, around windows, screens, window frames, doorsills and areas of porches where pests congregate.

Animal quarters, kennels and bedding should also be sprayed. Fresh bedding should be provided following the treatment.

For a bait spray, use one gallon of corn syrup or 10 pounds of sugar per 50 gallons of finished spray. The bait spray would not be appropriate for use in the household since it would stain household furnishings.

**NET CONTENTS** 

GALS



WYORK & CHICAGO & ATLL