

FOR PROFESSIONAL USE ONLY

pm 16 11515-28 10F1

CAUTION

Do not take internally. Harmful if swallowed.

Avoid prolonged breathing of mist.

Avoid contact with skin.

Wash thoroughly after handling.

NO. 411 may cause cholinesterase inhibition. If swallowed, administer emetic of one teaspoonful of mustard in glass of water. Call physician. Atropine is antidote.

Do not contaminate milk, milking equipment, feed or drinking water.

Do not contaminate food or feed products.

Do not use on animal pets.

Highly toxic to fish. Do not contaminate any body of water by direct application, cleaning of equipment or disposal of wastes or containers.

WARNING

Flammable Mixture

Keep container closed and away from heat, sparks and open flame.

DO NOT REUSE EMPTY DRUM.

Return to Drum Reconditioner or Destroy by Perforating or Crushing And Burying in a Safe Place.

E. P. A. REG. NO. 11515-28

E.P.A. EST. No. 11515-MI-1



**No. 411
INDOOR-
OUTDOOR
FLY KILLER**

CONCENTRATED INSECTICIDE
For Fast Thorough Kill

ACTIVE INGREDIENTS:

| | |
|--|--------|
| Malathion (O, O-dimethyl dithiophosphate of diethyl mercaptosuccinate) | 10.00% |
| Aromatic Petroleum Solvents (Xylene) | 84.80% |

| | |
|-------------------|---------|
| INERT INGREDIENTS | 5.20% |
| | 100.00% |

CAUTION: KEEP OUT OF REACH OF CHILDREN

See Left Panel For Additional Cautions.

ABC Chemical
CORPORATION
DETROIT, MICHIGAN 48227

EPA 101

DIRECTIONS FOR USE

OUTDOORS:

For most effective results for the control against flies, use a ABC ROD Sprayer, adjusted to deliver a fine mist. Use one gallon of NO. 411 to 9 gallons of water.

NO. 411 may be used around yards, sheds housing domestic animals, and garbage cans and fences where flies tend to congregate. It also may be used in dairy barns but not in places where milk is stored or processed.

For control of flies in the household, spray thoroughly and repeat when necessary, selected surfaces such as doors, around windows, screens, window frames, doorsills and areas of porches where pests congregate.

Animal quarters, kennels and bedding should also be sprayed. Fresh bedding should be provided following the treatment.

For a bait spray, use one gallon of corn syrup or 10 pounds of sugar per 50 gallons of finished spray. The bait spray would not be appropriate for use in the household since it would stain household furnishings.

NET CONTENTS _____ GALS.

