#### **Cold Disinfection**

For disinfection of previously cleaned surgical instruments, barber tools and dental equipment, simply submerge instruments into solution containing 1½ ounce SAN-FECT per gallon of water for 10 minutes.

#### Restaurant and Bar Rinse

Dishes, glassware, silverware, cooking utensils, wash with soap or synthetic detergent; rinse thoroughly and immerse in a sanitizing solution containing 1 ounce SANFECT to 4 gallons of water. No Terminal Potable Water Rinse Required.

## **DANGER**


Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.


#### **FIRST AID**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

Rinse empty container thoroughly with water and discard.

NET CONTENTS: \_\_\_\_\_ LBS.





MODERN RESEARCH

# SANFECT DISINFECTANT • SANITIZER DEODORIZER

#### **ACTIVE INGREDIENTS:**

n-Alkyl (60% $C_{14}$ , 30% $C_{16}$ , 5% $C_{12}$ , 5% $C_{13}$ dimethyl benzyl ammonium chlorides n-Alkyl (68% $C_{12}$ , 32% $C_{14}$ ) dimethyl	18)	•	 •		•	5%
ethylbenzyl ammonium chlorides						5%
INERT INGREDIENTS:				•		90%
					_	00%

# DANGER KEEP OUT OF REACH OF CHILDREN

See other precautionary statements on left side panel.

#### USE DIRECTIONS

#### Household

For sanitizing and disiniscting floors, walls and inanimate hard surfaces. For Schools, Homes. Locker Rooms, Galbage hails, Sink Tops, Corridors. Classrooms, Offices and shower Stalls. Apply solution with mop or cloth. Sanitize with 1 ounce SANFECT to 4 gallons of water. Disinfect with 3 ounces SANFECT to 5 gallons of water. Kills Staphylococcus aureus and Salmonella Choleraesuis.

#### Hospitals

For floors, walls and other hard surfaces. In Nursing Homes, Institutions, as well as Sink Tops, Garbage Pails, Telephones and Restrooms, use SANFECT at 3½ ounces per 5 gallons of water. At this level SANFECT will be effective against Pseudomonas aeruginosa PRD-10.

### **Food Processing Equipment**

For sanitization of food processing equipment and food utensils dilute 1 ounce SAN-FECT per 4 gallons of water to provide 200 ppm of active quaternary. At this level, No Potable Water Rinse is required.

#### **Dairies**

To sanitize dairy equipment, first clean and rinse the equipment thoroughly. Then apply sanitizing solution containing 1 ounce SAN-FECT to 4 gallons of water (200 ppm). At this level, No Potable Water Rinse is required. Follow recommendations of local Health Board.

MLCHIGAN

E.P.A. R.E.G. No. 11515 - 3 1

AN EXCLUSIVE PRODUCT MANUFACTURED BY

SOUTHFIELD

# MODERN RESEARCH CORPORATION

NEW YORK . CHICAGO . ATLANTA . ST. LOUIS . FORT WAYNE . NASHVILLE . DETROIT . DENVER . CLEVELAND

to tare and DISCLEAN strain hat use Salest for Joseph Persing Person NURSING HOMES . , HOSPITA. 10: SCHOOLS where housekeeping will be of prime importance in controlling the hazard of cross-intection from environmental surfaces DISCLEAN can provide the assurance you need in this area, when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms. Effective against Staphylococcus aureus, Salmonella choleraesuis and Pseusomonas aeruginosa. Also effective against pathogenic fungi, Trichophyton interdigitale.

When used for sanitization of food processing equipment and food contact items, limit active quaternary to 200 ppm. At this level No Potable Water Rinse is required.

## **DANGER**


Keep Out of Reach of Children. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

#### FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

E.P.A. R.E.G. No. 11515-32

FOR PROFESSIONAL USE ONLY



COMMENSATION

ACCEPTED

EED 1972

From 1972

Fr

DISCLEAN DEODORIZER • FUNGICIDE CLEANER • DISINFECTANT

DESIGNED FOR HOSPITAL AND INSTITUTIONAL USE

#### **ACTIVE INGREDIENTS:**

n-Alkyl (60% $C_{14}$ , 30% $C_{16}$ , 5% $C_{12}$ , 5% $C_{18}$ ) dimethyl benzyl ammonium chlorides n-Alkyl (68% $C_{12}$ , 32% $C_{14}$ ) dimethyl	. 2.25%
ethylbenzyl ammonium chlorides	
INERT INGREDIENTS:	. 92.50%
•	100.00%

## DANGER KEEP OUT OF REACH OF CHILDREN

See right side panel for additional precautionary statements.

#### USE DIRECTIONS:

Use at 2 ounces per gallon. This product will be effective against Pseudomonas aeruginosa PRD 10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi.

For best results, use **DISCLEAN** with a cloth or mop and apply to walls, floors and other hard surfaces.

If used for sanitization of food equipment or food contact items, limit the level of active quaternary to 200 ppm. (2.8 ounces per 5 gallons).

#### NO RINSE REQUIRED.

For heavy soil or organic matter, a precleaning step is recommended.

#### PHENOL COEFFICIENTS:

Guaranteed Minimum
S. aureus 42
S. typhosa 27

Rinse empty container thoroughly with water and discard.

NET CONTENTS: \_\_\_\_\_ GALS. LBS.

OUTHFIELD RESEARCH RE

NEW YORK . CHICAGO . ATLANTA . ST. LOUIS . ST. LOUIS

MANYER TO CLEVELAN

DISCLEAN is a cleaner, disinfectant, and sanitizer designed for institutional use, such as HOSPITALS, NURSING HOMES, and SCHOOLS where housekeeping will be of prime importance in controlling the hazard of cross-infection from environmental surfaces. DISCLEAN can provide the assurance you need in this area, when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms. Effective against Staphylococcus aureus, Salmonella choleraesuis and Pseusomonas aeruginosa. Also effective against pathogenic fungi, Trichophyton interdigitale.

When used for sanitization of food processing equipment and food contact items, limit active quaternary to 200 ppm. At this level No Potable Water Rinse is required.

### DANGER

Keep Out of Reach of Children. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.


#### FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

SOUTHFIELD

E.P.A. R.E.G. No. 11515-32

FOR PROFESSIONAL USE ONLY



ACCEPTED

ON SETHE FEDERAL FISECTIONE
FOR ECONOMIC POISON REGISTERED UNDER WOLLD SUMMENTS.

USE DIRECTIONS:

Use at 2 ounces per gallon. This product will be effective against Pseudomonas aeruginosa PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi.

For best results, use **DISCLEAN** with a cloth or mop and apply to walls, floors and other hard surfaces.

If used for sanitization of food equipment or food contact items, limit the level of active quaternary to 200 ppm. (2.8 ounces per 5 gallons).

#### NO RINSE REQUIRED.

For heavy soil or organic matter, a precleaning step is recommended.

# PHENOL COEFFICIENTS:

Guaranteed Minimum S. aureus 42 S. typhosa 27

Rinse empty container thoroughly with water and discard.

NET CONTENTS: \_\_\_\_\_ GALS. LBS.

# DISCLEAN

DEODORIZER • FUNGICIDE CLEANER • DISINFECTANT

DESIGNED FOR HOSPITAL AND INSTITUTIONAL USE

#### ACTIVE INGREDIENTS:

n-Alkyl (60% C <sub>14</sub> , 30% C <sub>16</sub> , 5% C <sub>12</sub> , 5% C <sub>18</sub> ) dimethyl benzyl ammonium chlorides	2.25%
ethylbenzyl ammonium chlorides	
INERT INGREDIENTS:	
100	0.00%

# DANGER KEEP OUT OF REACH OF CHILDREN

See right side panel for additional precautionary statements.

AN EXCLUSIVE PRODUCT MANUEACTURED BY

MODERN RESEARCH CORPORATION MICHIGA

NEW YORK . CHICAGO . ATLANTA . ST. LOUIS . FORT WAYNE . NASHVILLE . DETROIT . DENVER . CLEVELAND