

**CAUTION**

Avoid contact with skin, eyes or clothing. Harmful if swallowed. Causes irritation of skin and eyes. In case of contact, flush eyes with plenty of water; wash skin with soap and water. Avoid breathing of spray mist.

**DO NOT USE AROUND THE HOME OR RECREATION AREAS.**

DO NOT allow solution or spray drift to contact desirable plants. (Coarse sprays are less likely to drift than are fine mist sprays.) It is difficult to completely clean **TWIN ESTERS** from sprayers or other equipment, therefore do not use such sprayers and other equipment for purposes where even trace amounts of this chemical may cause injury. Avoid contamination of water intended by irrigation and domestic use. Do not transport with or store near seeds, fertilizers, insecticides or fungicides. Vapors from this product may injure susceptible plants in the vicinity. Do not use or store near open flame.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label.

E.P.A. REG. NO. 11515-56

E.P.A. EST. 11515-MI-1

NET CONTENTS

GALS.


**FOR PROFESSIONAL USE ONLY**

**ABC CHEMICAL CORPORATION**

ACCEPTED

MAY 16 1975

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, registered with EPA Reg. No. 11515-56



**ACTIVE INGREDIENTS**

Isooctyl Ester of 2,4-Dichlorophenoxyacetic Acid .....	24.5%
Isooctyl Ester of 2,4,5-Trichlorophenoxyacetic Acid .....	11.7%

**INERT INGREDIENTS**

.....	63.8%
-------	-------

Contains 1 1/3 lbs. of 2,4-D acid equivalent plus 2/3 lb. 2,4,5-T acid equivalent per gallon minimum. Contains equivalent of 16.3% 2,4-Dichlorophenoxyacetic acid and 8.1% Trichlorophenoxyacetic acid.

**CAUTION: KEEP OUT OF REACH OF CHILDREN**

See other precautions on side panels.

AN EXCLUSIVE PRODUCT MANUFACTURED BY:

**ABC CHEMICAL CORPORATION**

14288 MEYERS ROAD

DETROIT, MICHIGAN 48227

(313) 931-5872

**CAUTION (CONT.)**

Consult agricultural experiment station or extension service weed specialists or specific recommendations as to dosage and time of application and for control of other weeds and woody plants.

**NOTE:** Keep spray tank agitated. Do not graze dairy animals on treated areas within 6 weeks after application. Do not graze meat animals on treated areas within 2 weeks of slaughter.

Do not reuse empty container. Return to drum conditioner or destroy container by perforating or crushing and burying in a safe place.

**DO NOT STORE WITH FOODSTUFFS DIRECTIONS FOR TWIN ESTERS**

For use along fence rows, rights of way, power lines, industrial yards and similar non-crop areas. For woody plants such as Poison Oak, Brambles, Poison Ivy, Sumac, Honeysuckle - Mix 8 ounces **TWIN ESTERS** per gallon of water and drench thoroughly while plants are in full leaf. Repeat application in four weeks if necessary.

To Kill Stumps - Mix 1 pint **TWIN ESTERS** in one quart of kerosene or diesel oil. Spray all the stump area thoroughly.

This product is not for use on ditch banks, in lakes and ponds and should not be used on lawn areas around the home, recreation areas and similar sites.