FUR PROFESSIONAL USE CINLY

PINEX is a cleaner, disinfectant, and sanitizer designed for institutional use, such as HOSPITALS, NURSING HOMES, and SCHOOLS where housekeeping will be of prime importance in controlling the hazard of cross-infection from environmental surfaces. PINEX can provide the assurance you need in this area, when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms. Effective against Staphylococcus aureas, Salmonella choleraesuis and Pseusomonas aeruginosa. Also effective against pathogenic fungi, Trichophyton interdigitale.

When used for sanitization of food processing equipment and food contact items, limit active quaternary to 200 ppm. Potable Water Rinse is required.

DANGER

Keep Out of Reach of Children. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

E.P.A. R.E.G. No. 11515 49



PREX DEODORIZER - FUNGICIDE CLEANER - DISINFECTANT

DESIGNED FOR HOSPITAL AND INSTITUTIONAL USE

ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) dimethyl benzyl ammonium chlorides	2 25%
ethylbenzyl ammonium chlorides	2.25%
Sodium Carbonate	3.00%
Pine Oil	0.20%
INERT INGREDIENTS:	92.3 0 %

DANGER:

Keep Out of Reach of Children

100 00%

See right side panel for additional precautionary statements.

USE DIRECTIONS:

Use at 2 ounces per gallon. This product will be effective against Pseudomonas aeruginosa PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi.

For best results, use PINEX with a cloth or mop and apply to walls, floors and other hard surfaces.

If used for sanitzation of food equipment or food contact items, limit the level of active quaternary to 200 ppm. (2.8 ounces per 5 gallons). Rinse with potable water

NO RINSE REQUIRED.

For heavy soil or organic matter, a precleaning step is recommended.

PHENOL COEFFICIENTS:

Guaranteed Minimum
S. aureus 42
S. typhosa 27

Rinse empty container thoroughly with water an discard.

MET CONTENTS _____ LBS.

AN EXCLUSIVE PRODUCT MANUFACTURED BY

OUTHFIELD MODERN RESEARCH CORPORATION

MICHIGAN

NEW YORK . CHICAGO . ATLANTA . ST. LOUIS . FORT WAYNE . NASHVILLE . DETROIT . DENVER . CLEVELAND

PINEX is a cleaner disinfectant, and sanstizer designed for institutional ase such a HOSPITALS, NORMAGE HOMES and SCHOOLS where to the more than the house of prime importance in the formal and the house of cross infection from environmental authorized of cross infection from environmental authorized and faces. PINEX can provide the assurance is need in this area, when itself as directed For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed bans and operating rooms. Effective against Staphylococcus aureas, Salmonella choleraesuis and Pseusomonas aeruginosa. Also effective against pathogenic fungi, Enchoon, ton interdigitale.

When used for sanitization of food mocessing equipment and food contact stems. limit active quaternary to 200 ppm. Potable Water Rinse is required.

DANGER

Keep Out of Reach of Children. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

F.P.A. P.F.G. No. 1151549



DESIGNED FOR HOSPITAL AND INSTITUTIONAL USE

ACTIVE INGREDIENTS:

n Alky: (60° C 14° 30° C 16′ 5° C 12′ 5° C 18′ dimethy! benzy! ammonium chloride	2.25 .
Alkyr (68% C ₁₂ , 32% C ₁₄) dimethyl	
ethythenzy Lan-monium chlorides	2.25%
sodioni Carbonate	3 00%
Fine Oil	0.50σ
NERT PRIBERIES	32/30

DANGER:

Keep Out of Reach of Children

199 00

See right side panel for additional precautionary statements

USE DIRECTIONS:

Use at 2 owners her amon. This product will be effective against Pseudomonas aer agmosa PRD 10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungicidal against pathogenic fungicidal.

For best results, use **PINEX** with a cloth or mon and apply to walls, floors and other hard surfaces

If used for sanitzation of food equipment or food contact items, limit the level of active quaternary 17, 200 ppm. (2.8 ounces per 5 gas ons). Rinse with potable water.

NO RINSE REQUIRED.

For heavy soil or organic matter, a precleaning step is recommended

PHENOL COEFFICIENTS:

Guaranteed	Mınimur
S. aureus	42
S. typhosa	27

Rinse empty container thoroughly with water an discard.

NET CONTENTS	GALS
	LBS