

**DILUTE ACCORDING TO REQUIREMENTS FOR AVAILABLE CHLORINE FOR SPECIFIC HOME USE**

For dish washing solution 1 oz. to 5 gallons of water equals 200 ppm. Pre wash dishes in hot soapy water then rinse in 200 ppm solution.

For contaminated inanimate surfaces, a minimum of 600 ppm of available chlorine may be wiped on to disinfect surfaces that have been pre-cleaned; such as walls, floors and woodwork. A recommended dilution of 2 1/2 oz. to 4 gallons of water gives 600 ppm available chlorine.

**DEGRADES WITH AGE**

Use a test kit and increase dosage as necessary to obtain required level of available chlorine.

**ANTIDOTE**

**EXTERNAL** - Flush with water.  
**INTERNAL** - Drink raw egg whites, milk, rice gruel or mucilage. Follow at once with emetic ( one tablespoon of mustard in a glass of warm water. )

**CALL A PHYSICIAN**

Manufactured and packed for  
Sentry Pool & Chemical Supply Inc  
1115 5th Avenue, Rock Island, Illinois

by **ALEXANDER CHEMICAL**  
77 S. WACKER DRIVE  
CHICAGO, ILLINOIS

NET CONTENTS 1 U.S. GALLON

EPA Reg. No. 11519-1



**SENCLOR - 1**  
**CONCENTRATED**  
**LIQUID**  
**CHLORINE**

**ACTIVE INGREDIENT**

Sodium Hypochlorite . . . . . 12.5 by weight

**INERT INGREDIENTS** . . . . . 87.5 by weight

**CAUTION**

**HARMFUL IF SWALLOWED**  
**KEEP OUT OF REACH OF CHILDREN**  
**IRRITATING TO EYES, SKIN AND LUNGS**  
SEE SIDE PANEL FOR ANTIDOTE

**SWIMMING POOL TREATMENT**

For newly filled pools - to establish a chlorine residual add 1 ounce per 1000 gallons of water. Repeat dosage until chlorine residual of 0.6 to 1.0 ppm is obtained as determined by the use of a chlorine test kit. Thereafter repeat above dosage daily or as needed to maintain 0.6 to 1.0 ppm chlorine residual at all times. Test pool water frequently with a chlorine test kit. Keep the pool pH in the 7.2 to 7.6 range.

To disinfect contaminated **DRINKING WATER** - - - add a teaspoonful of **SENCLOR** to 15 gallons of water or 3 drops per gallon of water. Shake well and allow to stand for 15 minutes before drinking.

**CONSULT HEALTH AUTHORITIES FOR SPECIFIC LOCAL REQUIREMENTS.**

Rinse empty container thoroughly with water and discard it.

DISTRIBUTED BY

**SENTRY POOL & CHEMICAL SUPPLY INC.**  
Rock Island, Illinois 61201  
Telephone 788-0841

**DILUTE ACCORDING TO REQUIREMENTS FOR AVAILABLE CHLORINE FOR SPECIFIC HOME USE**

For dish washing solution 1 oz. to 5 gallons of water equals 200 ppm. Pre wash dishes in hot soapy water then rinse in 200 ppm solution.

For contaminated inanimate surfaces, a minimum of 600 ppm of available chlorine may be wiped on to disinfect surfaces that have been pre-cleaned; such as walls, floors and woodwork. A recommended dilution of 2 1/2 oz. to 4 gallons of water gives 600 ppm available chlorine.

**DEGRADES WITH AGE**

Use a test kit and increase dosage as necessary to obtain required level of available chlorine.

NET CONTENTS 1 U.S. GALLON

EPA Reg. No. 11519-1



**SENCLOR - 1**  
**CONCENTRATED**  
**LIQUID**  
**CHLORINE**

**SWIMMING POOL TREATMENT**

For newly filled pools - to establish a chlorine residual add 1 ounce per 1000 gallons of water. Repeat dosage until chlorine residual of 0.6 to 1.0 ppm is obtained as determined by the use of a chlorine test kit. Thereafter repeat above dosage daily or as needed to maintain 0.6 to 1.0 ppm chlorine residual at all times. Test pool water frequently with a chlorine test kit. Keep the pool pH in the 7.2 to 7.6 range.

To disinfect contaminated **DRINKING WATER** - - - add a teaspoonful of **SENCLOR** to 15 gallons of water or

necessary to obtain required level of available chlorine.

**ANTIDOTE**

**EXTERNAL** - Flush with water.  
**INTERNAL** - Drink raw egg whites, milk, rice gruel or mucilage. Follow at once with emetic ( one tablespoon of mustard in a glass of warm water. )

**CALL A PHYSICIAN**

Manufactured and packed for  
Sentry Pool & Chemical Supply Inc  
1115 5th Avenue, Rock Island, Illinois  
by **ALEXANDER CHEMICAL**  
77 S. WACKER DRIVE  
CHICAGO, ILLINOIS



**ACTIVE INGREDIENT**

Sodium Hypochlorite . . . . . 12.5 by weight

**INERT INGREDIENTS** . . . . . 87.5 by weight

**CAUTION**

**HARMFUL IF SWALLOWED**  
**KEEP OUT OF REACH OF CHILDREN**  
**IRRITATING TO EYES, SKIN AND LUNGS**  
SEE SIDE PANEL FOR ANTIDOTE

To disinfect contaminated **DRINKING WATER** - - - add a teaspoonful of **SENCLOR** to 15 gallons of water or 3 drops per gallon of water. Shake well and allow to stand for 15 minutes before drinking.

**CONSULT HEALTH AUTHORITIES FOR SPECIFIC LOCAL REQUIREMENTS.**

Rinse empty container thoroughly with water and discard it.

DISTRIBUTED BY

**SENTRY POOL & CHEMICAL SUPPLY INC**  
Rock Island, Illinois 61201  
Telephone 788-0841

**DILUTE ACCORDING TO REQUIREMENTS FOR AVAILABLE CHLORINE FOR SPECIFIC HOME USE**

For dish washing solution 1 oz. to 5 gallons of water equals 200 ppm. Pre wash dishes in hot soapy water then rinse in 200 ppm solution.

For contaminated inanimated surfaces, a minimum of 600 ppm of available chlorine may be wiped on to disinfect surfaces that have been precleaned; such as walls floors and woodwork: A recommended dilution of 2 1/2 oz. to 4 gallons of water gives 600 ppm available chlorine.

**DEGRADES WITH AGE**

Use a test kit and increase dosage as necessary to obtain required level of available chlorine.

**ANTIDOTE**

**EXTERNAL** - Flush with water.  
**INTERNAL** - Drink raw egg whites, milk, rice gruel or mucilage. Follow at once with emetic ( one tablespoon of mustard in a glass of warm water. )

**CALL A PHYSICIAN**

Manufactured and packed for  
Sentry Pool & Chemical Supply Inc.  
1115 5th Avenue, Rock Island, Illinois  
by **ALEXANDER CHEMICAL**  
77 S. WACKER DRIVE  
CHICAGO, ILLINOIS

NET CONTENTS 1 U.S. GALLON

EPA Reg. No. 11519-1



**SENCLOR -1**

**CONCENTRATED LIQUID CHLORINE**

**ACTIVE INGREDIENT**

Sodium Hypochlorite . . . . . 12.5 by weight

**INERT INGREDIENTS** . . . . . 87.5 by weight

**CAUTION**

**HARMFUL IF SWALLOWED**  
**KEEP OUT OF REACH OF CHILDREN**  
**IRRITATING TO EYES, SKIN AND LUNGS**  
SEE SIDE PANEL FOR ANTIDOTE

**SWIMMING POOL TREATMENT**

For newly filled pools - to establish a chlorine residual add 1 ounce per 1000 gallons of water. Repeat dosage until chlorine residual of 0.6 to 1.0 ppm is obtained as determined by the use of a chlorine test kit. Thereafter repeat above dosage daily or as needed to maintain 0.6 to 1.0 ppm chlorine residual at all times. Test pool water frequently with a chlorine test kit. Keep the pool pH in the 7.2 to 7.6 range.

To disinfect contaminated **DRINKING WATER** - - - add a teaspoonful of **SENCLOR** to 15 gallons of water or 3 drops per gallon of water. Shake well and allow to stand for 15 minutes before drinking.

**CONSULT HEALTH AUTHORITIES FOR SPECIFIC LOCAL REQUIREMENTS.**

Rinse empty container thoroughly with water and discard it.

DISTRIBUTED BY

**SENTRY POOL & CHEMICAL SUPPLY INC**  
Rock Island, Illinois 61201  
Telephone 788-0841