For Use In Hospitals

P / P DISINFECTANT DEODORANT SPRAY "F"

Eliminates Odors Kills Many Dangerous Germs **Prevents Mold and Mildew** UNDE., ...; FUNGIC, .E FOR ECONC ED UNDER LAND RODENTICIDE ACT NOMIC POISON REGISTER-ER NO. 15 25-19 NET WT. 1 LB. 4 OZ. \sim Π J 1973 WARNING Keep Out of Reach of Children. Read Warnings on Back Label.

DISINFECTS DEODORIZES Staphylocidal Pseudomonacidal Streptocidal Virucidal* Tuberculocidal Fungicidal

Powerful formula eliminates odors at their source. Does not just mask odors. Kills dangerous germs such as "Staph" and "Strep" as well as athlete's foot fungus on environmental surfaces. Inhibits mold and mildew growth on hard non-porous surfaces.

S S

Made by: Peterson/Puritan, Inc. Iner Danville, Illinois 61832 WARNING: Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store above 120°F. Do not spray into eyes or near food. In case EPA Reg. No. 11525-19 Stock No. of eye contact, flush with water. Keep out of the reach of children. Do not fog rooms occupied by people or pets.

P / P **Disinfectant Deodorant Spray "F"**

Advanced formula disinfects against all of the following organisms on most environmental surfaces.

| Staphylococcus aureus | Streptoccccus pyogenes |
|----------------------------|------------------------|
| Salmonella choleraesuis | Shigella dysenteriae |
| Aycobacterium smegmatis | Escherichia coli |
| seudomonas aeruginosa | Salmonella typhimurium |
| richophyton mentagrophytes | Aspergillus niger |
| Aycobacterium tuberculosis | *Influenza A2 virus |
| | |

Use in patient rooms — emergency rooms — operating rooms - recovery rooms. Effective on dressing carts - laundry chutes - patient care items - bathroom facilities. Avoid use on polished wood, rayon fabrics or acrylic plastics.

To Disinfect and Deodorize Surfaces:

Spray 6 to 10 inches from surface until wet.

To Deodorize Enclosed Spaces:

Spray toward ceiling at 45° angle for a few seconds.

For Mildew:

Clean surface if necessary. Spray surface until wet. Repeat application when new growth appears.

Active Ingredients:

| n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) | |
|--|---------|
| dimethyl benzyl ammonium chlorides | 0.072% |
| n-Alkyl (68% C12, 32% C14) | |
| dimethyl ethylbenzyl ammonium chlorides | 0.072% |
| Ethanol | 65.718% |
| rt Ingredients: "Contains Nitrite" | 34.138% |