PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or clothing.

FIRST AID

In case of contact immediately flush skin and eyes with plenty of water for at least 15 minutes. For skin and eyes call a physician. If swallowed, do not induce vomiting. Call a physician immediately.

Remove fish, birds and other pets from area to be sprayed.

PHYSICAL OR CHEMICAL HAZARDS

Extinguish open flame before space spraying. This formulation is combustible - DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For use in <u>hotels</u>, <u>motels</u>, <u>homes</u>, non-food areas of institutions <u>packaging</u> and <u>processing plants</u>, <u>seed</u> <u>houses and horse stables</u>.

Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed,

STORAGE OR DISPOSAL

STORAGE: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. DISPOSAL – Pesticides that cannot be used should be disposed of according to procedures approved by Federal, State or Local disposal authorities. Triple rinse (or equivalent) the empty container and dispose of in an approved landfill or bury in a safe place. Do not reuse container. Consult Federal, State or Local disposal authorities for approved alternative procedure.

P/P INSECTICIDE NO. 34

ACTIVE INGREDIENTS

Resmethrin [5-(phenylmethyl)-3-furanyl) methyl 2, 2-dimethyl-3-(2- methyl-1-propenyl) cyclopro-	
panecarboxylate	0.25%
Related compounds	0.034%
Aromatic petroleum hydrocarbons	0.331%
Petroleum distillate	99.375%
INERT INGREDIENTS TOTAL	<u> 0.010%</u> 100.000%

*Cis/trans isomers ratio: max 30% (±) cis and min 70% (±) trans. †U.S. Patent No. 3,465,007

KEEP OUT OF REACH OF CHILDREN

CAUTION


STATEMENT OF PRACTICAL TREATMENT

- If swallowed: Do not induce vomiting. Call physician immediately.
- If On Skin: Wash with plenty of soap and water.
- If In Eyes: Flush eyes with plenty of water for at least 15 min.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 11525-35 EPA Est. No. 11525-IL-1

NET CONTENTS 64 fl. ozs.



DIRECTIONS FOR USE

SPACE SPRAT: To kill fligs, mosquitoes and gnats. Close room or area to be treated. Shut off air conditioner and ventilator system. Seal all open vents. Cover all food handling surfaces and cover or remove all food. Remove fish and pets: Apply undiluted as a very fine mist space spray through manually operated equipment or with electrical and other powered applicators. Avoid staining by holding the spray nozzle at least five feet from objects. Direct the fine mist spray toward the upper corners of the room. Fill the room with a fine mist space spray at the rate of five fluid ounces per 5,000 cubic feet. Leave room closed for 1/2 hour. Ventilate thoroughly before re-entering. Sweep up and destroy fallen insects.

CONTACT SPRAYS: To kill roaches, ants, earwigs, grainmites, sowbugs, spiders, and centipedes—Adjust spray to produce large wetting type spray particles. Direct spray to contact these insects in cracks and crevices in floors, baseboards, around pipes, behind cabinets and other harbourages. Spray these infested areas until thoroughly wet. Repeat as necessary.

TO KILL SPIDERS: Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

TO KILL ANTS: Spray doors, window frames, ant trails and hills.

TO KILL GRAIN INSECTS: Adults of confused flower beetles, sawtoothed grain beetles, shiny spider beetles-Remove infested grain, cereal or flour and destroy. Avoid contamination of other food and foodstuffs in the area by removing before spraying. Spray directly on exposed stages and into cracks and crevices where grain insects may be hiding. In homes, dispose of all infested products. The shelves and drawers should be cleaned, thoroughly sprayed so as to contact all pests. Use new shelf paper. Any utensils contacted with spray should be washed before using. Repeat as necessary.

÷