

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS WARNING

Do not get in mouth, poisonous if swallowed, inhaled or absorbed through skin. Wear rubber gloves while filling running or emptying machine. Do not get liquid in eyes. Avoid contact with skin, eyes or clothing. Wear protective clothing. Wash hands, arms and face with soap and water after handling and before eating and smoking. Do not contaminate food products by direct contact with liquid. Persons exposed to ULD V-500 vapors during treatment should wear a protective respiratory device of a type approved by National Institute for Occupational Safety and Health for protection against dichlorvos insecticide.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Call a physician or poison control center immediately. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

NOTE TO PHYSICIANS - Product contains a cholinesterase inhibitor. Atropine should be administered only if symptoms of cholinesterase inhibition appear.

IF INHALED - Remove to fresh air and apply respiration if indicated. **IF ON SKIN** - Wash promptly with soap and water. Rinse thoroughly. **IF IN EYES** - Rinse eyes for at least 15 minutes with water and call a physician immediately.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by methods of storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

ULD V-500 is a specially formulated insecticide designed for use in the control of exposed stages of stored products insects infesting warehouses containing nonperishable, packaged or bagged raw or processed food commodities. The term "nonperishable" means any raw or processed food not subject to rapid decay or deterioration that would render it unfit for consumption.

Raw commodities would include cocoa beans, field-dried beans, field-dried peas, grains and nuts. Not included are eggs, milk, meat, poultry, fresh fruits and vegetables such as onions, parsnips, potatoes and carrots.

Processed foods would include flour, sugar, cereals, packaged foods and crackers. Not included are hermetically sealed foods or manufactured dairy products and other processed foods requiring refrigeration.

ULD® V-500

5% VAPONA INSECTICIDE

ONLY FOR SALE TO, USE, AND STORAGE
BY SERVICE PERSONS
FOR USE IN WAREHOUSES, RAILROAD
CARS AND STATIONARY TRUCKS,
FLOUR MILLS, GRAIN MILLS, RICE MILLS.

ACTIVE INGREDIENTS: % by weight

| | |
|--|-------|
| Dichlorvos, 2,2-dichlorovinyl dimethyl phosphate | 4.65* |
| Related Compounds | 0.35 |

INERT INGREDIENTS: 95.00**
TOTAL 100.00%

*Equivalent to 5% Vapona Insecticide

**Contains: Petroleum Distillate 15.10%
1,1,1-Trichloroethane 79.90%

KEEP OUT OF REACH OF CHILDREN WARNING

See Side Panel for Additional Cautions



MICRO-GEN
EQUIPMENT CORP.

1000 W. 10th St.
St. Paul, MN 55102
Tel. 612/291-8888
Telex 251 000

EPA REG. NO. 11540-8
EPA EST. NO. 11540-TX-1

Ultra Low Dosage Through Micron Generation

NET CONTENTS

GALLONS

BATCH NO.

USE AND APPLICATION DIRECTIONS

For the control of the exposed stages and the prevention of migration of most species of stored products insects, granary weevils, rice weevils, confused flour beetles, saw-toothed grain beetles, cigarette beetles, Indian-meal moths, and cocoa bean moths in warehouse storage areas, and in food processing areas, flour and grain mills, bakeries, canning and bottling plants and brewery warehouses during times when the plant is not in operation and no food products are exposed. If bulk, unpackaged foods are exposed, remove or cover before spraying begins.

Use ULD V-500 in a Micro-Gen machine, adjusted to deliver small particles. The rate of application should be between 1-2 grams of active dichlorvos per 1000 cu. ft. or 1 to 1 ounce of liquid per 1000 cu. ft.

Check amount of liquid in insecticide tank or auxiliary tank before and after treatment to assure proper dosage has been applied. Return unused insecticide to original container and clean machine outdoors using Micro-Gen CS-100 Cleaning Solvent for similar before returning to truck or storage area. This will help preserve equipment and prevent cross-contamination.

Treatment should be made during the hours when building are unoccupied. Building should be closed and ventilation kept at a minimum during application of the insecticide. Look all entrances and do not allow unprotected workers to enter building while being treated.

Place caution signs at all entrances stating:

This building should be opened and aired prior to re-entry of unprotected workers or remain unoccupied by unprotected workers for at least 6 hours after treatment. Do not enter prior to _____ o'clock _____ Day without protection.

Repeat treatment at weekly intervals during season of peak insect activity for optimum results.

Exposed food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before processing is resumed. When using the product in these areas, apply only when the facility is not in operation.

SPACE SPRAY AND CONTACT SPRAY - Dilute to 1-3% and apply at the rate of 1 gallon of spray per 64,000 cu. ft. to kill cockroaches, silverfish, fleas, earwigs, ants and spiders in sheltered situation. Apply coarse aerosol spray for control of the above listed crawling insects. Contact as many of the insects with the spray as possible. Thoroughly spray all parts of the room suspected of harboring these insects. Special attention should be paid to cracks, hidden surfaces under equipment and food storage areas. Then apply a fine aerosol spray for use as a space spray. Sweep up and destroy dead insects. Repeat treatment as necessary.

FOR USE AS A CONTACT SPRAY - Dilute to 1% and spray 1 pint per 10,000 cubic feet or 1,000 square feet of floor space.

Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

GENERAL OPERATING INSTRUCTIONS

1. Having calculated amount of time required for treatment and flow rate, required place machine at farthest point of intended exit.
2. Direct nozzles upward and pointed down a safe, not direct, toward any nearby object.
3. Start machine and adjust flow to desired rate. Calibrate if necessary, refer to operating manual.
4. Operate for calculated time period. Begin by backing a single calculated path at predetermined speed.
5. When treatment time has been completed, stop insecticide flow by closing valve. Wait until spray stops, stop machine and remove from area.
6. Wait at least 6 hours after completion of treatment before permitting 12 or 16 hours exposure may be used, if convenient or preferred, in which case ventilation is not necessary.

Not Reviewed. Registrant claims to be in accordance with
Reregistration of Pesticide Product Guidance for Phase 2
Response, Page 2.12, Active to Inert Change in Status.