DIRECTIONS

Area to be soraved should be thoroughly cleaned by removing accumulations from all cracks, shelves, beams and on and around packages of stored food products. Close doors and windows and keep closed for 10 to 15 minutes after spraying. Do not remain in treated areas. Ventilate the area after treatment is completed. Sweep up and discose of fallen insects.

Where to Spray - Spray MILL-O-CIDE SUPER STRENGTH into the air in the form of a fine mist or fog. Soray under and around all equipment and racks, into all cracks, crevices and corners, and on floors, wells and ceilings.

When to Seray - MILL-O-CIDE SUPER STRENGTH should be soraved once or twice a week as a requier procedure and deliv in cases of severe infestation.

EPA EST. 627-NY-1 Ion 11024

MILL-O-CIDE • SUPER STRENGTH

1. 17

CONTACT INSECTICIDE FOR FOOD ESTABLISHMENTS

EPA Reg. No. 527-81

MILL-O-CIDE SUPER STRENGTH is a high till contact insecticide feeds groces, espermentate, behaves, deltes, betting plants, per to, browning, mile and other establishments where food is processed as! When used as directed, this product will hill accessible weards, i is, alterlish, reaches. Nes, gnote and certain other insects on east

ACTIVE INCHESIONTS	i			
Plagranyi Butawida	Testales!		 	0 801
Pyroduine				
N-Octyl Bloydighas	name Dicert	oolmide	 	0.201
- Mothyl Belleylate			 	-0.561
MIRT HOREDIENTS:			 	40.501
Equivalent to 0.84% (bu			 	. 4
colored colored		A. b. 44.4.	 	

CAUTION

KEEP OUT OF REACH OF CHILDREN (98,702)

See Side Penal For Additional Cautions

P. O. BOX 1618 . ROCHESTER, NEW YORK 14603 BRANCH WAREHOUSES IN PRINCIPAL CITIES **NET CONTENTS** GALLONS

BEST AVAILABLE COPY

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse for equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a senitary landfill, or by other procedures approved by state and local authorities

CAUTION

KEEP OUT OF REACH OF CHILDREN

HARMFUL IF SWALLOWED: Avoid breathing of spray mist. Medical Emergency Telephone Number: 716-266-2283

MILL-O-CIDE SUPER STRENGTH is a combustible mixture and should not be sprayed into or near an open flame. All pilot lights should be off while spraying. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment, or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation

EPA EST. 827-N.-1

Section 1 to the second section of the second section is a second section of the second section is a second second section of the second section is a second second section of the second secon ा राज्य आर्थि Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to incrt Change in Status.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

On Animals:

To protect animals from horn flies, houseflies, mosquitoes, and gnats, apply a light mist sufficient to wet the tips of the hair.

To control stable flies, horseflies, deer flies apply ½ to 1 ounce per adult animal, sufficient to wet the hair but not to soak the hide. Repeat the treatment once or twice daily or at intervals necessary to give continued protection.

To control blood-sucking lice, apply the spray lightly to infested areas, using a stiff brush to get the spray to the base of the hair Use 1 ounce or less per animal. Repeat every two or three weeks as required.

Barns, Milk Rooms, Dairy Plants:

Cover water, drinking fountains, milk utensils and animal feed before use.

To control flies, mosquitoes and gnats, apply as a fog or mist with Micron-Generation equipment, directing spray toward ceiling and upper corners, until the area is filled with mist, using about ½ to 1 ounce per 1000 cubic feet of space. For best results, close windows and doors before spraying and keep closed for one hour. Vacate area and ventilate before reoccupying. Repeat application if necessary.

DAIRY & LIVESTOCK FLYING INSECT CONCENTRATE

Kills houseflies, stable flies, horseflies, horn flies, mosquitoes, gnats and lice. Acceptable for use on dairy and meat animals and in dairy barns, milk rooms and dairies.

ACTIVE INGREDIENTS:

INERT INGREDIENTS 94.5% Contains Petroleum Distillate.

KEEP OUT OF REACH OF CHILDREN CAUTION:

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND STATEMENT OF PRACTICAL TREATMENT



MICRO-GEN EQUIPMENT CORP.

For use only in micron generators

EPA REG. NO. 11540-3

EPA EST. NO. 11540-TX-1

NET CONTENTS:

GALLONS

BATCH NO.



CON

PRO SER