It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Indoor Space Application - Flying Insects. Use to kill flies, mosquitoes, onats and small flying moths.

Close doors, windows and shut off all ventilating equipment. When using Micro-Gen or similar equipment adjusted to deliver aerosol droplets (30 microns or less). apply one (1) oz. per 1000 cu. ft. of space. Direct spray toward upper areas of room. Leave room closed for at least one (1) hour. Do not remain in treated areas and ventilate before re-entry. Repeat application as required.

Indoor Space & Contact Application — Crawling Insects. Use to kill roaches, silverfish, waterbugs, earwigs, ants, spiders and beetles in sheltered situations.

Close doors, windows and shut off all ventilating equipment. When using Micro-Gen or similar equipment, apply at the rate of one (1) oz. per 1000 cu. ft. of space. When applying, spray directly into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects shelter. Contact as many insects as possible. Do not allow spray to contact stored food. Leave room closed for at least one (1) hour. Do not remain in treated areas and ventilate before re-entry. Repeat application as required.

Federally Inspected Meat & Poultry Establishments -Space and contact spray for control of flies, mosquitoes. gnats, small flying moths, roaches, silverfish, waterbugs. earwigs, ants, and spiders in establishments operating under the federal meat, poultry, shell egg grading and egg products inspection program.


Do not apply while food processing is underway. Cover or remove any food. Cover equipment that will be in direct. contact with food. Close doors, windows and shut off all ventilating equipment. When using Micro-Gen or similar equipment adjusted to deliver aerosol droplets (30 microns

less), apply one (1) oz. per 1000 cu. ft. of space. Leave com closed for at least one (1) hour. Do not remain in treated areas and ventilate before re-entry. Before processing begins, using potable water, wash down all equipment. benches, shelves, etc., where exposed food will be handled.

Outdoor Ground Application - Use to kill flies. mosquitoes and gnats in open areas near buildings and in campgrounds. Use preferably at a time when temperature is cool (75°F, or less) and the wind velocity is approximately five (5) MPH or less.

Handheld Equipment -- when using ULD equipment such as Micro-Gen, apply at the rate of 4.0 oz. per acre, in fifty (50) foot swaths. Allow spray drift to penetrate dense foliage. Repeat application as required.

Truck Mounted Equipment - when using Micro-Gen or similar truck mounted equipment, spray at a dosage rate of fifteen (15) oz. per minute upwind of the areas to be controlled. Keep ground speed to five (5) MPH applying in three hundred (300) foot swaths. Repeat application as required.



BP-100 INSECTICIDE

For use in and around restaurants, schools, hotels, motels, apartments, commercial buildings, factories, camparounds, resorts, and food processing establishments

ACTIVE INGREDIENTS:

Pyrethrins..... 1.00% *Piperonyl butoxide, technical 2.00% N-octyl bicycloheptene Light isoparaffinic hydrocarbons 93.50%

*Consists of 1.60% (butylcarbityl) (6-propylpiperonyl) ether and 0.40% related compounds

INERT INGREDIENTS: 0.56%

KEEP OUT OF REACH OF CHILDREN

CAUTION:

SEE OTHER PRECAUTIONS ON SIDE PANEL



10700 Sentinel Drive San Antonio, Texas 78217, USA Tel. No.: 512/654-8570 Cable: MICROGEN TWX: 9108711000

STORAGE AND DISPOSAL

1. Prohibitions

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

2. Pesticide Disposal

Pesticide, spray mixture, or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

3 Container Disposal

Reseal container and offer for reconditioning

Consult federal, state or local disposal authorities for approved atternative procedures.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

CAUTION

Keep out of reach of children. Harmful if swallowed. Do not apply directly to food. Cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After spraying in meat packaging plants, bakeries, and other food processing plants, using potable water, wash all equipment where exposed food will be handled. Remove pets, birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS:

This product is loxic to fish. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL & CHEMICAL HAZARDS:

Do not use or store near heat or open flame.

EPA REG. No. 11540-9 EPA EST. NO. 4822-WI-1

| ACCEPTED RATCHNO | |
|------------------|----------|
| | BATCH NO |
| SEP 21 1979 | |
| Total | |