

MAY 16 1991

MICRO-GEN EQUIPMENT CORPORATION
c/o Mr Robert V. Yocum
S.C. Johnson & Son, Inc.
1525 Howe Street
Racine, WI 53403

Dear Mr. Yocum:

Subject: Label Revision
ULD BP-50 Insecticide
EPA Registration Number 11540-13
Submission dated January 14, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

In addition, a letter was received from the USDA acknowledging their acceptance of the product labeling which was submitted to them, dated January 23, 1991. This submission has been added to the file for the product listed above.

Sincerely,



Richard F. Mountfort
Product Manager 10
Insecticide/Rodenticide Branch
Registration Division (H7505C)

RECEIVED

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS
CAUTION**

Keep out of reach of children. Harmful if swallowed. Do not apply directly to food. Cover or remove any reusable food processing equipment during application. Do not apply while food processing is underway. After spraying in meat packaging plants, lardhouses, and other food processing plants, wash all equipment where exposed food will be handled with an effective cleaning compound followed by a potable water rinse. Remove pets, birds, and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED — Contains petroleum distillates. Call a physician or Poison Control Center immediately.
DO NOT INDUCE VOMITING — VOMITING MAY CAUSE ASPIRATION PNEUMONIA.
IF ON SKIN — Remove victim to fresh air and apply respiration if needed.
IF ON CLOTHING — Remove contaminated clothing, wash promptly with soap and water.
IF IN EYES — Flush eyes with plenty of water.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on the label.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flames.
Note: Some furniture finishes and particularly plastics can be damaged by petroleum based insecticides. To avoid damage, cover these items and do not spray directly. If in doubt, test by applying the material to an inconspicuous area before spraying.
Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. Do not enter treated areas without protection until thoroughly ventilated or sprays have dried. Use a respiratory device as recommended by NIOSH/MSHA for protection against organic vapors and pesticides.

STORAGE AND DISPOSAL

- 1. Precautions**
Do not contaminate water, food, or feed by storage or disposal.
- 2. Pesticide Disposal**
Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
- 3. Container Disposal**
Triple rinse for equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

DIRECTION FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
Dependent upon insects to be controlled and the area to be treated, this product may be applied through mechanical aerosol or ULV generators such as Micro-Gen equipment, as well as thermal and conventional fogging or spraying equipment.

Sprayer Spray — Indoor
For control of accessible, exposed stages of flies, including fruit flies, mosquitoes, small flying moths, gnats, wasps, hornets, cheese shippers, and these common stored product pests: granary weevils, rice weevils, confused flour beetles, saw-toothed grain beetles, spider beetles, cigarette beetles, Drugstore beetles, Angoumois grain moths, Mediterranean flour moths, Indianmeal moths, Tobacco moths, meal worms, and grain mites. Close windows and doors and shut off ventilating systems. Use a fogger or vaporizer adjusted to deliver an aerosol spray in droplets over 30 microns in diameter and 80% less than 30 microns. Apply at the rate of 1 ounce per 1,000 cubic feet of space. Direct the spray toward the ceiling and upper corners of the area behind obstructions. For best control of wasps and hornets, apply directly to nests in the evening when the insects have returned to nests. Keep the area closed for at least 15 minutes. Vacate the treated area and ventilate before reoccupying. Repeat treatment as necessary.

Space and Contact Spray
Use full strength or dilute as desired according to dilution table listed below and apply through equipment which can deliver a jet spray. For control of accessible exposed stages of silverfish, crickets, roaches, spiders, scorpions, clover mites, cheese mites, earwigs, and ants, first using equipment which can deliver a jet spray, direct spray in all cracks and crevices in woodwork, walls, floors, underneath areas, behind pipes and in all places where these insects are known to seek shelter. Contact as many insects as possible, spray directly at ant trails. Do not allow spray to contact stored food. Then, shutting all doors, windows, and shutting off all vent-

ACCEPTED
with COMMENTS
In EPA Letter Dated
MAY 16 1991

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
11540-13

BEST AVAILABLE COPY

**ULD® BP-5
INSECTICIDE**

Designed for Use in Edible Product Areas of Official Establishments Operating Under the Meat, Poultry, Shell Egg Grading and Egg Products Inspection Programs and in Other Food Processing Plants. Also for use in other sites, see back panel.

ACTIVE INGREDIENTS:	
PYRETHRINS	0.5%
*PIPERONYL BUTOXIDE, TECHNICAL	8.0%
*EQUIVALENT TO 4.0% (BUTYL CARBITYL) (8-PROPYLPIPERONYL) ETHER AND TO 1.0% RELATED COMPOUNDS	
INERT INGREDIENTS:	94.5%
Contains Petroleum Distillate	

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND STATEMENT OF PRACTICAL TREATMENT



**MICRO-GEN®
EQUIPMENT CORP.**

10100 Sherman Drive
San Antonio, Texas 78217 USA
Tel: 512-554-8510
Circle MICRO-GEN TWX 9108111000

EPA REG. NO. 11540-13
EPA EST. NO. 11540-TX-1

Ultra Low Dosage Through MicroGeneration

Net Contents:

Gallons

BATCH NO.

[Empty box for batch number]

Registration under the Federal Insecticide, Fungicide, and Rodenticide Act