

NOTICE OF PESTICIDE**REGISTRATION
REREGISTRATION**(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)**NAME OF PESTICIDE PRODUCT**OLD BP - 3000 - R
Resmethrin Concentrate**NAME AND ADDRESS OF REGISTRANT (Include ZIP code)**Micro-Gen Equipment Corp.
10700 Sentinel Drive
San Antonio, TX 78217

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) and sec. 4 when the Agency requires all registrants of similar products to submit such data.

2. Add the phrase, "EPA Registration No. 11540-13" to your label before you release the product for shipment:

Within 12 months of the date of this registration submit a 1 year storage stability study on this formulation. The 6 month study submitted is acceptable on an interim basis.

3. Submit 10 copies of your final printed labeling before you release the product for shipment. Refer to the 4-7' enclosure for the instructions of this printed labeling.

If you are a foreign manufacturer, the registrant will be subject to cancellation in accordance with FIFRA sec. 6(c). Your use of the product constitutes acceptance of these conditions.


☐ ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE JAN 24 1991

A stamped copy of the label is enclosed for your records.

Sincerely,

A handwritten signature in cursive script, reading "Richard F. Mountfort". The signature is written in dark ink and is positioned above the typed name.

Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division (H7505)

FOR FOOD PLANT USE

(Contains 0.2 pounds of
Resmethrin per gallon

ACCEPTED

JAN 25 1991

Under the Federal Insecticide, Fungicide and
Rodenticide Act, As amended, for the
insecticide registered under
EPA Reg. No. 11540-15

For Indoor use In ULV, Mechanical
Sprayers or Thermal Fog

For Homes, Stores, Institutions, Restaurants,
Food Processing Plants, Warehouses, Industrial
Installations and Horse Stables

ACTIVE INGREDIENTS:

** ^oResmethrin ([5-(phenylmethyl) 3-furanyl] methyl 2,
2-dimethyl-3-(2-methyl-1-propenyl)
cyclopropanecarboxylate)..... 3.00% w/w

INERT INGREDIENTS

Contains Petroleum Distillate 97.00%

100%

^oCIS/TRANS ISOMERS RATIO: MAX. 30% (\pm) CIS AND MIN.
70% (\pm) TRANS.

**Roussel Bio's SBP-1382[®] brand of resmethrin insecticide.
Roussel Bio Corp., 400 Sylvan Avenue, Englewood Cliffs, NJ.

KEEP OUT OF REACH OF CHILDREN
CAUTION!

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

EPA Reg. No. 11540-
EPA EST No. 11540-TX-1

Net Contents:

Batch

ULD[®] IS A TRADEMARK OF MICRO-GEN EQUIPMENT CORP.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND (DOMESTIC ANIMALS)**

CAUTION

Harmful if swallowed. Avoid breathing vapor. Avoid contact with skin, eyes or clothing. Wear mask or respirator of type recommended by NIOSH (National Institute for Occupational Safety or Health) to give adequate protection against this material. Wear protective clothing. Wash exposed skin with soap and water after handling and before eating. Wash all contaminated clothing with soap and water separately from other clothing before re-use.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting. This product contains petroleum distillate. Aspiration may be hazardous.

IF IN EYES OR ON SKIN: Flush with plenty of water. Get medical attention if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS

Extinguish open flame before space spraying. This formulation is combustible. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. SEE SIDE PANEL FOR ADDITIONAL INSTRUCTIONS.

STORAGE AND DISPOSAL

STORAGE: Store in cool area away from heat or open flame. Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

For containers one gallon and under - Do not reuse empty container. Securely wrap container and discard in trash.

For ULV use in mechanical aerosol generators such as the LECO Mini ULV or Micro-Gen. Apply undiluted at the rate of 0.5 fl. oz. of concentrate per 1000 cubic feet of space. Direct output from aerosol generators upward toward upper corners of room and ceiling. This undiluted spray may be applied in facilities operating under USDA poultry, meat, rabbit and egg products inspection program.

Do not use this product in or on electrical equipment due to the possibility of shock hazard. Extinguish all flames in the area to be treated. Shut off all air-conditioning or ventilating equipment.

Vacate room before application. Leave closed for one hour after spraying. Ventilate room thoroughly before re-entry.

Space Spray--To kill adult and accessible stages of insect pests of stored foods: Grain Weevils, Flour Beetles, Saw-toothed Grain Beetles, Angoumois Grain Moths, Mediterranean Flour Moths, Indian Meal Moths, Grain Mites, Carpet Beetles and Spider Beetles. Direct output into corners, under pallets and around stacks of packaged foods hitting as many of the insects as possible and then treat as a space spray toward corners of room and ceiling.

To kill flies, mosquitos, gnats, treat as a space spray directing output toward upper corners of room and ceiling.

Contact Spray--Use undiluted to kill roaches, silverfish, earwigs, ants, spiders, crickets, centipedes, sowbugs, millipedes, carpet beetles: Apply the spray as a coarse wet spray into all cracks and crevices in woodwork, walls, floors, beneath sinks and other insect harborages, contacting as many insects as possible.

To kill wasps and hornets, contact application should be made in late evening when insects are at rest. Spray liberally into hiding places, contacting as many insects as possible. Repeat as necessary.

For Mechanical Misting Equipment such as the Microsol or Challenger Machine:

Diluting Instructions

Dilute to 0.5% resmethrin by adding 1 fl. oz. of the 3% concentrate to 5 fl. oz. of petroleum distillate.

Dilute to 0.25% resmethrin by adding to 1 fl. oz. of the 3% concentrate to 11 fl. oz. of petroleum distillate.

Dilute to 0.20% resmethrin by adding to 1 fl. oz. of the 3% concentrate to 14 fl. oz. of petroleum distillate.

Dilute to 0.10% resmethrin (which would be used for flying insects only) by adding 1 fl. oz. of the 3% concentrate to 20 fl. oz. of petroleum distillate.

For most effective results against flying insects, operate spraying dispenser adjusted to deliver a fine mist. For flying insects, use either 0.10% or 0.25%.

To kill flies, mosquitos, gnats, wasps, hornets and small flying moths: Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room before re-entry. Repeat as necessary.

To kill crawling insects, adjust spray to produce large wetting type spray particles and use either 0.25% or 0.50%.

To kill roaches, earwigs, grain mites, sowbugs, spiders, silverfish, crickets, centipedes and grain insects (adults and accessible stages of confused flour beetles, red flour beetles, saw-toothed grain beetles, shiny spider beetles, carpet beetles, grain weevils, Angoumois grain moths, Indian meal moths): Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, storage areas and other insect harborage areas. Spray directly on insects where possible. Repeat as necessary.

To kill wasps and hornets: Contact application should be made in late evening when insects are at rest. Spray liberally into hiding and nesting places, contacting as many insects as possible. Repeat as necessary.

To kill ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

THERMAL APPLICATORS, INDOORS - Use 0.2% resmethrin for the control of flies, mosquitos, gnats in warehouses, restaurants and industrial institutions. Shut off ventilating systems, air ducts, air-conditioning equipment and close off room or area to be treated.

Extinguish all flames and pilot lights. Apply as a dry fog at the rate of 1 1/3 fluid ounces per 1000 cubic feet of space. Direct nozzle of thermal applicator toward the upper corners of the room and along the ceiling. Close off room for at least one-half hour. Do not remain in treated areas. Ventilate before re-entry.

This concentrate is designed for use undiluted in ULV sprayers such as the LECO Mini or Micro-Gen, which give particles of aerosol size. It can also be diluted with oils which meet Food Additive Regulations 121.1182 for use in mechanical fogging equipment such as the Microsol or Challenger machines which give larger particles. It can also be diluted with oil as specified and applied as a contact spray.

In food handling areas, food should be removed or covered previous to treatment. All food processing surfaces should be covered or thoroughly cleaned before using. Apply only when facility is not in operation.

Before application, remove plants and animals from area to be treated. Remove horses before spraying stables.

WARRANTY STATEMENT: Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product is beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effect of such or the results to be obtained if not in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.