PM17 EPA # 11540-18
Product
JF 7/20/94

BEST AVAILABLE COPY

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

9-20-93

ULD® BP-5025 INSECTICIDE

Industrial and Mill Spray For Rapid Control of Flying and Crawling Insects

Use in Food Processing Plants, Cannaries, Packing Houses, Mills, Elevators, Granaries, Warehouses, Box Cars, Ship's Holds, Breweries, Bottling Plants, Bakeries, Stores, Markets, Theaters, Hospitals, Schools, Hotels, Motels, Restaurants and in Mushroom Production and Processing and Outdoor Mosquito Control.

ACTIVE INGREDIENTS

Pyrethrins	0.50%
*Piperonyl Butoxide, Technical	2.50%
**INERT INGREDIENTS	97.00%

*Equivalent to 2.0% (butylcarbityl) (6-propylpiperonyl) ether and 0.5% related compounds.
**Contains Petroleum Distillate

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND STATEMENT OF PRACTICAL TREATMENT

MICRO-GEN™ EQUIPMENT CORP.

EPA REG. NO 11540-18
EPA EST. NO 11540-TX-1

Ultra Low Dosage Through Micron Generation

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. Do not contaminate food or foodstuffs. Food should be removed or covered during treatment. When the product is used in food-processing establishments, confine time of application to period when plant is not in operation. All food-processing surfaces should be covered during treatment and thoroughly cleaned with an effective cleaning compound followed by a potable water rinse before processing begins. Sweep up and remove dead insects. Do not breathe spray mist. Use a respiratory device as recommended by NIOSH MSHA for protection against organic vapors and pesticides. Wash hands, arms, and face with soap and water after handling and before eating. Wash all contaminated clothing with soap and hot water before reuse.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Get medical attention immediately. This product contains a petroleum distillate.

IF INHALED: Remove victim to fresh air and apply respiratory aid if needed.

IF ON SKIN: Flush with plenty of water. Get medical attention if irritation persists.

IF IN EYES: Flush with water and get medical attention immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Remove pets, birds, and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. Do not enter treated areas without protection until thoroughly ventilated or sprays have dried.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

"NOT FOR SALE IN CALIFORNIA"

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For maximum effectiveness, a combination of spot surface treatment and fogging is recommended.

SURFACE SPRAYING: To control roaches, ants, silverfish, spiders, crickets and to hit exposed or accessible stages of clover mites, cheese mites, granary weevils, rice weevils, confused flour beetles, spider beetles, cigarette beetles, drugstore beetles, meal worms, grain mites, and carpetes. Use a good sprayer adjusted to deliver a coarse wet spray. Direct the spray into hiding places, cracks and crevices, under pallets, around containers of stored foods, around the base of machinery, behind shelves and drawers. For silverfish spray baseboards. For ants, spray trails, nests and points of entry. If surface application only is to be used, spray floors, walls, and other surfaces applying at a rate of 1 gallon to 750 square feet of surface.

To control carpet beetles: Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, closets, and infested areas of shelving. Repeat treatment as needed.

To control bedbugs: Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, mouldings, and floors. Repeat treatment as needed.

To control fleas and brown dog ticks: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, mouldings, windows and door frames, and localized areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals with an approved insecticide is recommended. Repeat treatment as needed.

SPACE SPRAYING: Close doors and windows and shut off ventilating systems. Apply with a good machine adjusted to deliver a fine mist or fog. For rapid control of flies, fruit flies, gnats, mosquitoes, stopper flies, wasps, hornets, Angoumois grain moths, Mediterranean flour moths, Indian meal moths, and tobacco moths: direct spray at an upward angle, distributing it uniformly throughout the entire area, at a rate of one gallon to 200,000 cubic feet of space.

IN MUSHROOM PRODUCTION AND PROCESSING: To control adult Phorids, Sciarids, and Cecidomyiids in growing houses, apply at a rate of 1 ounce per 1000 cubic feet of space. Fogger should be operated 8 to 10 feet away from beds and directed slightly upward over them. Circulating fans should be left in operation, but for best results, refrigeration should be turned off. In packing and canning plants, use at a rate of 1 ounce to 2000 cubic feet of space.

OUTDOOR MOSQUITO CONTROL

To control adult mosquitoes, apply as a fog or fine mist using good mechanical, thermal or compressed air equipment. For best results, treat when wind velocity does not exceed 5 miles per hour. Application in the evening or early morning is recommended.

Treat area thoroughly with particular attention to low and marshy places, shore lines, stagnant pools or ponds and shrubbery or vegetation where mosquitoes may rest. Apply at a rate of 0.3 gallons per acre (or 0.9 fluid ounces per 1000 square feet).

Using truck mounted or mobile equipment, the above application rate will result in a 400 foot swath of fog down travelling at 5 m.p.h. or in dispensing spray at a rate of 75 gallons per hour. May also be applied by aircraft.

TERMS OF SALE OR USE: On purchase or use of this product buyer and user agree to the following conditions:

WARRANTY: MICRO GEN EQUIPMENT CORP warrants that this product, as of the time of sale by MICRO GEN EQUIPMENT CORP conforms to the ingredient statement on the label and is reasonably fit for the purposes set forth in the Directions for Use. Except as so warranted the product is sold as is. MICRO-GEN EQUIPMENT CORP makes no other warranty express or implied.

ULD is a trademark of Micro-Gen Equipment Corp.

NET CONTENTS: GALLONS BATCH NO. _____

CODE _____ GCN 100396