11540-24 108 8 EPA REGISTRATION NO. US ENVIRONMENTAL PROTECTION AGENCY 11540-24 OFFICE OF PESTICIDES PROGRAMS TERM OF ISSUANCE REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460 NAME OF PESTICIDE PRODUCT T REGISTRATION NOTICE OF PESTICIDE: PRO-CONTROL FOGGER · IV (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended) NAME AND ADDRESS OF REGISTRANT (Include ZIP code) MICRO-GEN EQUIPMENT CORPORATION 10700 SENTINEL DRIVE SAN ANTONIO, TEXAS 78217 NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is conditionally registered in accordance with FIFRA section 3(c)(7)(B) since you agreed to: Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA section 3(c)(5) or FIFRA section 4 when the Agency requires all registrants of similar products to submit such data. 2). Make the labeling changes listed below before you release the product for shipment: Add the phrase, "EPA Registration No. 11540-24" to the labeling before you release the product for shipment. Upon receipt of confirmation of USDA authorization, your product labeling can be amended to include use in non-i pod/feed areas of Federally Inspected Meat and Poultry Plants. The statement should read, "Do not use in the food/feed areas of Commercial Food/Feed Handling Establishments, xxx, Likewise the statement should read. "non-food/feed areas are areas such as xxx, etc.. ATTACHMENT IS APPLICABLE SIGNATURE OF APPROVING OFFICIAL EPA Form 8577-6 (Rev. 5-76)

Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the label has been enclosed for your records.

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosure:

3 🦂 8

11540-XX Aq. Py/Cyfluthrin Fogger + Spray&Fog 3/15/93 ACCEPTED
with COMMENTS
in EPA Letter Dated

24 MAR 1993

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Rec. No.

PRO-CONTROL FOGGER IV

Penetrating Micro Mist
Kills Roaches on Contact
Kills Fleas and many other insects (see back panel)


ACTIVE INGREDIENTS:

Pyrethrins	0.500%
Cyfluthrin (Cyano-(4-fluoro-3-phenoxyphenyl)-methyl-3-	
(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate)	0.100%
Technical Piperonyl bu'oxide*	1.000%
INERT INGREDIENTS:	98.400%
*Equivalent to 0.9% (butylcarbityl)(6-propylpiperonyl) ether	
and 0.10% related compounds (if EPA Reg. 24061-1 or 47932-1	is used).
*Equivalent to 0.8% (butylcarbityl)(6-propylpiperonyl) ether	
and 0.20% related compounds (if EPA Reg. 1021-974 or 4816-7	2 is used).
Contains Sodium Nitrite	·

NET WT. 1.2 oz / 1000 cubic feet

KEEP OUT OF REACH OF CHILDREN
CAUTION:
SEE ADDITIONAL PRECAUTIONARY STATEMENTS ON BACK

Manufactured for: Micro-Gen Equipment Corp.



PRO-CONTROL FOGGER IV

SHAKE WELL BEFORE USE

DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

- 1) Open cabinets, cupboards, drawers, closets and doors in areas to be treated. REMOVE or cover exposed foods, dishes, utensils, food processing equipment and surfaces. Clean thoroughly before reuse. REMOVE pets and birds, cover and turn off fish aquariums before spraying. Turn off air flow systems in aquariums. COVER waxed wood floors, waxed furniture and stereo or other plastic dust covers in the immediate area surrounding the fogger (newspapers may be used).
- 2) CLOSE outside doors and windows. SHUT OFF fans and air conditioners. Extinguish all flames and pilot lights. Turn off electrical equipment in area being treated. Do not smoke while using. Do not use as a fogger in a cabinet or under a counter or table. Use only one can in rooms 12' X 12' or smaller.
- 3) Place a chair, table or stand in the center of the area to be fogged. Cover with several layers of newspaper or paper towels.
- 4) SHAKE CAN WELL. Break off and remove tab on side of sprayer. Tilt sprayer AWAY from face (container sprays straight up). Press down firmly on sprayer tab until it snaps into place.
- 5) Set fogger on covered stand. Immediately leave treated area.
- 6) Keep treated area closed for at least two hours. Before reoccupying area, open all doors and windows and allow treated area to air for 30 minutes.

STORAGE & DISPOSAL

STORAGE: Store away from heat or open flames in an area inaccessible to children.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash.

PRO-CONTROL FOGGER IV

SHAKE BEFORE USE

Seeks out roaches and fleas, kills on contact.

Penetrates into cracks and crevices to kill roaches and fleas where they hide.

No unpleasant odor.

With Cyfluthrin.

Water based formula. Non-staining.

Specially formulated.

For use in apartments, attics, basements, buses, cabins, campers, non-food/feed areas of commercial buildings, garages, hospitals*, hotels, houses, kennels, motels, nursing homes*, office buildings, railroad cars, schools**, sheds, ships, storage areas, truck trailers, warehouses, zoos.
*Do not apply this product in any rooms while occupied by patients, the elderly or infirmed.

** Do not apply to classrooms when in use.

In the home, remove or cover exposed foods, dishes, utensils or wash thoroughly before use. Do not use in serving areas while food is exposed. Do not use in Commercial Food/Feed Handling Establishments, Restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Non-food areas are areas where the product can be used such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, closets, and storage (after canning or bottling)

One 6 oz can treats up to 5000 cu. ft. (625 sq ft) of unobstructed space (25' x 25' x 8'). Use only one can in rooms 12'x12' or smaller. Do not use unit in an area less than 100 cubic feet. Apply this product only as specified on this label. Retreat as needed. Use additional foggers for remote areas or where free flow of mist is not assured.

Kills: Roaches, Waterbugs, Palmetto Bugs, Silverfish, Fleas, Spiders, Ants, Crickets, Houseflies, Ticks, Black Carpet Beetles, Small Flying Moths, Saw-Toothed Grain Beetles, Rice Weevils, Pillbugs, Mosq. Des, Wasps, Hornets, Yellow Jackets, Gnats, Earwigs.

For best results, use the fogger in conjunction with other Pro-Control products for ongoing control.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling. Do not remain in enclosed area after use. Stay out of room being treated for at least two hours. Ventilate enclosed area before returning. Avoid contamination of food and foodstuffs. All food preparation surfaces should be covered during application. Apply only when no food is being prepared. Remove pets and birds, cover and turn off fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash off with soap and water. Get medical attention if irritation persists. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F. may cause bursting. When fogging DO NOT place in small enclosed areas or restricted spaces such as cabinets, closets or under tables. Use only one can in rooms 12' x 12' or smaller.

Pro-Control is a registered trademark of Micro-Gen Equip. Corp., 10700 Sentinel Drive, San Antonio, TX, 78217, 512-654-8570.

EPA Reg. No. 11540-XX EPA Est. No. 4822-WI-1

ALTERNATE NAME and USE DIRECTIONS:

Note to EPA Product Reviewer:

DESCRIPTION OF PRODUCT:

This product can also be sold with a Spray & Fog actuator, which has a special actuator that allows a portion of the product to be sprayed while holding the container inverted and the remainder of the product to be fogged. This product allows pre-treatment of heavily infested areas before fogging. Following are the 'directions for use' for the Spray & Fog. The remainder of the label is the same as above.

PRO-CONTROL SPRAY & FOG IV

SHAKE WELL BEFORE USE.

The 2-way system to spot spray and then fog for complete insect control.

One can will spot spray and fog a room of up to 25' X 25' X 8' of space. Use half the can for spot spraying and half the can for fogging.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Preparation and Directions for Using Container:

- 1) Open cabinets, cupboards, drawers, closets and doors in areas to be treated. REMOVE or cover exposed foods, dishes, utensils, food processing equipment and surfaces. REMOVE pets and birds, cover and turn off fish aquariums before spraying. Turn off air flow systems in acuariums. COVER waxed wood floors, waxed furniture and stereo or other plastic dust covers in the immediate area surrounding the fogger (newspapers may be used).
- 2) CLOSE outside doors and windows. SHUT OFF fans and air conditioners. Extinguish all flames and pilot lights. Do not use sprayer in a cabinet or, under a counter or table. Use only one can in rooms 12' X 12' or smaller.
- 3) Spot spray tough insect areas: Spot spray hard to reach areas where insects tend to hide, such as in cabinets, under appliances, in corners over carpets and other infested areas.

^{*} Shake can.

- * To spot spray, hold can upside down and press button on side of sprayer.
- * After spot spraying follow fogging directions below.
- 4) Then fog the room:
- * Place a chair, table or stand in the center of the room to be fogged. Cover with several layers of newspaper, paper towels or plastic tarp.
- * SHAKE CAN WELL. Tilt sprayer AWAY from face (container sprays straight up).
- * Turn cap all the way to the right until fog starts.
- * Set fogger on covered stand. Immediately leave treated area. Keep treated area closed for at least two hours. Before reoccupying area, open all doors and windows and allow treated area to air for 30 minutes.