

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (N7505C) 401 MMM St., S.W. Washington, D.C. 20460 EPA Reg. Number:

11540-27

U APR 1991

NOTICE OF PESTICIDE:

x Registration
Reregistration

Term of Issuance: Conditional

(under FIFRA, as amended)

Name of Pesticide Product:

Pro Control Inspector

Name and Address of Registrant (include ZIP Code):

Micro-Gen Equipment Corp. 10700 Sentinel Drive San Antonio, TX 78217

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to  $b \in construed$  as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/
  reregistration of your product under FIFRA sec. 3(c)(5) when the
  Agency requires all registrants of similar products to submit such
  data; and submit acceptable responses required for reregistration
  of your product under FIFRA section 4.
- 2. Change the label by revising the EPA Registration Number to read, "EPA Reg. No. 11540-27".
- 3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Signature of Approving Official:

Joseph M. Jamans

April 30, 1293

EPA FORM 8570-6

11540-xx 12/22/92

#### PRO-CONTROL FOGGER II

Seeks Out Insects Where They Hide KILLS FLEAS AND ROACHES ON CONTACT Water-Based Formula For Commercial, Industrial and Residential Use Kills Roaches, Fleas, and other insects listed on back Non-staining, fresh, clean smelling formula.

Unique Spray and Fog Dispenser

#### **ACTIVE INGREDIENTS:**

)

Pyrethrins	0.535%
Piperonyl butoxide, technical*	1.050%
N-octyl bicycloheptene dicarboximide	
INERT INGREDIENTS:	96.705%
*equivalent to 0.90% (butylcarbityl) (6-propylpiperonyl)	
ether and 0.10% of related compounds	
(Contains 0.10% sodium nitrite)	

NET WT. (1.2 OZ. PER 1,000 CU. FT.)

KEEP OUT OF REACH OF CHILDREN CAUTION

See Additional Precautionary Statements on Back

#### **BACK PANEL**

)

)

IMPORTANT: Shake well before using.

KILLS: Roaches, fleas, ticks, spiders, flies, mosquitoes, wasps, hornets, yellow jackets, silverfish, ants, gnats, waterbugs, earwigs, palmetto bugs, crickets and small flying moths. Use Pro-Control Fogger for insect infestations in HOUSES, APARTMENTS, ATTICS AND GARAGES, restaurants, nursing homes, hospitals\*, schools, homes, apartments, supermarkets, food processing plants, railroad cars, truck trailers, buses, ships, warehouses, office buildings and zoos. \*Remove patients before using. After treatment ventilate rooms for two hours before returning patients to rooms.

One 6 oz can treats 5000 cubic feet of unobstructed space (25'x25'x8').

Pro-Control Fogger II allows you to automatically fill an entire area with insect killing fog, while you are away.

Pro-Control Fogger II is designed for use whenever an insect infestation occurs. For best results, use Pro-Control Fogger in conjunction with other Pro-Control products for more complete control of insect problems.

Preparation and Directions for Using Container:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- 1) Open cabinets, cupboards, drawers, closets and doors in areas to be treated. REMOVE or cover exposed foods, dishes, utensils. food processing equipment and surfaces. REMOVE pets and birds, cover and turn off fish aquariums before spraying. Turn off air flow systems in aquariums. COVER waxed wood floors, waxed furniture and stereo or other plastic dust covers in the immediate area surrounding the fogger (newspapers may be used).
- 2) CLOSE outside doors and windows. SHUT OFF fans and air conditioners Extinguish all flames and pilot lights. Do not use sprayer in a cabinet or under a counter or table. Use only one can in rooms 12' X' 12' or smaller.
- 3) Place a chair, table or stand in the center of the room to be fogged. Cover with several layers of newspaper, paper towels or plastic tarp.

- 4) SHAKE CAN WELL. Break off and remove tab on side of sprayer. Tilt sprayer AWAY from face (container sprays straight up). Press down firmly on sprayer pad until it snaps into place.
- 5) Set fogger on covered stand. Immediately leave treated area.
- 6) Keep treated area closed for at least two hours. Before reoccupying area, open all doors and windows and allow treated area to air for 30 minutes.

#### STORAGE AND DISPOSAL

)

)

STORAGE: Store away from heat or open flames in an area inaccessible to children.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash. Do not puncture or incinerate.

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if inhaled or absorbed through the skin. Avoid breathing vapors. Avoid contact with skin or clothing. Wash thoroughly after handling. Do not remain in enclosed areas after use. Stay out of rooms being treated for at least two hours. Ventilate enclosed areas before returning. Avoid contamination of food and foodstuffs. All food proparation surfaces should be covered during application and thoroughly cleaned with an effective cleaning compound followed by a potable water rinse befure use. Apply only when no food is being prepared. Remove pets and birds, cover and turn off fish aquariums before spraying.

#### STATEMENT OF PRACTICAL TREATMENT

If inhaled: Remove to fresh air. Apply artificial respiration if indicted. If on skin: Remove contaminated clothing and wash affected skin areas with soap and water. Get medical attention if irritation persists.

#### PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat, sparks or open flame. Do not puncture or incinerate container. Exposure to temperature above 130°F may cause bursting.

Pro-Control is a registered trademark of Micro-Gen Equip. Corp., 10700. Sentinel Drive, San Antonio, TX 78217, 512-654-8570. Manufactured for MICRO-GEN EQUIPMENT CORPORATION.

EPA Reg. No. 11540-xx EPA Est. No. 4822-WI-1

#### ALTERNATE NAME and USE DIRECTIONS:

Note to EPA Product Reviewer:

#### **DESCRIPTION OF PRODUCT:**

This product can also be sold with a Spray & Fog actuator, which has a special actuator that allows a portion of the product to be sprayed while holding the container inverted and the remainder of the product to be fogged. This product allows pre-treatment of heavily infested areas before fogging. Following are the 'directions for use' for the Spray & Fog. The remainder of the label is the same as above.

## PRO-CONTROL SPRAY & FOG II

#### SHAKE WELL BEFORE USE.

)

•

The 2-way system to spot spray and then fog for complete insect control.

One can will spot spray and fog a room of up to 25' X 25' X 8' of space. Use half the can for spot spraying and half the can for fogging.

#### DIRECTIONS FOR USF.

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### Preparation and Directions for Using Container:

- 1) Open cabinets, cupboards, drawers, closets and doors in areas to be treated. REMOVE or cover exposed foods, dishes, utensils, food processing equipment and surfaces. REMOVE pets and birds, cover and turn off fish aquariums before spraying. Turn off air flow systems in aquariums. COVER waxed wood floors, waxed furniture and stereo or other plastic dust covers in the immediate area surrounding the fogger (newspapers may be used).
- 2) CLOSE outside doors and windows. SHUT OFF fans and air conditioners. Extinguish all flames and pilot lights. Do not use sprayer in a cabinet or under a counter or table. Use only one can in rooms 12' X 12' or smaller.
- 3) Spot spray tough insect areas: Spot spray hard to reach areas where insects tend to hide, such as in cabinets, under appliances, in corners, over carpets and other infested areas.

- \* Shake can.
- \* To spot spray, hold can upside down and press SPRAY button on side of sprayer.
- \* After spot spraying follow fogging directions below.
- 4) Then fog 'he room:
- \* Place a chair, table or stand in the center of the room to be fogged. Cover with several layers of newspaper, paper towels or plastic tarp.
- \* SHAKE CAN WELL. Tilt sprayer AWAY from face (container sprays straight up).
- \* Press FOG button on side of sprayer all the way until it locks into place.
- \* Set fogger on covered stand. Immediately leave treated area. Keep treated area closed for at least two hours. Before reoccupying area, open all doors and windows and allow treated area to air for 30 minutes.