

## Product Information

Haynes & Morgan Seed Treat Drill Box No. 10 is a special seed treatment formulation of Manganese ethylene bisdithiocarbamate which, when used in accordance with Directions For Use, protects crops against seed-borne diseases such as stinking smut of wheat, oat smut, covered and false loose smut of barley, and bunt of rye. It also gives temporary protection to cereal crops, corn and soybeans against certain soil-borne diseases such as root rot and seedling blight.

Haynes & Morgan Seed Treat Drill Box No. 10 is especially designed for on-the-farm application as a Drill Box Treatment.

## Directions for Use

WHEAT, BARLEY, OATS, RYE: Use rate of 2 oz. per bushel.

FLAX: Use rate of 4 oz. per bushel.

CORN AND SOYBEANS: Use rate of 2½ oz. per bushel.

Mix HAYNES & MORGAN SEED TREAT DRILL BOX NO. 10 thoroughly into the seed.

(1) Placing and leveling one-half of the seed in the drill or planter box and sprinkle one-half the total HAYNES & MORGAN SEED TREAT DRILL BOX NO. 10 required (for the full planter box) uniformly on or under the surface of the seed. Mix thoroughly with a stick or paddle, then fill the box with seed and sprinkle the remaining one-half of the powder on or under the surface and mix again until all streaking has disappeared and coloring of seed appears uniform. DO NOT MIX WITH HANDS.

(2) Dribble the required amount of HAYNES & MORGAN SEED TREAT DRILL BOX NO. 10 into each bushel of seed as it is poured into the drill box and mix with a paddle until uniform.

Avoid very deep seeding and exceptionally early sowing under poor conditions for maximum benefits. Use only recommended rates. Seed should be well cured, dry and clean before treatment.

## PRODUCT NO. 110

### INGREDIENTS


#### ACTIVE INGREDIENT:

MANEB (Manganese ethylene  
bisdithiocarbamate) . . . . 50.00%

INERT INGREDIENTS . . . . . 50.00%

### Controls Certain Soil-Borne and Seed-Borne Diseases of:

WHEAT	FLAX
BARLEY	RYE
OATS	CORN
SOYBEANS	



USDA NO. 11544-1

NET  
4


KEEP OUT

Harmful if fumes. This irritation. thoroughly near heat adequate v closed. Avc and food s skin, eyes, o

Product Information

PRODUCT NO. 10

Directions for Use



Manufactured by  
GREAT FALLS, MONTANA 59401

O. 110

ITS

ine  
rate) . . . . 50.00%  
. . . . . 50.00%

Borne and  
of:

LAX  
IYE  
CORN



ACCEPTED  
AUG 12 1971  
U.S. DEPARTMENT OF AGRICULTURE  
FEDERAL REGISTER  
11544-1

USDA NO. 11544-1

**NET CONTENTS  
4 POUNDS**

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN**

Harmful if swallowed. Avoid inhaling fumes. This material may cause skin irritation. Wash hands and face thoroughly after using. Do not store near heat or open flame. Use with adequate ventilation. Keep container closed. Avoid contamination of feed and food stuffs. Avoid contact with skin, eyes, or clothes.

**WARNING**

**NOTE:** Do not use treated seed for food or feed purposes.

Keep container closed when not in use. If Maganese ethylene bisdithiocarbamate becomes wet in storage, it's fungicidal effectiveness may be reduced and it may also produce flammable vapors. Store in a cool dry place.

**TOXIC TO FISH**

Do not contaminate any body of water by cleaning of equipment and disposal of wastes and containers. Keep out of any body of water.

**DESTROY EMPTY CONTAINERS**

Destroy empty containers by piercing top and bottom and burying in non-crop land.

**NOTE:** Treated seeds should be labeled as follows:

DISINFECTED SEED  
POISONOUS TO ANIMAL  
AND MAN  
DO NOT USE FOR FOOD,  
FEED OR OIL