

of Weed Control in Small Grains, Rice, Flax, Grassland and Non-Crop Areas.

HAYNES & MORGAN

MCPA AMINE

CAUTION

Keep Out of

Reach of Children

EPA Reg. No.

11544-14

Ingredients

ACTIVE INGREDIENT: Dimethylamine salt of
2-methyl-4-chlorophenoxy-acetic Acid 52.2%
INERT INGREDIENTS 47.8%
100.0%

Contains the equivalent of 42.6% 2-methyl-4-chlorophenoxyacetic acid equivalent to 4.0 lbs. per gallon at 68 degrees F.

ACC
April 9, 1973
11544-14

PRODUCT INFORMATION

HAYNES & MORGAN MCPA-AMINE can be applied as easily as the 3-leaf stage of small grains . . . 2,4-D is injurious at this stage.

Better selectivity and earlier weed control result in higher small grain yields than with 2,4-D

More selective in wheat, oats and barley than 2,4-D

Early control (when weeds are young) is most effective and prevents weed competition before it can take its toll. No grazing restrictions after application.

Contains 4 pounds of MCPA acid equivalent per gallon.

Applied as a water-mixed spray by airplane or ground sprayer.

Directions for Use

ESTABLISHED GRASSLAND AND PASTURES

For control of weeds in established grassland and pastures, apply MCPA-AMINE as a water-mixed spray at 1.0 to 1.5 lbs. per acre. For control of weeds in pastures, apply MCPA-AMINE as a water-mixed spray at 1.0 to 1.5 lbs. per acre. For control of weeds in pastures, apply MCPA-AMINE as a water-mixed spray at 1.0 to 1.5 lbs. per acre.

GRASSES GROWN FOR SEED

For control of weeds in grasses grown for seed, apply MCPA-AMINE as a water-mixed spray at 1.0 to 1.5 lbs. per acre. For control of weeds in grasses grown for seed, apply MCPA-AMINE as a water-mixed spray at 1.0 to 1.5 lbs. per acre.

NOTE:

In weed control, a second treatment may be needed for less susceptible weeds. White clover and other legumes may be temporarily injured. Do not graze with buffalo, carabao and St. Augustine grasses until 14 days after the treatment.

RANGE AND TIMBER LANDS:

For control of weeds in range and timber lands, apply MCPA-AMINE as a water-mixed spray at 1.0 to 1.5 lbs. per acre. For control of weeds in range and timber lands, apply MCPA-AMINE as a water-mixed spray at 1.0 to 1.5 lbs. per acre.

NON-CROP SPRAYING

CANADA THISTLE, WHITE TOP AND MEADOW BUTTERCUP (In Non-Crop Areas such as Roadsides, Fence Rows, Rights-of-Way and Similar Places)

For control of weeds in non-crop areas, apply MCPA-AMINE as a water-mixed spray at 1.0 to 1.5 lbs. per acre. For control of weeds in non-crop areas, apply MCPA-AMINE as a water-mixed spray at 1.0 to 1.5 lbs. per acre.

Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other herbicides, and specifically recommended and other uses are beyond the control of the manufacturer. The user assumes all risks of use, storage or handling of this product in strict accordance with directions given hereon.

MANUFACTURED BY HAYNES & MORGAN CHEMICALS, INC. — GREAT FALLS, MONTANA — P.O. BOX 3002 — PHONE 406-453-4631

NET CONTENTS