


SHARE CORP.
BROOKFIELD, WIS. 53005
Chemical Engineering Specialists

Products formulated for professional application, specifically for municipal, industrial and institutional use.



OUTDOOR INSECTICIDE

FOR PROFESSIONAL USE ONLY: This product is specifically formulated to be used by experienced personnel to aid in the control of flies and mosquitoes which have developed resistance to chlorinated insecticides such as DDT and Chlordane.

WARNING: Read complete label directions and warnings before using. **DO NOT USE THIS PRODUCT ON ANY AREAS WHERE FOOD OR FOOD CROPS ARE GROWING, OR WILL BE GROWING. THIS PRODUCT IS HIGHLY TOXIC TO BEES EXPOSED TO DIRECT TREATMENT OR RESIDUES ON CROPS. PROTECTIVE INFORMATION MAY BE OBTAINED FROM YOUR COOPERATIVE AGRICULTURAL EXTENSION SERVICE. FOR INDUSTRIAL USE ONLY.**

DIRECTIONS

MOSQUITOES AND FLIES: Mix one gallon of this concentrate with 25 gallons of water or fuel oil to aid in controlling mosquitoes and flies. Fifty gallons of this ready-to-use insecticide should be applied to 43,500 sq. ft. of area (one acre). If conditions are especially severe, and there is a heavy insect population to be controlled increase the quantity to two gallons of this concentrate to 25 gallons of water or fuel oil.

LARVAL CONTROL: Thoroughly wet the surface of all areas where mosquitoes and flies breed or congregate, such as garbage dumps, refuse heaps, outside of buildings, low damp areas, and undergrowth near stagnant water. (Use this dosage only in intermittently flooded areas, stagnant water, temporary rain pools, sloughs and log ponds). Repeat when necessary.

FOR MUNICIPAL REDUCTION OF ROACH POPULATIONS: Mix 1 gallon to 10 gallons of water. Apply in a wet spray, thoroughly treating the inside of manholes and sewage lines. Apply to garbage racks and cans and wet garbage dumps and refuse areas. Repeat the treatment when necessary. Always dilute according to directions before using. Concentrate as packed is inflammable or when diluted with fuel oil is inflammable. Keep away from Heat or Open Flame.

FOR PROFESSIONAL USE ONLY:

NOTICE

KEEP FROM FREEZING: If this product is stored in cold or freezing weather it may separate or thicken. This will not harm the performance. Before using, warm to room temperature and stir thoroughly.

DANGER: This product is poisonous. Precautions must be observed in handling. Poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get on skin or eyes, or clothing. Do not breathe fumes. In case of contact, wash immediately with soap and water. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash contaminated clothing with soap and hot water before re-use. Wear natural rubber gloves. Wear waterproof protective clothing. Wear mask or respirator of type found by the U.S. Bureau of Mines to give adequate protection against this material. Keep all unprotected persons out of operational area.

FIRST AID: INTERNAL: If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water). **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

EXTERNAL: If the material has been spilled on the skin, immediately remove all contaminated clothing, and wash skin with soap and running water. If material gets into eyes, wash immediately with running water for at least ten minutes.

ANTIDOTE: Atropine is the emergency antidote for vapona insecticide poisoning. Consult your physician about obtaining an adequate supply of 1/100th grain atropine tablets for emergency use. Call a physician in all cases of suspected poisoning. **IF WARNING SYMPTOMS APPEAR:** Administer two 1/100 grain atropine tablets immediately. Never administer atropine unless warning symptoms appear. (See Warning symptoms below)

Start artificial respiration immediately if patient is not breathing. Keep patient prone and quiet. Transport the patient immediately to the nearest physician. **NOTE TO PHYSICIAN: WARNING SYMPTOMS:** Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps. **TREATMENT:** Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10 minute intervals, in doses of 1 to 3 milligrams until complete atropinization has occurred. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Morphine is contraindicated. Clear chest by postural drainage. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test.

1) Do NOT use on areas where food or feed crops are growing 2) Birds feeding on treated areas may be killed. 3) Do NOT apply or allow spray to drift on areas occupied by unprotected humans or animals.

This product is toxic to fish, shrimp, crabs and other wildlife. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label. Do not reuse empty drum. Return to drum reconditioner

NEVER USE AS DIRECTED
WHEN USED AS DIRECTED