

# MOSQUITO AND FLY CONTROL AND LARVICIDE

CONTROLS FLIES, MOSQUITOES AND THEIR LARVAE  
CAN BE DILUTED WITH WATER  
AND SPRAYED OR MISTED.

## DILUTE WITH FUEL OIL FOR THERMAL COMBUSTION FOGGING

ACTIVE INGREDIENTS:	BY WEIGHT
Heavy Aromatic Naphtha	85.91%
* Methoxychlor, Technical	4.69
** Malathion	3.14
2,2-dichlorovinyl dimethyl phosphate	1.17
Related compounds	.09
INERT INGREDIENTS:	5.00
	<hr/> 100.00%

\* Equivalent to 4.11% 2,2-bis(p-methoxyphenyl)  
-1,1,1-trichloroethane and 0.58% other isomers  
and related compounds.

\*\* O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate

E.P.A REG. NO. 11547-34

**DANGER: KEEP OUT OF REACH OF CHILDREN**

See additional cautions on side panel.

NET CONTENTS

UNCONDITIONALLY GUARANTEED  
WHEN USED AS DIRECTED

# MOSQUITO AND FLY CONTROL

To control Mosquitoes, Horseflies, Deerflies, Stableflies and Houseflies, and other small flies with 12 gallons of water or fuel oil. Spray Mosquito & Fly Control with 12 gallons of water or fuel oil per acre. The use of thermal combustion fogging machines for fuel oil dilution increases effectiveness and reduce the amount required per acre.

To control mosquito larvae in intermittently flooded areas, mix 2.5 gallons of Mosquito & Fly Control fuel to treat one acre. Around garbage dumps, refuse heaps, outside of buildings, low drains, mix 1 gallon with 5 gallons of water and apply in a wet spray. Repeat when necessary.

To control roaches, dilute 1 gallon with 5 gallons of water, apply in a wet spray, then wash. Apply to garbage racks and cans and to wet garbage dumps and refuse areas. Repeat when necessary.

### NOTICE

**KEEP FROM FREEZING:** If this product is stored in cold or freezing weather it may become unusable. Before using, warm to room temperature and stir thoroughly.

**DANGER:** This product is poisonous. Precautions must be observed in handling. Poisonous to eyes. Do not get on skin or eyes, or clothing. Do not breathe fumes. In case of contact with skin, wash arms and face thoroughly with soap and water before eating or smoking. Wash contact surfaces with soap and water. Wear natural rubber gloves. Wear waterproof protective clothing. Wear mask or respirator in confined areas. Adequate protection against this material. Keep all unprotected persons out of operation areas.

**FIRST AID: INTERNAL:** If the material has been swallowed, induce vomiting immediately by giving warm salt water (1 tablespoon of salt to a glass of water). **NEVER GIVE EMETICS TO CHILDREN.**

**EXTERNAL:** If the material has been spilled on the skin, immediately remove all contaminated clothing. If material gets into eyes, wash immediately with running water for at least ten minutes.

**ANTIDOTE:** Atropine is the emergency antidote for insecticide poisoning. Consult a physician for 1/100th grain atropine tablets for emergency use. Call a physician in all cases of suspected poisoning. Administer two 1/100 grain atropine tablets immediately. Never administer atropine until advised by a physician.

Start artificial respiration immediately. If patient is not breathing. Keep patient prone on a hard surface. Call a physician. **NOTE TO PHYSICIAN: WARNING SYMPTOMS:** Symptoms include weakness, dizziness, reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal pain. Atropine is the antidote of choice against parasympathetic nervous stimulation. If there are contraindications, atropine should be injected at 10 minute intervals, in doses of 1 to 3 milligrams until complete recovery. Atropine may be administered in conjunction with morphine. Morphine is contraindicated. Clear the patient for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, result in a cholinesterase inhibitor. Allow no further exposure until time for cholinesterase has been determined.

1) DO NOT use on areas where food or feed crops are growing. 2) Birds feeding on sprayed areas may be killed. Do not spray on areas occupied by unprotected humans or animals.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Consult your local cooperative Agricultural Extension Service.

This product is toxic to fish, shrimp, crab, birds and other wildlife. Keep out of lakes, streams, ponds, and other bodies of water. Do not apply where drift from areas treated is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not use for treatment, or disposal of wastes. Apply this product only as specified on this label.

Do not use or store near heat or open flame.

Do not reuse empty drum. Return to drum conditioner or destroy by perforating drum. **NOT FOR HOUSEHOLD USE**

**ACCERTED**

4-28-76

11547-34

UNDER FEDERAL REGULATION  
EPA REG. NO. 11547-34  
EPA REG. NO. 11547-34  
EPA REG. NO. 11547-34

TROL

R LARVAE

ATION FOGGING

BY WEIGHT

85.91%

4.69

3.14

1.17

.09

5.00

100.00%

S

tosuccinate

OF CHILDREN

UNCONDITIONALLY GUARANTEED  
WHEN USED AS DIRECTED

# MOSQUITO AND FLY CONTROL AND LARVICIDE

To control Mosquitoes, Horseflies, Deerflies, Stableflies and Houseflies, and other small flying insects, mix one pint of Mosquito & Fly Control with 12 gallons of water or fuel oil. Spray Mosquito & Fly Control with 12 gallons of water or fuel oil. Spray water dilutions at the rate of 50 gallons per acre. The use of thermal combustion fogging machines for fuel oil dilutions and mistblowers for water dilutions will increase the effectiveness and reduce the amount required per acre.

To control mosquito larvae in intermittently flooded areas, mix 2.5 gallons of Mosquito and Fly Control and Larvicide with 50 gallons of diesel fuel to treat one acre. Around garbage dumps, refuse heaps, outside of buildings, low damp areas, and undergrowth near stagnant water, dilute 1 gallon with 5 gallons of water and apply in a wet spray. Repeat when necessary.

To control roaches, dilute 1 gallon with 5 gallons of water, apply in a wet spray, thoroughly treating the inside of manholes and sewage lines. Apply to garbage racks and cans and to wet garbage dumps and refuse areas. Repeat when necessary.

### NOTICE

**KEEP FROM FREEZING:** If this product is stored in cold or freezing weather it may separate or thicken. This will not harm the performance. Before using, warm to room temperature and stir thoroughly.

**DANGER:** This product is poisonous. Precautions must be observed in handling. Poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get on skin or eyes, or clothing. Do not breathe fumes. In case of contact, wash immediately with soap and water. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash contaminated clothing with soap and hot water before re-use. Wear natural rubber gloves. Wear waterproof protective clothing. Wear mask or respirator of type found by the U.S. Bureau of Mines to give adequate protection against this material. Keep all unprotected persons out of operational area.

**FIRST AID: INTERNAL:** If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water). **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

**EXTERNAL:** If the material has been spilled on the skin, immediately remove all contaminated clothing, and wash skin with soap and running water. If material gets into eyes, wash immediately with running water for at least ten minutes.

**ANTIDOTE:** Atropine is the emergency antidote for vapora insecticide poisoning. Consult your physician about obtaining an adequate supply of 1/100th grain atropine tablets for emergency use. Call a physician in all cases of suspected poisoning. **IF WARNING SYMPTOMS APPEAR:** Administer two 1/100 grain atropine tablets immediately. Never administer atropine unless warning symptoms appear. (See Warning Symptoms below)

Start artificial respiration immediately. If patient is not breathing. Keep patient prone and quiet. Transport the patient immediately to the nearest physician. **NOTE TO PHYSICIAN: WARNING SYMPTOMS:** Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps. **TREATMENT:** Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10 minute intervals, in doses of 1 to 3 milligrams until complete atropinization has occurred. 2 PAM is also antidotal and may be administered in conjunction with atropine. Morphine is contraindicated. Clear chest by postural drainage. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning cause prolonged susceptibility to very small doses of nay cholinesterase inhibitor. Allow no further exposure until time for cholinesterase has been allowed as determined by blood test.

1) DO NOT use on areas where food or feed crops are growing. 2) Birds feeding on treated areas may be killed. 3) DO NOT apply or allow spray to drift on areas occupied by unprotected humans or animals.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

This product is toxic to fish, shrimp, crab, birds and other wildlife. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not use or store near heat or open flame.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating and burying in a safe place away from water supplies. **NOT FOR HOUSEHOLD USE** **FOR USE BY TRAINED PERSONNEL ONLY**

ACCEPTED