

D-S-D DISINFECTANT


| ACTIVE NGREDIENTS | |
|---|--------|
| n-Alishino Chi 30 C 5 C . , 5 C: | |
| d methy! benzyl ammonium chlorides | í |
| n-Alkyl (68 / C = 32 / C =) | |
| dimethy to thy benzy tank on keep chlorides | ָ [|
| INERT INGREDIENTS: | . 11 |
| 1 | (){ |

D-S-D DISINFECTANT IS A CONCENTRATE AND SHOULD BE DILUTED BEFORE USING.

ALT COMTENTS.

DANGER KEEP OUT OF REACH OF CHILDREN

See First Aid and other precautionary statements on back panel.



SHARE CORP. BROOKFIELD, WIS. 53005 Chemical Engineering Specialists Products formulated for professional application, specifically for municipal industrial and institutional use.

D-S-D DISINFECTANT

HOUSEHOLD For sanitizing and disinfecting floors, walls and inanimate hard surfaces. For Schools, Homes, Locket Rooms, Garbage Pails, Sink Tops, Corridors, Classrooms, Office: and Shower Stalls. Apply solution with mop or cloth. Sanitize with 1 liquid ounce D-S-D DISINFECTANT to 4 gallons of water. Disinfect with 3 liquid ounces D-S-D DISINFECTANT to 5 gallons of water. Kills Staphylococcus aureus and Salmonella Choleraesuis. Gross filth and heavy soil deposits should be removed from surfaces prior to application of the recommended solution.

HOSPITALS, NURSING HOMES, INSTITUTIONS—For floors, walls and other hard surfaces, as well as Sink Tops, Garbage Pails, Telephones and Restrooms, use D-S-D DISINFECTANT at 3½ ounces per 5 gallons of water. At this level D-S-D DISINFECTANT will be effective against Pseudomonas aeruginosa PRD-10

Gross filth and heavy soil deposits should be removed from surfaces prior to application of recommended solution.

FOOD PROCESSING EQUIPMENT. For sanitization of food processing equipment and food utensils dilute 1 ounce D-S-D DISINFECTANT per 4 gallons of water to provide 200 ppm of active quaternary. At this level, No Potable Water Rinse is required. Gross filth and heavy soil deposits should be removed from surfaces prior to application of the recommended solution.

DAIRIES To sanitize dairy equipment, first clean and rinse the equipment thoroughly. Then apply sanitizing solution containing 1 ounce D-S-D DISINFECTANT to 4 gallons of water (200 ppm). At this level, No Potable Water Rinse is required. Follow recommendations of local Health Board. Gross filth and heavy soil deposits should be removed from surfaces prior to application of the recommended solution.

COLD DISINFECTION — For disinfection of previously cleaned rurgical instruments, barber tools, and dental equipment, simply submerge instruments into solution containing 1% ounce D-S-D DISINFECTANT per gallon of water for at least 10 minutes.

RESTAURANT AND BAR RINSE. Dishes, glassware, silverware, cooking utensils, wash with soap or synthetic detergent, rinse thoroughly and immerse in a sanitizing solution containing 1 ounce D-S-D DISINFECTANT to 4 gallons water. No Terminal Potable Water Rinse required.

This product, when used on environmental, inanimate, hard surfaces at 3½ ounces per 5 gallons of water is effective against Influenza A2, Herpes Simplex, Adenovirus type 5, and Vaccinia Viruses.

DANGER KEEP OUT OF REACH OF CHILDRENCorrosive. Causes severe eye and skin dam age. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed Avoid contamination of food.

FIRST AID In case of contact, immediately flush eyes or skir with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swalfowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN: Probable mucosal damage may contrandicate the use of gastric lavage. Measures gainst circulatory shock, respiratory depression and convintion to a, the needed

Rinse empty container thoroughly with water and discard