

FOUR WAY DISINFECTANT

DEFILMER DETERGENT DEODORANT DISINFECTANT

ACTIVE INGREDIENTS: n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) Dimethyl benzyl ammonium chlorides 2.25% n-Alkyl (68% C12, 32% C14) Dimethyl ethylbenzyl ammonium chlorides 2.25% Sodium Carbonate 3.00% Tetrasodium ethylenediamine tetraacetate 1.00% INERT INGREDIENTS 91.50% 100.00%

WARNING


KEEP OUT OF REACH OF CHILDREN

See Side Panel For Additional Precautionary And First Aid Statements.

EPA Reg. No. 11547-39

NET CONTENTS:

EPA Est. No. 11547-WI-1



FOUR WAY DISIN

Four Way Disinfectant is a cleaner, disinfectant, and san hospitals, nursing homes and institutions where housekeeping with hazard of cross-infection from environmental surfaces. Four Way need in this area, when used as directed. For use on floors, we rooms, bed pans and operating rooms. Effective against Staphylo Psodomonas aeruginosa. Also effective against pathogenic fungi, 1

When used for sanitization of previously cleaned food pr limit active quaternaries to 200 ppm. At this level, NO POTABLE USE DIRECTIONS:

Disinfection:

Use 2 ounces per gallon. This product will be effective againvel. This has been substantiated by the AOAC Use Dilution Confungicidal against pathogenic fungi.

For best results, use Four Way Disinfectant with a cloth hard surfaces.

For heavy soil or organic matter, a pre-cleaning step is rec Sanitization:

If used for sanitization of previously cleaned food equipmactive quaternaries to 200 ppm (2.3 ounces per 5 gallons of water

This product when used on environmental, inanimate, hare effective against Influenza A₂, Herbes Simplex, Adenovirus type : PHENOL COEFFICIENTS: Guaranteed

S. aureus

S. typhosa

WARNING: KEEP OUT OF REACH OF

Causes eye and skin irritation. Do not get in eyes, on skin or on mination of food.

FIRST AID: In case of contact, immediately flush eyes or skin For eyes, call a physician. Remove and wash all contaminated chegg whites, gelatin solution, or if these are not available, drink larger

Rinse empty container thoroughly with water and discard



FOUR WAY DISINFECTANT

Four Way Disinfectant is a cleaner, disinfectant, and sanitizer designed for institutional use such as hospitals, nursing homes and institutions where housekeeping will be of prime importance in controlling the hazard of cross-infection from environmental surfaces. Four Way Disinfectant can provide the assurance you need in this area, when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms. Effective against Staphylococcus aureus, Salmonella choleraesuis, and Psodomonas aeruginosa. Also effective against pathogenic fungi, Trichophyton interdigitale.

When used for sanitization of previously cleaned food processing equipment and food contact items, limit active quaternaries to 200 ppm. At this level, NO POTABLE WATER RINSE is required.

USE DIRECT!ONS: Disinfection:

INT

2.25%

. 2.25%

3.00%

1.00%

. **91.50**%

100.00%

Aid St. tements.

j. No. 11547-39

No. 11547-WI-1

)REN

Use 2 ounces per gallon. This product will be effective against Pseudomonas aeruginosa PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi.

For best results, use Four Way Disinfectant with a cloth or mop and apply to walls, floors and other hard surfaces.

For heavy soil or organic matter, a pre-cleaning step is recommended.

Sanitization:

If used for sanitization of previously cleaned food equipment or food contact items, limit the level of active quaternaries to 200 ppm (2.3 ounces per 5 gallons of water). NO RINSE REQUIRED.

This product when used on environmental, inanimate, hard surfaces at 2 ounces per gallon of water, is effective against Influenza A₂, Herpes Simplex, Adenovirus type 2, and Vaccinia viruses.

PHENOL COEFFICIENTS:

Guaranteed

Minimum

Guaranteed Minimum
S. aureus 44
S. typhosa 28

WARNING: KEEP OUT OF REACH OF CHILDREN

Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

Rinse empty container thoroughly with water and discard