

U.S. LABEL

Reason to Issue: Minor revisions in front panel
claims & Directions for Use
Shaker Can Label

Date of Draft: 4/3/74 (Pre-Reg)
Supersedes Draft: 3/20/74 (Pre-Reg)

TAKE TIME



**OBSERVE LABEL
DIRECTIONS**



ACCEPTED
11556-4
SEP 10 1974
UNDER THE PROVISIONS OF THE FEDERAL INSECTICIDE ACT FOR REGISTRATION OF PESTICIDES SUBJECT TO ATTACHED CONDITIONS

ANIMAL INSECTICIDE

1% SHAKER CAN

**FOR CONTROL OF HORN FLIES AND LICE ON
DAIRY AND BEEF CATTLE, LICE ON SWINE
AND HORN FLIES ON HORSES**

GUARANTEE

ACTIVE INGREDIENT:

O,O-Diethyl O-(3-chloro-4-methyl-2-oxo-(2H)-1-benzopyran-7-yl) phosphorothioate. 1%

INERT INGREDIENTS 99%
100%

EPA Reg. No. 11556-4-AA
EPA Est. 3125-MO-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

(See rear panel for caution statements)

NET WEIGHT 2 POUNDS

USE ONLY AS DIRECTED

Note: Underlined letters in chemical nomenclature should be italicized when printed, not underlined.



CO-RAL 1% Shaker Can

DIRECTIONS FOR USE

IMPORTANT: Read these entire Directions and Conditions of Sale, including the Warranty and Limitation of Damages provision, before using CO-RAL 1% Shaker Can.

CONDITIONS OF SALE: These Directions for Use reflect the opinion of experts based on tests of effectiveness, of toxicity to laboratory animals and of residues on or in food and feed under normal conditions of use. However, because of the wide range of conditions under which this product may be used, even though label directions are followed, it is impossible to eliminate all risks associated with its use because of abnormal conditions beyond the control of the seller. Chemagro and the Seller offer, and the Buyer uses, this product subject to the understanding that the Buyer assumes all such risks.

the dust.


RECOMMENDED APPLICATIONS

ANIMAL	PARASITE	REMARKS
Cattle (airy Beef)	Horn Flies Lice	DIRECT APPLICATION: Apply not more than 2 oz*/animal. Dust evenly into the hair over the head, neck, shoulders, back and tailhead. Repeat as necessary. No interval is required between treatment and use of meat or milk as food.
Swine	Lice	DIRECT APPLICATION: Apply not more than 1 oz*/animal as a uniform coat to the shoulders and back. Repeat as necessary, but not more often than once every 10 days. No interval is required between treatment and use of meat as food.
		BEDDING TREATMENT: Apply 2 oz* uniformly over each 30 square feet of fresh, dry bedding. Repeat as necessary, but not more often than once every 10 days.
Horses	Horn Flies	DIRECT APPLICATION AND BEDDING TREATMENT: In severe infestations, both individual animals and the bedding may be treated as directed above.
		DIRECT APPLICATION: Apply not more than 2 oz*/animal. Dust evenly into the hair over the head, neck, shoulders, back and tailhead. Repeat as necessary.

NOTE: 1 oz. of this material equals approximately three level tablespoonfuls.

RESTRICTIONS

For external, insecticidal use on above specified animals only. Avoid contamination of feed, troughs, water, and water utensils. Provide thorough ventilation while dusting.



CAUTION

irritant if inhaled or absorbed through the skin. Do not get in eyes. Do not breathe dust. Wash thoroughly with soap and warm water after handling.

Do not contaminate feed or food. Keep out of reach of children.

If poisoning occurs, obtain prompt medical aid. Prolonged exposure will result in cholinesterase depression.

Physician - Atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

WARRANTY AND LIMITATION OF DAMAGES

Chemagro warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Cautions on the label, subject to the risks referred to therein. CHEMAGRO MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY, and no agent of Chemagro is authorized to do so except in writing, with a special reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages, such as loss of profits, values, etc.

CO-RAL is a Reg. TM of the Parent Company of Farbenfabriken Bayer AG, Leverkusen.

MANUFACTURED FOR

CHEMAGRO
Division of Baychem Corporation
Box 4913, Kansas City, MO 64120