

Chemagro® **ANTHON**
brand of trichlorfon*
HORSE WORMER



4-PACK
Worms one
1,000-lb. horse

WARNING: See back of folder for complete instructions and warning statements • KEEP OUT OF REACH OF CHILDREN • NET WEIGHT: 0.72 oz. (FOUR 0.18 oz. 5-Gram) PACKETS; Expiration Date Appears Inside On Each Packet

For the removal of bots (*Gasterophilus spp.*), ascarids (*Parascaris equorum*) and pinworms (*Oxyuris equi*) from horses

DOSAGE: Give one packet (5 grams) per 250 pounds of body weight. For most effective control, repeat treatment at 3- to 4-month intervals. ANTHON Horse Wormer can be used at any time, but do not repeat more frequently than every 30 days.

DIRECTIONS: Use only on dry, or dry, feed and water. Mix with the amount of feed to be consumed at one feeding. Withdrawal of feed for 12 hours is required. Treatment will be complete in 24 hours. Allow horse to consume the medicated feed before adding any other feed. Remove and destroy any medicated feed not consumed within 12 hours.

RESTRICTIONS: Use only as directed. Do not treat horses to be used for food. Do not treat sick or debilitated horses. Do not use for 4 months if a pregnant mare has been treated. Do not use on animals other than horses. Do not exceed recommended dose. Do not administer in conjunction with any other anthelmintic treatment.

with other organic phosphates or cholinesterase inhibitors. Do not administer intravenously. Effects, especially muscle relaxants, for a period of 2 weeks after using this product.

NOTICE TO VETERINARIANS: Symptoms of overdosage in horses are ataxia and colic. Atropine is antidote. Give 100 milligrams or 1½ grains atropine per 1,000 pounds body weight.

WARNING: Not for human use. Keep out of reach of children. Avoid prolonged or repeated contact with the skin. Wash hands with soap and water after use. If swallowed by humans, induce vomiting by giving 2 tablespoons of salt in a glass of water. Call physician immediately.

TO PHYSICIAN: This material is a holinesterase inhibitor. Atropine and 2-PAM are antidotes. Supportive treatment. Do not walk patient on quip morphine.

NET WEIGHT 0.72 oz. (FOUR 0.18 oz. 5 Gram) PACKETS; Expiration Date and Lot No. inside on each packet

ACTIVE INGREDIENT: Disodium (2,2,4,4-tetrahydroxyethyl) phosphonate 100%
INERT INGREDIENTS: Cellulose, Saccharin and Dextrose 100%

076070R CHEMAGRO CORPORATION, KANSAS CITY, MISSOURI 64120

~~31-13A~~
11556-5