#### **WARNING**

May be fatal if swallowed, inhaled, or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear natural rubber gloves, protective clothing, and goggles. In case of contact, wash immediately with soap and warm water. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

In case of spillage, sweep up and bury. Wash area with strong lye solution. Do not reuse container for any purpose. Destroy empty container.

If poisoning occurs, obtain prompt medical aid.

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

> UNDER THE PELENAL DISECTICUS. FUNGICIDE AND RODERFICES ACT FOR FCONOISIC POWON REGISTER



## COUMAPH05

**Technical** 

## FOR USE ONLY IN THE MANUFACTURE OF ECONOMIC POISONS

#### GUARANTEE **ACTIVE INGREDIENT:** O,O-Diethyl O-(3-chloro-4-methyl-2-oxo-(211)-i -benzopvran-7-yl) phosphorothioate+ ..... 90% **INERT INGREDIENTS:** 10% 100% U.S. Patent No. 2,748,146

USDA Reg. No. 3125-203





Canadian Patent No. 523,206

KEEP OUT OF REACH OF CHILDREN **NET CONTENTS 250 POUNDS**  TO PHYSICIAN:

**ANTIDOTE**—Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning, even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

#### NOTICE

Seller's guarantee shall be limited to the terms of the label and, subject thereto, the buyer assumes any risks to persons or property rising out of the use or handling and accepts the product on these conditions.

909136 969090



#### WARNING

May be fatal if swallowed, inhaled, or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear natural rubber gloves, protective clothing, and goggles. In case of contact, wash immediately with soap and warm water. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

In case of spillage, sweep up and bury. Wash area with strong lye solution. Do not reuse container for any purpose. Destroy empty container.

If poisoning occurs, obtain prompt medical aid.

symptoms of Poisoning: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

FUNGICIDE AND RODINFICIAL ACT
FOR HUMO FIC POISON REGISTER



# COUMAPHOS

**Technical** 

### FOR USE ONLY IN THE MANUFACTURE OF ECONOMIC POISONS

G	SUARANTEE
ACTIVE INGREDIENT:	
• • • • • • • • • • • • • • • • • • • •	osphorothioate† 90%
INERT INGREDIENTS:	100%
U.S. Patent No. 2,748,146	Canadian Patent No. 523,206

USDA Reg. No. 3125-203



POISON



DANGER

KEEP OUT OF REACH OF CHILDREN
NET CONTENTS 250 POUNDS

#### TO PHYSICIAN:

ANTIDOTE—Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning, even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

#### **NOTICE**

Seller's guarantee shall be limited to the terms of the label and, subject thereto, the buyer assumes any risks to persons or property rising out of the use or handling and accepts the product on these conditions.

909136 969090