

GO-RAL

0.5% DOG DUSTER

Chemagro

FOR CONTROL OF FLEAS, LICE,
and TICKS ON DOGS

GUARANTEE

ACTIVE INGREDIENTS:

coumaphos
[O,O-Diethyl O-(3-chloro-4-methyl
-2-oxo-(2H)-1-benzopyran-7-yl)
phosphorothioate] † 0.5%

INERT INGREDIENTS: 99.5%
100.0%

†U.S. Patent No. 2,748,146
Canadian Patent No. 523,206

USDA Reg. No. 3125-230

(See rear panel for warning statements)

CAUTION

KEEP OUT OF REACH OF CHILDREN

NET WEIGHT 3 OUNCES

Front Panel

DIRECTIONS FOR USE

Shake occasionally during use. Open nozzle by turning tip up. Keep nozzle tip closed (down) when not in use. Squeeze container to expel dust in short, light clouds. Hold nozzle 2 to 4 inches from area to be treated and apply a light, even coat.

FOR CONTROL OF FLEAS, LICE
and TICKS ON DOGS

Dust dogs thoroughly under the hair over the entire body. Repeat as necessary, but not more often than weekly. Dog's bedding should also be dusted to help prevent re-infestation.

RESTRICTIONS

For external, insecticidal use on dogs only. Do not use on cats or nursing puppies. Avoid contamination of feed, water and water utensils. Provide thorough ventilation while dusting.

CAUTION

Avoid inhalation of dust. Wash after handling. Do not contaminate feed or food. Keep out of reach of children. If poisoning occurs, obtain prompt medical aid. Prolonged exposure will result in cholinesterase depression. To Physician—Atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

MANUFACTURED BY
CHEMAGRO CORPORATION
KANSAS CITY, MO

Back Panel

ACCEPTED WITH COMMENTS